Index

Index

Abbe, R., 593 Adams, M., 178 Abbe flap, 593-628 Adamson, J., 249 dimpled, 545, 600, 605 Adenwalla, H. S. donor area for, 596-597 approval of rotation-advanceindications for, 570, 574, 576, ment, 207-209 578, 588 personal cases of, 208-209 midline position in unilateral Adhesion procedures, 83, 437-448 clefts, 600-626 Collito-Walker, 440-441 approval of, 603-604 and early soft palate closure, 448, closure of donor area, 606 454 and dimple creation, 605 half-undermined, high, 442-443 division of pedicle in, 609 Millard, 437-438, 439-440, early cases of, 600-603 442-446, 456 after Hagedorn-LeMesurier secondary use of, 458-459 procedures, 623-626 problems with, 444-445 after Mirault-Blair-Brownprosthesis with, 448, 472 McDowell procedures, 604, Randall, 438-440, 441 610-623 secondary use of, 447-448 pedicle size in, 605 septum in, 445-446 return of function after, 606 Advancement flaps reverse Z-plasty with, 627-628 cutting of, 318 scar excision with, 622 marking of, 316-318 scars from, 606 techniques for, 468-469 shaping of flap, 605 Age, and timing of surgery, 69-74 technique of, 607-609 Agglutinative bandages, for closure total cleft scar excision after, of clefts, 83, 85 628 Agroskina, A. P., 563 white roll flap with, 605-606 Aiaich, R., combined nasal and with one-sided Gillies cupid's labial correction of, 694 bow operation, 599 Alar deformity, nasal. See Nose, alar unilateral positioning of, base correction 596-598 Albucasis, cautery approach of, 81 askew setting in, 598 Alexander the Great, 248 variations in shape of, 593-596 Alhopuro, S., 405 Abend, M., nasal correction of, 661 Altemus, L. A., on incidence of Abrasion, of lip scars, 536-537 clefts, 59, 63, 64

Avery, J. K., 9 Alveolus Axhausen, G., 131 in classification of clefts, 44 cleft closure "Back-cut," in rotation-advanceby Obukhova method, 144 timing of, 252 ment method, 186, 215, relaxing incisions along margin 217, 219-221 of, 554 advantages of, 222-223, 388 Anatomy, 19-40 cut back on, 222 of lip clefts, unilateral, 25-36 importance of, 420, 422, 424 of nasal deformity, 20-25, inadequate, 221-222 631-633 presentation as modification, 390 of normal face, 34-40 technique of, 321, 461 measuring of, 36-37 Baer, K., 3 racial comparisons in, 37-40 Baker, J. L., 13 Bandages, agglutinative, for closure variations in, 35-36 of clefts, 83, 85 philtrum column variations in, 280-282 Bard-Parker blade, use of, 313 and skin line structure, 279-280 Bardach, J., 656 Anesthesia, local Bardeleben, A., 122 for Abbe flap procedure, 607 Barnard, C., 154 for infants, 72, 73 Barron, J., 84, 166 Millard's use of, in Korea, combined nasal and labial corrections of, 691 171-172 Angular artery, 31 nasal correction of, 699 Antibiotic ointment, use of, 377, Barsky, A., 82, 179, 404 nasal correction of, 647, 662-663 378, 482 Bartels, R., 13 Approximation methods. See lip operation of, 99 Closure of clefts Battle, R., 96 Arrunategui, C. graft for auricular lobule, Bauer, T. M., 128, 249 412-414 Baxter, H., 66, 349 mucosal flaps of, 249-250 Beaver blade, use of, 313 Beck, R., 715 Art work, misleading points in, 183-184 Behan, F., 432 Artistic concepts, in plastic surgery, Bell, K., 121 Berger, J. C., on vascular pattern in 182 cleft lip, 32 Artists, medical, 121 Asclepius, 313 Berkeley, W. T., 256, 314 Asencio del Valle, O. E., on correction of nasal deformmodification of rotation-adities, 646 vancement of, 408-410, 412 on Millard technique, 269-271 Aufricht, G., 178 nasal correction of, 260-263, conservative approach of, 258-259 264, 426-429, 446, 649-651 nasal correction of, 699 on nasal deformities, 632, 662 Auricular grafts on nasal septum correction, for lip repair, 412-414 636-637 for nasal correction, 685-687, personal cases of, 262-263, 723-724 428-429

workshop duel with Millard, Blood vessels, facial, 31-32 425-426 clefts affecting, 32 Berkowitz, influence of, 314 Bodenham, D. C. Berlin, A., 47 on secondary surgery, 528, 567 Bernard, C., 102 on septal cartilage grafts, 684 Bernstein, L., 223 Bones rotation-advancement modificafacial, shifting in clefts, 387 tion of, 421-423, 424 nasal, distortion with unilateral Bias, W., 349 cleft lip, 21 Binnie, J. F., 92, 103, 121, 122 Boo-Chai, K. Bixler, on risk factors in cleft cases of microforms, 23 incidence, 306 classification of clefts, 50-51 Blair, V. P., 105-111 on clefts in twins, 349 alar undermining of, 257, 266 lip and nose measurements by, 39 Blair/Brown technique, 107-108, on nasal deformity, 630 109, 113 paper models of, 256, 257, comments by Tennison, 139 284-285 on classification of cleft lips, 43, translation of Chin annals, 42, 79 44 Boomerangs, experience with, on cleft in twins, 349 434-435 concept of tissue deficiency, 282 Borchgrevink, H. early students of, 110-111 approval of rotation-advanceand evolution of surgical progment, 201 ress, 77 nasal correction of, 662 lip flap for nasal floor, 143, 147, on secondary rotation-advance-190, 272 ment, 568-569 lip operation of Borde, use of rotation-advanceartist's concept of, 121 ment, 283 Millard's experience with, Borges, A. F. on Pickerill procedure, 571 165, 176 secondary correction of, W-plasty of, 532, 533 571-573, 610-623, 628 Boyd, J., 9, 15 tight lip from, 588, 598, 604 Brauer, R. criticism of LeMesurier promarkings used by, 108-109 Millard's visit with, 118-119 cedure, 200 Mirault/Blair technique, 107, modification of Tennison oper-108-109, 113, 119 ation, 156, 157-158, 160 criticism of, 113, 114, 120 nasal correction of, 678 nasal correction of, 109, personal cases of, 157-158 639-640, 641, 644-645, use of LeMesurier method, 126 Brescia, N. J., 25, 28 649, 671, 699 Broadbent, T. R., on incidence of retention suture used by, 112 clefts, 63, 306 sense of artistry, 109-110 on timing of surgery, 70-71 Brooks, B., 106 Brophy, T., 43, 44, 121, 377 use of horsehair sutures, 110 vermilion Z-plasty of, 239 Brown, E., 204 Blake, G. B., 349 Brown, G. V. I., lip operation of, Blocker, T., 119, 126-127

Brown, J. B.	Buch, V., 275
Blair/Brown technique, 107-108,	Burian, F., 186
109, 113	labial sulcus flap of, 251
comments by Tennison, 139	Burkitt, A. N.
Brown/McDowell technique,	on development of vermilion
113–114	border, 25
follow-up studies of, 120	on orbicularis oris anatomy, 26
cartilage grafts for nose, 675	Burston, W., 19, 49, 314
character sketch of, 118	Byars, L. T., 110, 114, 117
concept of tissue deficiency, 282	nasal correction of, 664
criticism of Mirault/Blair	Bzoch, K., 8, 25, 66, 262, 423,
procedure, 113, 114	579
on cupid's bow, 116-117	
and evolution of surgical prog-	Cacciatore, A., 15, 16
ress, 77 -	Caliper markings. See Markings
as instructor of Millard, 166	Callister, C., lip operation of, 112
on LeMesurier procedure, 125	Calostypis, on secondary rotation-
on lip deficit correction, 142	advancement, 567
lip operation of	Cannon, B., 153
comments by Chase, 275	on timing of surgery, 72
comments by Millard, 176	Cardosa, D., 143
markings in, 114, 147	lip operation of, 140-141, 172,
muscle alignment in, 287,	176
288, 290	Carlisle, W. K., on incidence of
Pinto's experience with, 208	clefts, 61
secondary correction of, 568,	Carotid arteries, 31
571–573, 610–623, 628	Carter, on recurrence of clefts,
tight lip from, 588, 598, 600,	67–68
604	Cartilage
Vermeulen's experience with,	alar
416	deformity with unilateral cleft
markings used by, 114, 147	lip, 21
nasal correction of, 667, 699	division and lifting of, 265-
relaxing incisions at alveolar	267, 663–666
margin, 554	flap of, 484-485
as student of Blair, 110	folding of, 722
training of Pinto, 207	primary correction of, 466-467
undermining of alar cartilage,	splitting and shifting of, 662-
257, 266	663
Brown, R., 23	auricular, for nasal grafts, 685-
Browne, D., 178	687, 724
on nasal asymmetry, 257	cartilage grafts for nasal correc-
Browning, R., 734	tion, 675–689
Brunschwig, H., 82	Castaneda, A., 244
Brusseau, G., 54	Castro de Lemos, P., 152
Buccal nerve, 33	Catlin, on Chinook customs, 62
Buccal sulcus incisions, with wide	Caucasians
undermining, 555	incidence of clefts in, 58
Buccinator muscle, 27	normal facial anatomy in, 34-37
	•

rotation-advancement procedure by Veau, 45 for, 181 by Vilar-Sancho, 47 Cauterization, use of, 81, 83 Y symbol in, 49-53 Celsus, A. C., 79 Clayton, S., 197 Cervenka, J., on incidence of clefts, Clifford, R. analysis of Tennison and Charak, mentioned by Adenwalla, LeMesurier methods, 208 158-159 Charles IX, 84 on incomplete clefts, 299, 300 Chase, R. on LeMesurier procedure, 158on donor area for Abbe flap, 159, 675 596-597 selective use of rotation-advanceon Millard technique, 386 ment, 383, 384, 403 on Z-plasty, 275 on Z-plasty, 274-275 Chieu, D. V., approval of rotation- - Climo, M. S., 47 advancement, 206 on muscle alignment, 539-540 Chin defects, and implants in lower Closure of clefts labial sulcus, 715, 731 angle paring, 89-100 Chin Dynasty, closure methods in, compared to repair, 53 79-80 early methods of Chinese, normal facial anatomy adhesion in, 83 in, 39-40 with agglutinative bandages, Chlumska, A., 29 83, 85 histological studies of, 287 cautery in, 81, 83 Chong, J. K., secondary use of adin Chin dynasty, 79-80 hesion procedure, 447 in Colonial America, 85-87 Christopher, textbook of, 416 figure-of-eight suture in, 81-Chunekamrai, D., nasal correction 82, 84, 85, 87, 88 of, 678 in France, 82-84 Chung, on incidence of clefts, 64 in Germany, 85 Churchill, W., 640 interrupted sutures in, 82, 84, Ciarpella, combination of Millard 87, 88 in Italy, 84-85 and LeMesurier techniques, by "leeches," 80-81, 88 193 Circumalar incision, 232-233, 254, and lengthening of cleft edges, 89-100 469, 480, 672 correct placement of, 586 needles for approximation in, marking of, 316-317 81, 84, 85, 86-87, 88 presentation as modification, 390 by Saxon surgeons, 80-81 Clarkson, P., on timing of surgery, inferior triangular flap, 105-120 71-72 by St. Louis surgeons, 105, Classification of clefts, 43-53 107, 117, 120 by Davis and Ritchie, 43, 44 evolution of progress in, 77-78 by Fogh-Andersen, 45-46, 49 paring and appproximation in, 79by Harkins, 47 by Kernahan and Stark, 46-47, 49 paring by flaps, 101-104 official, by I.C.P.R.S., 48-49 quadrilateral flap, 121-136 by Schuchardt, 48 rotation advancement concepby Spina, 49 tion, 167-173

Closure of clefts—Continued acceptance of rotation-advancetiming of, 69–74 ment in, 383-418 Z plasty, 139–149 examples of, 487-524 Cochain, J. P., on rotationearly cases without refineadvancement method, 201, ments, 489-492 early refinements, 493-508 Cole, R., 47 without primary alar lift, Collis, M. H., 121 509-516 lip flap for nasal floor, 132, 143, with recent adjuncts and alar 145, 147, 190, 272, 671 lift, 520-522 lip operation of, 103, 108 with secondary alar lift, 517 personal cases of, 103 with strap flap alar lift, 518-Collito, M. B., 314 519 adhesion procedure of, 440-441 rotation-advancement Colobomata, 41 technique of, 449-485 Colon, G., nasal correction of, 661 tension point in, 383, 384, Columella of nose 387 deformity with unilateral cleft wide, preliminary adhesion in, lip, 21 437 - 448lengthening of, 252, 462-463, Condron, C., 349 473 Conneally, on risk factors in cleft measurements of incidence, 306 in Caucasians, 36 Constable, J., nasal correction of, in Chinese, 40 665-666 in Negroes, 38 Contractures, temporary, from normal, 34 rotation-advancement proceshift for correction of nasal dedure, 185-187, 207, 402 formity, 639-652 Converse, J. M. with external crescent excion donor area for Abbe flap, 596 sion, 645-652 on midline Abbe flap, 604 Commissure of lips, 35 on Mirault-Blair-Brown-Mc-Comparative studies of operative Dowell procedure, 120 methods nasal correction of, 658, 677 by Chase, 386 secondary procedure of, 575 by DeHaan, 386 on secondary rotation-advanceby Dion and Parenteau, 394 ment, 567, 579, 581 by Gursu, 404 textbook of, 13 by Kozin, 385 white roll skin flap used by, 548 by Maisels, 400-401 Conway, H., 47, 312, 540 by Musgrave, 384–385, 390–391 study of skin lines, 279 by Perko, 387-388 Cooke, J., on timing of surgery, 69 by Pool, 383-384, 385-386, Cosman, B. 399~400 cartilage graft for nose, 676-677 by Psillakis, 385 dermal fat graft for cleft side by Randall, 395-397 flatness, 540 by Trevaskis, 394-395 measurements of tissue deficiby Williams, 393-394 ency, 282-283, 292 Complete clefts, 383-485 on midline Abbe flap, 603

Cottle, M. H., septal correction of, 689 Counseling, genetic, 305-307 Cousteau, J., 200 Cramer, L. secondary use of adhesion procedure, 447 selective use of rotationadvancement, 388 Crease deformity, alar, with unilateral cleft lip, 21 - 22Crease formation, theory of, 28 Crikelair, G. cartilage graft for nose, 676 dermal fat graft for cleft side flatness, 540 measurements of tissue deficiency, 282-283, 292 on midline Abbe flap, 603 nasal correction of, 646 Cronin, T. D., 126, 128, 160 modification of Tennison operation, 156 nasal correction of, 678 Culf, N. K., 314 secondary use of adhesion procedure, 447-448 Cupid's bow, 35 artists' concepts of, 121 construction of, 123, 124, 128, 130, 137 description of, 91, 547 Gillies procedure for, 570, 588, 598, 616 one-sided use of, 550-551, lack of, 116-117, 120 preservation of, 95, 98, 139-162 Brauer method, 157–158 Cardosa method, 140 Davies method, 155-156 Hagerty method, 146 Marcks method, 141-143 Obukhova method, 143-144 Petit method, 151 quadrilateral flap in, 153-154 Randall method, 146-148

and rotation-advancement concept, 168, 176
Tennison method, 140
Trauner method, 149–150
Wang method, 153–154
Z-plasty in. See Z-plasty
Cyclopia, 14
Cysts, rupture of, and facial development, 10

Darwin, C., 14 Davies, D., Jr., 246 criticism of rotation-advancement, 432-433 and evolution of surgical progress, 77 on incomplete clefts, 301 lip operation of, 154–155 muscle alignment in, 288 on panel at Congress of Plastic Surgery, 431 personal cases of, 155-156 on straight-line closure, 97 Davies, D., Sr., 154 DaVinci, L., 34 Davis, A. D., 204, 349 Davis, J. S., 93 classification of clefts, 43, 44 on incidence of clefts, 59 secondary lip procedure of, 557 Davis, W. B., 14 Dawson, R., 70 Dean, M., 270 DeBakey, M., 696-697 DeHaan, C. R., 133, 386 on incomplete clefts, 400

labial correction of, 694
DeLongis, combined MillardLeMesurier technique of,
193
Demjen, S., 402–403
Denecke, H. J.
combined nasal and labial
corrections, 693–694
nasal correction of, 647

Delbet, J. P., combined nasal and

DeKleine, H., 668

Denuded flaps. See Flap procedures, in nasal deformity with unidenuded flaps lateral cleft lip, 24 Depressor muscles of lips, 27 and normal facial grooves, 10-14 Devine, J., 415 and philtrum formation, 14-16 Diabetes, maternal, and incidence of rupture of cysts, 10 clefts in children, 65 time factors in, 14 Diamond flaps, for twin tubercles, Entin, M., 179 349 Epithelial wall, failure in Dieffenbach, J. F., undermining development of, 10 cuts of, 83 Erich, J. B., nasal correction of, Dimple creation in philtrum, 653-654, 660 543-545 Erickson, J. E., nasal correction of, with Abbe flap, 605 Dimple formation, theory of, 28 Erol, O., 405 Dingman, R., nasal correction of, Ethmoidal artery, anterior, 31 646 Etiology of clefts, 307 Dion, M. A., comparison of LeMesu-Evolution of surgical procedures. rier and Millard tech-See Historical aspects niques, 394 Douglas, B., 13, 70 Fabricius, H., closure methods of, Douglas, W., 99 Doyle, A. C., 311 Facial artery, 31 Dufourmentel, C., 553 Facial lines, structure of, 279-280 secondary procedure of, 560-561 Facial muscles, 25-28 Dunbar, J., 86 Facial nerve, 26, 33 Dupertuis, M., 676 Facial processes, theory of fusion Dupuytren, G. of, 3-4 study of skin lines, 279 Fallopius, G., 85 on timing of surgery, 70 Fara, M., 245, 314 Dursy, E., fusion theory of, on blood vessels in cleft lip, 32 3-4, 8 histological studies of, 287 lip muscle dissections of, 29-30 Ear, grafts from lip operation of, 97 for lip repair, 412-414 on muscle alignment, 289-290, for nasal correction, 685-687, 291-292, 294, 539 723-724 Farkas, L. G. Elbow restraints, postoperative, 378 on LeMesurier procedure, Elsahy, N., classification of clefts, 575-576 51-52 lip and nose measurements by, Embryological theories, 3-17 36 breakdown of lip, 10 on nasal measurements after failure of epithelial wall devel-LeMesurier method. opment, 10 630-631 fusion of facial processes, 3-4 Farmer, A. W., 199 and influence of nasal septum, 20 Farmer, J., 121 merging of prominences, 8-10, 13 Farrior, R., nasal correction of, migration of mesoderm, 4-7, 9, 672-673, 699 13 Federspiel, on clefts in twins, 349

Feeding of babies on hereditary factors in clefts, with clefts, 308 43, 63 postoperative, 379-380 on incidence of clefts, 63, 64, 65, Fergusson, W., 90 on timing of surgery, 70 Franco, P., closure method of, Ferreira, M. C., 49 82-83 Fields, W. C., 118 Franz, M., philtrum measurements Figi, F. A., nasal correction of, 654, by, 36 Fraser, F. C., 23 Figure-of-eight suture, 81-82, 84, on genetics, 66-67 85, 87, 88 on incidence of clefts, 63 removal of, 87-88 parental genetic guide of, Fink, J., 86 306-307 Flap procedures Freeman, B., 126 alar base flaps in, 324, 331, 480 Freret, E., 183-184, 224, 299 in alar rim correction, 483 Frontonasal process, 3, 9 denuded flaps, early use of, 243agenesis of, 13 245, 249, 250, 255 Fry, H. J. J., nasal correction of, dermomuscular scar flap in, 542-650 Fryer, M., 117 diamond flaps for twin tubercles, Furnas, D., use of rotation-advance-349 ment, 394 full-thickness flaps in, 101-104 Fusion of facial processes, theory international progress in, 119 of, 3-4 lateral flaps in, and evolution of surgical progress, 77 Gabka, J., 219 lip-switch flaps in. See Abbe flap on muscle alignment, 290-291 markings for. See Markings Galambos, J. mucosal flaps to nasal floor, 103, approval of rotation-advance-119, 132, 143, 272 ment, 202-204 opposition to, 96, 97 criticism of Giraldes method, quadrilateral flaps. See Quad-203 rilateral flaps criticism of LeMesurier method, in rotation-advancement. See 203 Advancement flaps criticism of Récamier method, Rotation flaps 203, 273 septal flaps, anterior, 637 use of rotation-advancement, 283 Galen, C., 41, 313 triangular flaps. See Triangular flaps Garrett, W., 160, 231, 434 Z plasty, 139-149 Gelbke, H., nasal correction of, Fleischmann, A., mesoderm pene-260, 654 tration theory of, 4-5, 8 Genetics Fletcher, J., 54 and cleft incidence, 43, 63, Fogh-Andersen, P. 66-68, 306 classification of clefts, 45-46, 49 counseling in, 305-307 on clefts in twins, 349 parental guide by Fraser, at first International Congress of 306-307 Plastic Surgery, 175 Genghis Khan, 248

Geometry, of rotation-advancement on time factor in surgery, 531 method, 214-215 Gilmer, T. L., on clefts in twins, George V, 111 Ginestet, J. G., 554 Georgiade, N., 20, 99 secondary correction of, 558 approval of rotation-advancement, 403 Giraldes, M. J. symposium of, 389 lip operation of Gerow, F., nasal correction of, 660 compared to Millard tech-Gibson, T., 266, 528, 650, 684 nique, 269-272 Gillies, H. D., 96, 117, 127, 142, criticism by Galambos, 203 314 reversed, 192 approval of rotation-advancesub-alar horizontal incision of, ment, 197 195 cartilage grafts for nose, 675 on timing of surgery, 70 combined nasal and labial Glanz, S., 128 corrections, 691, 696 Glass, D., on timing of surgery, 73 cupid's bow operation, 570, 588, Gola, R., 603 598, 616 Goldwyn, R., 80, 160, 231, 312, 434 unilateral, 550-551, 599 Goran, T., on incidence of clefts, 63 on early nasal surgery, 259 Gorlin, R., 14 at first International Congress of Gorney, M., 410, 414 Plastic Surgery, 176, 178 auricular cartilage graft for nose, recovery of painting from 685-687 Mustardé, 192, 193 Goulian, D., 47 honored in American Journal of Grabb, W., 8, 25, 66, 132, 262, 274, Surgery, 182, 189 423, 579, 649 as instructor of Millard, 165, Grafts 166-167 cartilage, for nasal correction, as instructor of O'Connor, 232, 675-689 544, 555 composite, for nasal correction, as instructor of Schjelderup, 643 658, 670, 673, 723-724 as instructor of Sheehan, 640 dermal fat, for cleft side flatness, 540 interest in Millard procedure, 173 free, for vermilion border, 556 nasal correction of, 642-643, 644, hair-bearing, for mustache, 536 645, 646, 647, 655, 664, 666of mucocutaneous white roll, 548-667, 699 on nasal deformity with unisplit-rib, for nasal correction, 678 lateral cleft lip, 22, 23 Graham, adhesion procedure of, 440 painting by, 193, 197 Greminger, R., 566 on photographic recording of Grignon, J. L. clefts, 53 modification of LeMesurier principles of plastic surgery, 166, operation, 135-136 176, 182 nasal correction of, 671 relaxing incisions at alveolar secondary procedure, 562 margin, 554 Grob, M., 14 on rotation-advancement for Grooves, facial, embryonic, 8, 9-10 secondary correction, 563 correlation with facial clefts, teaching in India, 197-198 10 - 14

Guerrero-Santos, J. Hazrati, E., compound right-angle approval of rotation-advance-Z-plasty of, 533 ment, 244 Heister, L. vermilion flap of, 244-245, 649 on closure methods, 85, 87 Guersant, on timing of surgery, 70 on timing of surgery, 70 Guillemeau, J., on timing of Hemicephalus, with medial lip surgery, 69 cleft, 14 Hemoglobin levels, and timing of Gursu, G., approval of rotationadvancement, 404-405 surgery, 73, 74, 309 Henderson, F. M., on incidence of clefts, 62 Hagedorn, W., 139, 176 Henriksson, on incidence of clefts, and evolution of surgical progress, 77 Henry, J. W., on vascular pattern lip operation of in cleft lip, 32 midline Abbe flap for Hereditary factors. See Genetics secondary correction of, Hippocrates, 313 623-626 His, W., fusion theory of, 3-4, 8 modification by LeMesurier, Historical aspects 122, 124 of closure methods, 79-162. See muscle alignment in, 290 also Closure of clefts, early percentage of surgeons using, methods of 152 of naming of clefts, 41-43 quadrilateral flap of, 122, 123 of timing of surgery, 69-73 as secondary procedure, 561 Hochstetter, F., 5 Trauner modification of, 189 Hodge, G., 423 Hagerty, R., lip operation of, 146, Hoffman, S., 404 160 on secondary rotation-advance-Halak, D. B., nasal correction of, ment, 567 678 Hogan, V. M. Hall, C., 85 on donor area for Abbe flap, 596 on timing of surgery, 70 on midline Abbe flap, 604 Hamilton, C. D. P., 117 on secondary rotation-advance-Hamilton, R., adhesion procedure ment, 579, 581 of, 440 white roll skin flap used by, 548 Hamilton, W., 9 Hogerman, on nasal septum correction, 635 Hamm, W., 110 Hance, G., 110, 165 Holdsworth, W. G., 121, 314 Harding, R., 47 approval of rotation-advance-Hardy, B. S., 126, 697 ment, 401-402 dissection of medial alar crura, 252 nasal correction of, 660 as instructor of Millard, 165 Harkins, C. S., classification of clefts, 47 nasal correction of, 699 on nasal septum deviation, 635 Harmsworth, Lord, 193 Harvey, W., 85 on timing of surgery, 72-73 Holmes, S., 311, 312 Hawaii, incidence of clefts in, Horizontal cleft, embryonic factors 62-63

in, 13

Hay-Roe, V., 415-416

Horton, C., 99, 314 circumalar. See Circumalar incialar cartilage lift of, 264 sion mucosal parings for labial sulcus, crescent, external, for nasal 249 correction, 645 nasal correction of, 659-660, curved, for lengthening of cleft edges, 89-90, 98, 99 suture to upper lateral cartilage. intranasal, 655-661, 700 marginal, for nasal correction, 428 Hotz, M., 387 653-654, 666-669 Hovey, L., 13, 293 poker incision of Limberg, 95, Hrivnakova, J., 29 histological studies of, 287 relaxing, at alveolar margin, 554 Hueston, J., 432 rotation, 190, 460-461 Huffman, W. C., 24 cutting of, 319-321 on anatomy of nasal deformity, length of, 217-218, 220 marking of, 314-316 631-632 Hugo, N., 47 Incisive foramen, in classification of combined nasal and labial corclefts, 44, 46, 49 Incomplete clefts, 299-380 rection of, 695-696 Humby, G., nasal correction of, acceptance of rotation-advance-662-663, 664, 666 ment in, 299-304 Hurd, J., 118 alar base flap in, 324, 331 Husson, lip operation of, 89, 90, suturing of, 331-332 back-cut in, 321 cutting of advancement flap in, **Implants** under alar base, 703, 712 cutting of rotation incision in, to chin, 715, 731 319-321 Incidence of clefts, 57-68, 305 examples of, 335-375 in American Indians, 61-62 final edge adjustment in, 324-326 in ancient Egypt, 58 in Caribbean Islands, 59-60 flap c attachment in, 322 in Caucasians, 58 four-fifths way, 375 cleft palate without cleft lip, freeing of medial crura in, 322 halfway, 344-348, 350-357 60-61, 63-64 generalization of, 64 lateral undermining in, 319 in Hawaii, 62-63 markings in hereditary factors in, 43, 63, for advancement, 316-318 66-68 for rotation, 314-316 increase in, 64-66 measurements in, 314 in Indonesia, 63 medial undermining in, 321 in Japan, 61 minimal, 302-304 in Negroes, 59-61 with congenital grooves, racial differences in, 58-63 338-339 in twins, 349 with congenital scars, 336-337 world-wide, 57 examples of, 338-343 **Incisions** muscle alignment in, 328 buccal sulcus, with wide muscle edge flaps in, 326-328 undermining, 555 suturing of, 330

operative procedure in, 313-328 order of action in, 318 and postoperative care, 377-380 results of rotation-advancement in, 299-302 in Negroes, 301–302 scalpels used in surgery of, 313 suturing of, 329-333 three-fourths way, 371-374 in twins, 349-350 two-thirds way, 346, 358-370 use of extra tissue in repair of, wedge excision in, 324, 331 white roll flap for, 326, 328 suturing of, 330 Indians, American, incidence of clefts in, 61-62 Indonesia, incidence of clefts in, 63 Infraorbital artery, 31 Infraorbital nerve, 33 Ingelfrans, criticism of rotationadvancement, 203 Interrupted sutures, use of, 82, 84, 87, 88 Ivy, R. H., 106, 111 on classification of clefts, 52-53 on clefts in twins, 349 on incidence of clefts, 63 nasal correction of, 641 nasal floor closure of, 251 on timing of surgery, 71 Jaffe, B., on incidence of clefts, 61 Jalaquier, M., 141 Jennings, H. B., 118 Iljin lip operation, muscle alignment in, 290 Johanson, B.

on timing of surgery, 71

Jaffe, B., on incidence of clefts, 61

Jalaquier, M., 141

Jennings, H. B., 118

Jljin lip operation, muscle alignment in, 290

Johanson, B.

adhesion procedure of, 438
as boomerang thrower, 435
on panel at Congress of Plastic Surgery, 431
split rib grafts for nasal correction, 678

Johnson, H. A., nasal correction of, 678

Joseph, J., 258, 264
alar lift of, 426, 428

nasal correction of, 645, 646, 650, 651, 677, 680, 700 Joss, G., 154, 190, 400 comments on rotation-advancement method, 199, 218 Ju, D. M., 646

Kahn, S., 404 nasal correction of, 647 Kan, F., 80 Kaplan, E., rotation-advancement discussion of, 410-412 Kaplan, J. measurements of nasal ectodermal volume in embryos, 24 mesodermal migration theory of, Karfik, V., 9-10 Kavrakirov, V. W., 385 lip operation of, 192 Kazanjian, V. H., 111-112 nasal correction of, 663 Keith, A., on facial muscle development, 26 Kelleher, J., 210

ment, 26
Kelleher, J., 210
Kelly, analysis of operative methods, 158
Kernahan, D., classification of clefts, 46–47, 49
Y symbol in, 49–51
Khang, T. V., approval of rotationadvancement, 206–207
Kilner, T. P., 23, 45, 629
cartilage grafts for nose, 675
and evolution of surgical prog-

ress, 77
at first International Congress of
Plastic Surgery, 175, 176
as instructor of Millard, 165
as instructor of Mustardé, 192
lip operation of, 96–97, 98
compared to rotationadvancement, 400
nasal correction of, 642, 644,
646, 647, 650, 655, 666,
667, 700
nasal floor closure of, 251

Kislov, R., analysis of operative Lacheretz, criticism of rotationmethods, 158 advancement method, 203 Ladd, W. E., lip operation of, Klabunde, E. H., 30, 223 histological studies of, 287 92-93, 111 Kline, S., 622 Lamont, E., 640 Koch, V. J., on rotation-advancecartilage grafts for nose, 675 ment method, 290, 291 comments on J. S. Davis, 557 experience with rotation-Kolesov, A. A., 134 lip operation of, 144-145 advancement, 416-418 Langenbeck, B., as instructor of on rotation-advancement method, 276 König, 122 Kölliker, A., 3 Langer's lines, 279 Kollman, J., 3 crossing of, 161, 162 König, F., quadrilateral flap of, Lapa, F. S., 49 122-123 Last, R. L., 162 Lateral flaps. See also Quadrilateral Kowalzig, E., 123, 271 Kozin, I. A., 23 flaps; Triangular flaps cartilage grafts for nasal corand evolution of surgical progrection, 678-679 ress, 77 on rotation-advancement Latham, R. A., 446 method, 283 theory of nasal septum as domon secondary rotation-advanceinant growth structure, 20 ment, 569-570 theory of philtrum formation, selective use of rotation-15-16 advancement, 385 Laub, D., 409, 410 Kraissl, C. J., study of skin lines, Lavrentiev, A. A. 279 histological studies of, 287 Krantz, H. C., on incidence of muscle studies in clefts, 30-31 clefts, 62 Lavrakerov, use of rotation-Kriens, O., 14 advancement, 283 Kruchinskiy, G. V., variations in Lazarus, S. M., on incidence of Abbe flap, 595-596 clefts, 64 Kruger, E., modification of rota-LeClerc, L., on timing of surgery, tion-advancement method, 254-255 LeClerc, M., on removal of fig-Kuszaj, J., 379 ure-of-eight sutures, 87-88 Leech Book, 42, 80-81 "Leeches," closure methods of, Labial arteries, 31 80-81, 88 Labial sulcus LeMesurier, A. B., 139, 142 lower chin implants through, and evolution of surgical prog-715, 729 ress, 77 upper as instructor of Millard, 166 correction of deformities in. as instructor of Woolhouse, 199 554-556 lip operation of, 124 flap from, 251 analysis of, 158 Lachard, J., on midline Abbe flap, Brauer modification of, 128, 603 157

Canadian experience with, 199-200 comments by Chase, 275 comments by Galambos, 203 comments by Woolhouse, 200 compared to rotation-advancement, 204, 393, 394, 404 contemporary reactions to, criticisms of, 133-134, 200, 203 early presentation of, 124-125 Grignon modification of, 135-136 and increase in vertical lip length, 159, 410, 549, 574-575 mathematical design of, 128 May modification of, 131 midline Abbe flap for secondary correction of, 623-626 Millard's experience with, 126-128, 167-168, 176 modifications of, 131-137 muscle alignment in, 287, 290, 291 nasal measurements after, 630 percentage of surgeons using, 152, 210 Pinto's experience with, 208 reversal of, 137 Schuchardt's experience with, secondary correction of, 574-576, 578, 623-626 as secondary procedure, 561-562 Steffensen adaptation of, 258 tension point in, 384 Thompson modification of, 132-133 tight lip from, 588 Trauner modification of, 134–135, 149, 190, 191 Wang modification of, 153-154 Wunderer modification of, 136-137

modification of Hagedorn procedure, 122, 124 on nasal asymmetry, 257 personal cases of, 129-130 reminiscences of, 129 Length of lip, vertical. See Lip, vertical length of Lengthening of cleft edges, 89-100 angled paring in, 91 curved incisions in, 89-90, 98, 99 flaps in. See Flap procedures interlocking Z method in, 99 by lateral parings, 92-93 Mayo method for, 92 muscle positioning, 96, 97 by poker incision of Limberg, 95, 248 rotation-advancement for, 165-171 straight-line closure in, 93-97 Z-plasty in, 98-99, 139-149 Letterman, G., 106 Leukocyte count, and timing of surgery, 309 Levator muscles of lips, 27 Lewin, M., 120 on incidence of clefts, 65 survey on percantage of surgeons using rotation-advancement, 199 on timing of surgery, 72 Li, C. S., 137 Lierle, D. M., 24 on anatomy of nasal deformity, 631-632 Lightoller, G. H. on development of vermilion border, 25 on orbicularis oris anatomy, 26 Limberg, A. A., 72, 144, 145, 276 and geometry of rotationadvancement, 214-215 lip operation of, 94-95 and mathematics of Z-plasty, mucosal Z-plasty of, 239 nasal correction of, 266, 651-652 poker incision of, 95, 248

Lindsay, W. K., 431 Longacre, J. J., 47 lip and nose measurements by, 36 nasal correction of, 678 on LeMesurier procedure, Longenecker, C. G., on incidence of 575-576 clefts, 49 on nasal measurements after Losken, H. W., on incidence of LeMesurier method, 630clefts, 62 Lower lip cleft, embryonic factors Linear methods. See Straight-line in, 13 closure Lu, S., 79 Lines in skin, 279-280 crossing of, 161, 162, 396 MacCollum, D. W., 42 Lintilhac, J. M., 223 on feeding of babies with clefts, on rotation-advancement method, 201, 420, 424 as instructor of Millard, 165 Lip on timing of surgery, 71 anatomy of unilateral clefts, Mack, G., 417, 418 25-36 Madge, J., 54 embryonic factors in clefts, 13 Maes, J., 137 nasal deformity with unilateral Maggiore, L., 540 clefts, 20-25 Maisels, D. O., approval of rotanormal anatomy of, 34-40 tion-advancement. in Chinese, 39-40 400-401 in Negroes, 38-39 Malgaigne, J. F., 122 pit syndrome, 306 lip operation of, 101-102 vermilion border of. See on timing of surgery, 70 Vermilion border Manchester, W. M., on panel at vertical length of Congress of Plastic Surin Caucasians, 36 gery, 431 in Chinese, 40 Mancusi-Ungaro, A., 440 increased on cleft side from Mandible, cleft, embryonic factors lateral flaps, 159-160, 410, in, 13 549, 574-575 Mandibular nerve, 33 and lengthening of cleft edges Mandibular processes, 3, 9 by paring, 89-100 abnormal development of, 13 in Negroes, 38 Maneksha, R., approval of rotarotation-advancement method tion-advancement, 197, 198 affecting, 222, 581 Marcks, K., 140, 172, 176 shortening of, on cleft side, concept of tissue deficiency, 282 317 at first International Congress of Lip-switch flap, 593-628. See also Piastic Surgery, 175 Abbe flap flap to nasal floor, 272 Little, L., 410 lip operation of Llewelyn, D. M., 266 compared to Millard Local anesthesia. See Anesthesia, technique, 395 local Kavrakirov modification of, Lodovici, O., 152, 243 192 Logan, W. H. G., 377 Randall modification of. Logan's bow, 88, 377-378, 379, 482 146-148

marriage suture of, 428 McCash, C. R., 73 modification of Tennison McComb, H. operation, 141-143, 148 nasal correction of, 666 personal cases of, 143 on nasal septum correction, 636 secondary flap for nose, 563 McCoy, F., 128 McCraw, L., 403 transpositions high in lip, 561 Marino, H., 110, 432 McDowell, F., 80, 110, 142, 176 Brown/McDowell procedure, Markings in Blair/Brown method, 108-109 113-114 in Brauer procedure, 128 follow-up studies of, 120 in Brown/McDowell method, comments on LeMesurier pro-113, 147 cedure, 125 for circumalar incision, 316-317 comparison of Veau and Millard, in Davies procedure, 154 272 in Hagerty procedure, 146 concept of tissue deficiency, 282 in Marcks procedure, 142-143 criticism of Mirault/Blair proin May procedure, 132 cedure, 113, 114 in Petit procedure, 150 on cupid's bow, 117 in Randall procedure, 147 and evolution of surgical progin rotation-advancement method, ress, 77 199, 314-318, 450-453 as instructor of Millard, 166 for advancement, 316-318 lip operation of for rotation, 314-316 experience of Vermeulen, 416 stencils for, 139, 141, 172 muscle alignment in, 287, in Tennison procedure, 139 288, 290 and wires for measurements. See secondary correction of, Wires, use of 571-573, 610-623, 628 Mason, F., 70 tight lip from, 600 Masters, F., lip operation of, 99 markings used by, 114, 147 Mathematics nasal correction of, 667, 700 reminiscences of, 114-115, 118 and design of LeMesurier operation, 128 on retention sutures, 112 in rotation-advancement method, undermining of alar cartilage, 266 213-215 McDowell, M., 115 Matthews, D., 193 McGregor, I., 544 nasal correction of, 662 buccal sulcus incisions with Maxilla wide undermining, 555 freeing of alar base from, 231, on cupid's bow procedure, 599 236, 319 Z-plasty of lower lip, 606 nasal septum affecting devel-McIndoe, A. opment of, 19-20 approval of rotation-advance-Maxillary processes, 3, 9 ment, 197 abnormal development of, 13 combined nasal and labial cor-May, H. rections, 691-692 and evolution of surgical prognasal correction of, 655, 658, 700 ress, 77 McKinney, P., 47 lip operation of, 131 McNeill, K., 13 on incidence of clefts, 60 Mayo, C. H., lip operation of, 92

McNett, E. V., 131 Millard, D. R., Jr., 13, 14, 93, 106 Measurements, preoperative, 314, adhesion procedure of, 437-438, 406, 450, 452 439-440, 442-446, 456 important guideline in, 393 technique of, 458-459 wires for. See Wires, use of approach to cleft lip, 165-173 Meckel, J., 3 as boomerang thrower, 435 Medial flap. See Owen, E. B. challenge to Brauer, 157 Median clefts correspondence with Thompson, charting of, 50 132-133 embryonic factors in, 13-14 demonstration of technique at Medici, Catherine de', 84 Congress of Plastic Surgery, Meijer, R., preliminary adhesion 431-434 method of, 440 on early nasal surgery, 259 Mental nerve, 33 and evolution of surgical Mentalis muscles, 27 progress, 77 Merging theory, of facial experiences with LeMesurier development, 8-10, 13 method, 126-128 Merville, L. C. experiences in St. Louis, nasal correction of, 656-657 117-118, 120 personal case of, 657 implants in lower labial sulcus, secondary procedure of, 715, 731 559 on incidence of clefts, 60, 63 on secondary rotation-advance-Korean experiences of, 167-173 ment, 567 lip operation of. See also Mesenchyme, disorders of, and Rotation-advancement facial development, 9 comments by Chase, 275 Mesoderm, migration of, and facial comments by Kolesov, 276 development, 4-7, 9, 13 compared to Giraldes meth-Metrakos, J. D., 63, 349 od, 269-272 Metrakos, K., 63, 349 compared to Veau method, Metzenbaum, M., 635, 650 272-274 nasal correction of, 700 midline Abbe flap of, 600-603 Meyer, R., 223, 424 personal cases of, 610-628 as boomerang thrower, 435 on nasal deformity with combined nasal and labial unilateral cleft lip, 22, 23 corrections of, 693-694 personal cases of, 167, 169-172, modification of rotation-advance-177, 181, 185, 219, 221, ment method, 191 222, 228, 293-294, 301nasal correction of, 647, 302, 388, 682-684, 669 706-729 Michelangelo, 312 with complete clefts, 487-524 Microforms with incomplete clefts, of lip clefts, results of surgery in, 335-375 302-304 with midline Abbe flap, of nasal deformities, 23-24 610-628 in twins, 349 principles of plastic surgery, Midline, crossing of, 396 166-167, 176, 182 Milan, R., 126 on Récamier method, 274

secondary correction of nose deformities of, 548-550 deformity, 679-684, free grafting of white roll, 699-731 548-550 secondary correction with importance of, 141-142 rotation-advancement in rotation-advancement method, method, 563-570 168, 237-238 on twins with clefts, 349 in Skoog procedure, 191 visit with Blair, 118-119 white roll flap, 419-424, 548 workshop duel with Berkeley, with Abbe flap, 605-606 425-426 cutting of, 326, 328 Millard, H., 280 insertion of, 481-482 Miller, on incidence of clefts, 61 interdigitation as secondary Mir y Mir, L., 119, 255, 314 procedure, 548 Mirault, G., 122, 123, 124, 125 Scrimshaw experience with, and evolution of surgical progress, 77 suturing of, 330 lip operation of, 93, 94, 102-103, in Woolhouse procedure, 200 104, 105, 111 Z-plasty of, 550 comments by Chase, 275 Mucosal flaps criticism of, 161 to nasal floor, 103, 119, 132, 143, experience of Vermeulen, 416 272 midline Abbe flap for of Veau, 427 secondary correction of, for vermilion deficiency, 552-554 610-623 Mucosal parings, use of, 243, 245, Millard's experience with, 247-250, 251, 255 165, 176 Muir, I., 314 modification by Blair, 107-109 on secondary surgery, 528, 567 secondary correction of, on septal cartilage grafts, 684 571-573, 610-623 use of salvaged cleft edge ver-Mirault/Blair procedure, 107, milion for alveolar clo-108-109, 113, 119 sure, 247, 250, 251, 255 criticism of, 113, 114, 120 Mukhin, M. V., 563 Mullen, T., fusion theory of, 4 Miro, lip operation of, 95 Mladick, R., 249 Mundnich, nasal correction of, 689 Mochica culture, 41 Munick, L. H., nasal correction of, Models, paper, use of, 256, 257, Murphy, S., buccal sulcus incisions 284-285 Moller, P., on incidence of clefts, with wide undermining, 63 555 Monie, I. W., theory of philtrum Muscles, facial, 25-28 formation, 14-15, 16 alignment in lip closure, 96, 97 Morestin, H., multiple Z-plasties discrepancies in, 588-589 of, 533 operative procedures affecting, Morini, S., 668 286-294 in rotation-advancement Mossman, H., 9 Mowlem, R., 247 procedure, 223, 235-236, Mucocutaneous ridge, 35 289, 290, 291, 292-294, in Cronin procedure, 156 470-471

Muscles, alignment in lip advancement method, closure—Continued 193-194 techniques for, 328 nasal correction of, 671 cleft edge muscle flaps, 245-246, Myrianthopoulos, on incidence of 470-471, 475-476 clefts, 64 cutting of, 326-328 reverse, 246 Naming of clefts, historical aspects in secondary surgery, 542 of, 41–43 clefts affecting, 28, 29-31 Nasal arteries, 31 correction of continuity Naso-ocular cleft, oblique, discrepancies, 539-543 embryonic factors in, 13 dermal fat graft for, 540 Nasolateral prominence, abnormal dermomuscular scar flap in, development of, 13 Nasomedial prominence, abnormal 542-543 development of, 13 readjustment and muscle edge flaps in, 542 Needles and pins, approximation with, 81, 84, 85, 86-87, 88 sling for, 541 dissections of, 29-31 Neel, J. V., on incidence of clefts, 61 nerve supply of, 26, 33 Negroes orbicularis oris, 25, 26 incidence of clefts in, 59-61 and skin line structure, 279-280 incomplete clefts in, 301-302 suturing of, 330 normal facial anatomy in, 37-39 tractor, 27-28 rotation-advancement procedure Musgrave, R., 120 for, 181 approval of rotation-advancement Nélaton, A., lip operation of, 89 method, 434 Nerve, facial, 26, 33 for wide clefts, 391 Neuner, O. on Asencio method, 409-410 combined nasal and labial corcartilage grafts for nose, 669, rections of, 694-695 676, 677 nasal correction of, 684-685 difficulty with rotation-advance-New, G., 349, 653 ment, 231 Normal facial anatomy, 34-40 on incomplete clefts, 300 on LeMesurier method, 131, advancement flap extension into 133-134 vestibule, 230 on Millard II method, 390, 394 alar base correction, 253-254, nasal correction of, 700 480 on nasal deformity, 629 secondary, 253 on secondary corrections, 578 alar base flap, 324 selective use of rotationpositioning of, 324, 671-672 advancement, 384-385, suturing of, 331-332 390, 403 alar base freeing from maxilla, on teaching of rotation-231, 236 advancement, 416 alar base implants, 703, 712 on Tennison technique, 159, alar cartilage 160 deformity with unilateral cleft on timing of surgery, 73 lip, 21 Mustardé, J., 192-194 division and lifting of, modification of rotation-265-267, 663-666

flap of, 484-485 folding of, 722, 704 overlap of, 732 primary correction of, 466-467 splitting and shifting of, 662-663 alar crease deformity with unilateral cleft lip, 21-22 alar rim correction, 483-485 with cartilage flap, 484-485 with denuded alar web as flap, alar rim infolding for correction of deformity, 669-670 alar rim transposition for correction of deformity, 670, 703-704 alar web excision, 255 alar web tucking, 722 anatomy of, normal, 34-40 in Chinese, 39-40 in Negroes, 38 asymmetry of tip, 257-258 primary correction of, 260-267 avoidance of foreign body struts in correction of deformities, 689 Berkeley correction of, 426–429 Blair correction of, 109, 639-640, 641, 644-645, 649, 671, 699 cartilage grafts for, 675-689 for alar base support, 677-679 auricular cartilage for, 685-687 by Cosman, 676-677 by Gillies, 675 by Musgrave, 676 by Neuner, 684-685 and septal strut with reduction rhinoplasty, 679-684, 701, 705 by Spina, 677 circumalar incision in rotationadvancement method, 232-233, 254, 672. See also Circumalar incision Collis flap for nasal floor, 132, 143, 145, 147, 190, 272, 671

columellar lengthening, 252. See also Columella combined nasal and labial corrections, primary, 679, 691-697 composite excision for correction of, 668 conservative approach to correction of, 258-259 constricted nostril correction, 672-673, 723-724 deformities with unilateral cleft lip, 20-25, 629-729 alar base in, 22 alar cartilage in, 21 alar crease in, 21-22 alar rim in, 22 anatomy of, 631-633 bones in, 21 columella in, 21 and comparison of left and right profiles, 633-634 embryonic factors in, 9, 24 floor in, 21 microform of, 23-24 origin of, 629-630 persistence after lip closure, 630-631 platform in, 20-21 septum in, 21, 635-637 vestibular lining in, 22, 662 deformities without cleft lip, 629-630 denuded flaps for wide floor, 324, 331 external incisions for, 260-261, 264, 645, 663 floor reconstruction, 251-252, 324, 331 cleft edge mucosa in, 251 mucoperiosteal flaps in, 251 free composite grafts for, 658, 670, 673 Grignon operation for, 135-136 intranasal incisions, 655-661, 700 Kolesov procedure for, 144-145 LeMesurier procedure for, 125, lining realignment, 256-257

Nose—Continued septal flap, anterior, 637 marginal incisions, 653-654, septum of 666-669 in adhesion procedure, marginal overlapping in correc-445-446 tion of deformities, 668-669 affecting maxillary mid-columella incisions, 661 development, 19-20 Millard procedure for secondary cartilage struts for, with correction of, 679-684, reduction rhinoplasty, 699-729 679-684, 701 alar base in, 701-703 deviation in, 21, 635-637 alar margin excision in, 705 early surgery of, 259, 266-267 alar rim in, 703-704, 718-720 freeing of, in rotationfor constricted nostril, advancement method, 468 sutured to denuded tip of alar 723-724 freeing of alar cartilage in, base, 583 Skoog procedure for, 190 and implants under alar small nostrils, opening of, base, 703, 710 672-673, 723-724 intranasal incisions in, 700 split rib grafts for correction of onlay grafts in, 705, 727 deformities, 678 reduction rhinoplasty in, 680, Steffensen procedure for, 125, 701, 707-732 results of, 706-729 Tennison procedure for, 161 timing for correction of, 637 septal cartilage in, 680, 701, Trauner method for, 135, 149-150 short forked flap in, 728 vertical nostril correction, for vertical nostril, 723-724 723-724 for young patients, 718-720 V-Y advancement of alar base, mucosal flaps to nasal floor, 103, 119, 132, 672-673, 677 wedge excision for wide nasal 143, 272 floor, 324, 331 of Veau, 427 Z-plasty of, 659, 662, 664, Mustardé tie flap for, 193-194 Obukhova procedure for, 667-668, 669 143-144 Novoselov, R. D. histological studies of, 287 Orticochea procedure for, 195 over-correction of deformities, muscle studies in clefts, 30-31 633 Petit method for, 150–151 primary correction of, 251-267 reduction rhinoplasty of, 680, Oberg, T. R. H. 701, 707-732 nasal correction of, 654 retention sutures for, 112 on nasal deformity, 24, 629 Oblique clefts, embryonic factors rotation-advancement method affecting, 185, 223, 252, in, 13, 14 254 O'Brien, B., 431, 433 rounding of nostril, 255-256 Obukhova, L. M., 145, 239, 248 secondary correction of, 672flap to nasal floor, 272 673, 679–684, 699–729 lip operation of, 143-144

use of salvaged cleft edge verin Skoog procedure, 191 milion, 248-249, 251 Orientals vermilion Z-plasty of, 239 incidence of clefts in, 61, 62 Obwegeser, H., 387 normal facial anatomy in, 39-40 O'Connor, G., 110-111, 314, 406 rotation-advancement procedure buccal sulcus incisions and wide for, 169–172, 181 undermining, 555 Origami models, use of, 256, 257, comments on incision lines, 284-285 Oronasal membrane, 5 232-233 creation of philtrum dimple, 544 Oro-ocular clefts, embryonic facnasal correction of, 662 tors in, 13 Oda, K., approval of rotation-Orticochea, M., modification of advancement, 205 rotation-advancement, Ohlsson, A., on adhesion proce-194-195 dure, 438 Ortiz-Monasterio, F., 41 Ohmori, S., 153, 303 nasal correction of, 649 approval of rotation-advance-Osborn, J., survey of surgeons by, ment, 205 210 O'Malley, J. E., 13, 99 Osborne, R. P. Ombredanne, L., nasal correction classification of clefts, 49 of, 666 as instructor of Maisels, 400 Onizuka, T., 223, 314 Owen, E. B. approval of rotation-advanceand evolution of surgical progment, 207 correction of scar deformities, lip operation of, 104, 107, 121 Owens, N., 182, 183 586-587 creation of philtrum dimple, 545 on midline Abbe flap, 603-604 modification of rotationadvancement, 419-420, 421, Padgett, E., 110, 121 423, 424 nasal correction of, 641 nasal correction of, 670 rendition of Veau operation, 272 operation for minimal cleft, Palatal cleft 302-303 closure by Petit, 151 on secondary rotation-advanceearly closure of soft palate, 448, ment, 567 454 zigzag scar of, 532 incidence of Operative technique for rotationracial differences in, 60-61, advancement 63-64 in complete clefts, 449-485. See risk factors in, 306 also Complete clefts without cleft lip, 60-61, in incomplete clefts, 313-328. 63-64 See also Incomplete clefts Palate, development of, 7 Ophthalmic artery, 31 Palatine arteries, 31 Orbicularis oris muscle, 25, 26 Pancoast, J. A., 87 clefts affecting, 28, 30 Pap, G., combined nasal and labial diastasis of, 539, 542 corrections of, 691 flaps of, 245–246 Paper models, use of, 256, 257, positioning of, 287-294, 470-471 284-285

Papin, V., 105 Penn, J., 532, 733 Paré, A., 69 Pennisi, V., 30, 223 histological studies of, 286-287, closure methods of, 82-84, 87, 88 and evolution of surgical progress, 77 on muscle alignment, 290, 291, Parenteau, J. comparison of 539 Perko, M., 424 LeMesurier and Millard techniques, 394 selective use of rotationadvancement, 387 Parents, reassurance of, 307-308 Peron, on incidence of clefts, 65 Paring of cleft edges Petit, P., 568 and approximation with needles or sutures, 79-88 lip operation of, 150–151 Pfeifer, G. lateral edges in, 92-93, 230-231, embryological theory of, 10 wave-line scar closure of, for lengthening. See Lengthening 533-534 of cleft edges Philtrum salvage of edge mucosa from, 243, 245, 247-250, 251, column variations in, 280-282 dimple creation in, 543-545 255, 453-457 with Abbe flap, 605 from lateral cleft edge, 456 formation of, 14-16 from medial cleft edge, 455 Z-plasty with, 152 timing of, 15 Parker, B. L., 169, 171 measurements of Parsegian, A., 527-528 in Caucasians, 36 in Chinese, 40 Pashayan, H., 23 in Negroes, 39 Pastoriza, J., combined nasal and microscopic sections in incomlabial correction of, 694 Patten, B. M., merging theory plete clefts, 30 of, 8-9 normal, 35 Patterson, T. rotation scar in, 228 midline Abbe flap of, 603 Photographic recording of clefts, nasal correction of, 646, 650 53-55 Pauer incision, modified, 678 Pickerill, H. P., Z-plasty procedure Peacock, E., 652 of, 571 Pickrell, K., 99, 403 approval of rotation-advancement method, 294-295 on muscle alignment, 539 Pedersen, M., on incidence of Pigott, R., 220, 224, 231, 391 clefts, 65 Pins and needles, approximation Peet, E. with, 81, 84, 85, 86-87, 88 Pinto, C., approval of rotationas instructor of Millard, 165 advancement, 207 as instructor of Pinto, 207 lip operation of, 97-99 Pitanguy, I., 13, 314 midline Abbe flap of, 603 approval of rotation-advancenasal correction of, 646, 650 ment, 202 palate pushback of, 718 as boomerang thrower, 435 Pegram, M., nasal correction of, combined nasal and labial cor-673, 700 rections of, 692-693 Pelly, A., on incidence of clefts, 63 nasal correction of, 668-669, 700

on secondary rotationmerging of, 8-10, 13 advancement, 567 theory of fusion of, 3-4 Plessier, P., 102, 122, 141 Prosthesis with adhesion on Simonart's band, 437 procedure, 448, 472 Pohlmann, G., 4 Pruzansky, S., 4, 8, 314 Poker incision, of Limberg, 95, on Simonart's band, 437 Psillakis, J. M., 49, 385 Polo, M., 248 Pool, R., 314 analysis of Tennison and Quadrilateral flaps LeMesurier methods, bilateral, 122 158-159 compared to triangular flaps, approval of rotation-advancement 158-159, 166 for wide clefts, 385-386, critical assessment of, 133-134 early experiences with, 122-123 on incomplete clefts, 299, 300 by Hagedorn, 122, 123 on LeMesurier procedure, by König, 122-123 158-159, 576 lateral, 123-137 personal cases of, 299, 399 by LeMesurier, 122, 124-131 selective use of rotationmodifications of, 131-137 advancement, 383, 384, 403 reversal of, 137 on Z-plasty, 274-275 medial, 122, 137 Postoperative care, 377-380 muscle alignment in, 287 antibiotic ointment in, 377, 378, percentage of surgeons using, elbow restraints in, 378 for preservation of cupid's bow, feeding methods in, 379-380 153-154 Logan bow in, 88, 377-378, 379, with rotation-advancement method, 191, 193 sedation in, 378 secondary correction of, 571-580 Potter, J. midline Abbe flap for, 623-At first International Congress 626 of Plastic Surgery, 175 by Thompson, 132 nasal correction of, 655-656, 658, 662, 677, 685, 700 Poupard, criticism of rotation-Racial differences advancement method, 203 in facial anatomy, 37-40 Principles in plastic surgery, in incidence of clefts, 58-63 528-529 Ragnell, A., 689 and criticism of methods, muscle sling of, 541 161-162 Ramirez, M., 244 formulated by Millard, 166-167, Ramsey, P. A., 349 176, 182 Randall, P., 133, 145, 314 and importance of detail, adhesion procedure of, 438-440, 311-312 441 Prominences, facial on Asencio method, 410 development of, 4, 8-9 comparative studies of, 395-397 abnormal, 13-14 on incomplete clefts, 301

Randall, P.—Continued personal cases of, 227 lip operation of, 146-148 scar positioning by, 282 Canadian experience with, 199 Reidy, J. P., 446 comments by Onizuka, 419, early septal surgery by, 259 420 nasal correction of, 700 comments by Perko, 387 on nasal septum correction, compared to Skoog proce-635-636 dure, 190-191 Repair of clefts, compared to and increase in vertical lip closure, 53 Restraints, elbow, postoperative use length, 160 muscle alignment in, 290, 292 of, 378 percentage of surgeons using, Retention sutures, 112 Rethi, A., 260, 654 Trauner modification of, 149 nasal correction of, 689 mathematics used by, 215 Revere, P., 86 modification of Tennison Reynolds, J., 314 operation, 146-148, 154 alar cartilage lift of, 264 muscle flaps of, 245-246 Skoog modification of, 190 nasal correction of, 700 nasal correction of, 659-660, 700 on panel at Congress of Plastic suture to upper lateral cartilage, Surgery, 431 428 personal cases of, 147-148 Rhinoplasty, reduction, 680, 701, selective use of rotation-707-732 advancement, 388 Rib cartilage, for nasal grafts, 689 in Vietnam, 414 Richardson, S. O., on timing of Rank, B., 432 surgery, 71 Ranta, R., 405 Richey, D. G., 137 Rathke, H., 3 Rintala, A., 405 Reaves, E. L., nasal correction of, Risk factors, in cleft incidence, 306 Risorius muscle, 27 Récamier, J., lip operation of, 273 Ritchie, H. P., classification of criticism by Galambos, 203 clefts, 43, 44 Récamier, M., 273 Ritsila, V., 405 Rectangular flaps. See Quadrilateral Rob, C., 98 flaps Robinson, on incidence of clefts, 60 Rockne, K., 527 Rees, T. combined nasal and labial Rogers, B. O., 13, 80, 81, 85 corrections of, 691-692 Rojas, G., 126 nasal correction of, 658, 662, 677 Rose, W., 121 on nasal deformity, 630 and evolution of surgical on secondary rotation-advanceprogress, 77 ment, 567 lip operation of, 90, 91-92, 96, Reichert, H., 134, 225-228 107, 111 approval of rotation-advancement compared to rotation-advancemethod, 225 ment, 400 modification of rotation-Millard's experience with, 165, advancement method, 226 176

modification by Asencio, 410 secondary correction of, 578 secondary procedures of, 557 Rosenstein, S., 8, 25, 66, 262, 423, Rotation-advancement method acceptance of for complete clefts, 383-418 by Gillies, 173 for incomplete clefts, 299-304 adaptations of, 406-414 advancement flaps in, 468-469 cutting of, 318 marking of, 316-318 alar base correction in, 480 alar cartilage correction in, 466-467 alar rim correction in, 483-485 with cartilage flap, 484-485 with denuded alar web as flap, 483-484 artists' mistakes with, 183-184 and avoidance of irreversible damage, 187-188 "back-cut" in, 186, 215, 217, 219-221, 420, 422, 424. See also "Back-cut" circumalar incision in, 232-233, 254, 469, 480, 672 correct placement of, 586 marking of, 316-317 presentation as modification, 390 comparison with other procedures, 393-397 with Giraldes technique, 269-272 with LeMesurier and Tennison methods, 204 with linear methods, 276 with triangular flaps, 285 with Veau technique, 272-274 with Z-plasty, 269-270, 274-275 in complete clefts. See also Complete clefts examples of, 487-524

technique of, 449-485 concave excision in, 237 contractures from, temporary, 185-187, 207, 402, 581 criticism of, 203, 217, 218 for wide clefts, 383, 384-385 and crossing of midline, 396 and "cut-as-you-go" approach, 184, 186, 190, 199, 213, 317 and deficiency in tip of advancement flap, 234 demonstration at Congress of Plastic Surgery, 431-434 denuded flaps in, 243-245, 249, 250, 255 discrepancy in description of, 185-186 dissemination of method for, 414-418 double rotation by Sasaki, 423 and double Z-plasty, 189, 190, early proponents of, 197-210 in Canada, 199-200 in England, 199 in France, 200, 201-202 in Hungary, 202-203 in India, 197-198, 207-209 in Japan, 205-206, 207 in Norway, 201 in United States, 204-205, 209-210 in Vietnam, 206-207 evolution of, 217-228 excessive lip length in, 587-588 extension of flap B into vestibule, 230 extension of principle beyond lip clefts, 401 final acceptance of, 399-405 first case of, 169-170 first published endorsement of, 198 first reactions to, 178-179 flap A in, 318, 321, 461, 474 flap B in, 316-318, 324, 469,

474, 480

Rotation-advancement method mucocutaneous ridge in, 237-Continued 238. See also Mucocutaneous ridge flap c in, 184, 223-225, 252, 254 illustrated in paper model, 285 muscle discrepancies in, 588-589 reverse, 226 muscle fiber alignment in, 223, suturing of, 472-473 235-236, 289, 290, 291, technique for, 462-463 292-294, 470-471 muscle flaps in, in secondary flap D in, 318, 324, 469, 480 flap 1 in, 323, 454, 456, 459 surgery, 542 Mustardé modification of, suturing of, 472-473 193-194 flap 1-m in, 475 and nasal deformity correction, flap m in, 323, 454, 459, 464 185, 672, 677-678 suturing of, 472 primary, 679 flap m-m in, 470-471, 475 secondary, 727-728 flexibility of, 401 nose appearance in, 223, 252, and freeing of alar base from maxilla, 231, 236 253 freeing of lateral element in, oblique scar from, 218-219, 224, 227-228 464-465 inadequate advancement in, 583 operative technique in in complete clefts, 449-485 inadequate rotation in, 581-582 inartistic scar placement in, in incomplete clefts, 313-328 586-587 original conception of, 167-169 Orticochea modification of, 194in incomplete clefts. See also 195 Incomplete clefts over-rotation in, 583-584 examples of, 335-375 technique of, 313-328 paring of lateral edge in, 230-231 percentage of surgeons using, and increased vertical lip length, 199, 210 222 philtrum position of scar in, 228 international presentation of, 175 - 179and preliminary adhesion procekey stitch in, 474 dure, 437-448 Korean cases of, 169-172 preparation of cleft edges in, Kruger modification of, 254-255 476-479 lateral lip element in, 229-230, presentations of in America, 182-185, 233 excessive length of, 584-585 187-188, 189 freeing of, 464-465 international, 175-179 radical paring of, 586 quadrilateral flap with, 189, 191 markings in, 450-453 recent example of, 523-524 mathematical blueprint for, Reichert modification of, 226 213-215 rotation incision in, 190, 460measurements in, 406, 450, 452 461 cutting of, 319-321 of lateral edge, 231 length of, 217-218, 220 Meyer modification of, 191 marking of, 314-316 millimeter modifications in, salvage of mucosa of cleft edges 419-424 modifications of, 189-196 in, 453-457

for secondary correction, 563-570 international confirmation of, 567-570 secondary revisions of, 187, 581-592 minor, 588 septum in, 468 Skoog modification of, 189-191 suturing in, 477, 479. See also Sutures Talaat modification of, 194 teaching of, 415 tension in, 185, 204 three-layer closure in, 479 tight lip from, 588 triangular flaps used with, 419, 420 for tubercle deficiency, 591 for vermilion deficiencies, 590-591. See also Vermilion border vertical flap transposition in, 192, 193 white roll flap in, 237-238, 419-424, 476, 479 with Abbe flap, 605-606 cutting of, 326, 328 insertion of, 481-482 in secondary procedures, 548 suturing of, 330 Wynn modification of, 191-192 Z-plasty with, 194, 208 Rouillard, L. M., 154, 190 approval of rotation-advancement, 199 comments on rotation-advancement, 218 Royster, H., nasal correction of, 649 Rubin, L., study of skin lines, 279-280 Ryan, R. F., on incidence of clefts, 64 Saad, N., 84, 401 Sanding, for abrasion of lip scars, 536-537

Sasaki, M., 223 approval of rotation-advancement, 205-206 double rotation method of, 423 Saunders, J. B. de C. M., 15 Sawhney, C., 160, 215, 314 Scalpels, types of, 313 Scars, lip abrasion of, 536-537 correction of, 531-537, 586-587 double-breasted vest scar revision, 534-535 excision of, with Abbe flap, 622, hidden in mustache, 536 from midline Abbe flap, 606 simple excision for, 536 wave-line, 533-534 zigzag, 532-533 Schjelderup, H., 175 nasal correction of, 643-644, 694 Schmid, E., 226 as boomerang thrower, 435 split rib grafts for maxillary support, 678 Schneider, K., 289 Schuchardt, K., 179, 191, 202 classification of clefts, 48 split rib grafts for maxillary support, 678 Schuch, F. D., on midline Abbe flap, 603 Schwarz, G., lip and nose measurements by, 37 Schwenzer, N., rib cartilage graft for nose, 689 Scrimshaw, G., 314 approval of rotation-advancement, 406-407 Secondary surgery, 527-729 adhesion procedure in, 447-448 after LeMesurier operation, 574-576, 578 for lip scars, 531-537 after Mirault-Blair-Brown-McDowell procedures, 571-574 for muscle deformity, 539-542

Sarnat, B. G., 636

Secondary surgery—Continued evaluation of usable tissue in, for nose deformities, 672-673 316 for philtrum contour, 542-545 histological studies of, 287 after quadrilateral flap methods, use of, 177, 181, 184, 229, 299 571-580 Sivaloganathan, V., approval of after rotation-advancement, 187, rotation-advancement, 416 Skin lines, 279-280 581-592 rotation-advancement for, 563crossing of, 161, 162 570 Skoog, T., 136, 151, 214 international confirmation of, correspondence with Millard, 173 and evolution of surgical progafter straight-line closure, 557ress, 77 as instructor of Arrunategui, 413 after Tennison operation, 576lip operation of, 189, 423 579 comments by Chase, 275 for tight lip, 570, 576 comments by Perko, 387 timing of, 380, 592 compared to Randall proceafter triangular flap methods, dure, 190-191 571-580 Kavrakirov modification of, for upper labial sulcus deformity, 554-556 muscle alignment in, 287, 288 in vermilion deformities, Onizuka modification of, 419 547-554 Wynn modification of, 192 Sedatives, postoperative, 378 modification of rotation-advance-Septal arteries, 31 ment, 189-191 Septum. See Nose, septum of modification of Tennison Sercer, nasal correction of, 689 method, 189, 191-192 Serrano, R. A., 41 on panel at Congress of Plastic Sesgin, M. Z., on incidence of Surgery, 431 clefts, 64 reminiscences of, 178 Shadish, W. R., 30, 223 small flaps proposed by, 223 histological studies of, 286-287 suturing of alar to upper lateral Shapiro, B. L., on incidence of cartilage, 407 clefts, 62 use of Reynolds-Horton alar lift, Shaw, D., reversal of LeMesurier 190 Slaughter, W. B., on vascular operation, 137 Shearer, W. L., 110, 349 pattern in cleft lip, 32 Sheehan, J. E., nasal correction of, Smith, F., 125, 258, 616 640-641 Smith, J. W., 274 Simon, B., on secondary rotation-Smith, R., 98 advancement, 567 Snodgrass, R. A., 47 Simon, G., 122, 137, 404 Sokol, A., philtrum measurements nasal correction of, 647 by, 36 Simonart's band, 7 Sphenopalatine artery, 31 amount retained in flap tip, 318 Spina, V., 49, 152 charting of, 50 denuded vermilion flap of, 243 developmental importance of, excision of cleft margin, 438 437 nasal correction of, 677

Spira, M. by Tennison, 562-563, 567, nasal correction of, 660-661 568 personal case of, 661 by Trauner, 559, 561 Square flaps. See Quadrilateral flaps by Wynn, 560, 561 Stark, R. B., 10, 133, 300 Z-plasties in, 558-561 classification of clefts, 44, 46-47, tight lip from, 570, 588, 598, comparison of Giraldes and Straith, C., 126 Millard methods, 270, 271 as instructor of Millard, 166 on incidence of clefts, 63, 64 nasal correction of, 667-668, measurements of nasal ecto-689, 700 dermal volume in secondary procedure of, 209 embryos, 24 on timing of surgery, 72 mesodermal migration theory of, Straith, R., use of local anesthesia, 6-7 73 Steffensen, W., 125, 128 Streeter, G., 9 comments on LeMesurier Submucous clefts, charting of, 50 method, 130 Sutures, 329-333, 477, 479 nasal correction method of, at alar base, 324, 331-332, 480 258 in alar cartilage correction, 466 on nasal septum deviation, 635 and avoidance of stitch marks, Steininger, F., 10 332-333, 532-533 Stencils, use of, 139, 141, 172 figure-of-eight, 81-82, 84, 85, 87, Stenstrom, S. J., 23, 24 nasal correction of, 654 removal of, 87-88 on nasal deformity, 629 for flap c, 472-473 Stephenson, K., 272, 641 for flap 1, 472-473 Stewart, W. J., 13 for flap m, 472 Stitch marks, avoidance of, horsehair, used by Blair, 110 332-333, 532-533 interrupted, 82, 84, 87, 88 Stokley, P., 394 key stitch in, 326, 329-330 personal case of, 301 for muscles, 330 Stork, L., 86, 87 removal of, 333, 378-379 Straight-line closure retention, 112 compared to rotation-advancefor white roll flap, 330, 481 ment, 276 Symonds, F. D., 646 and evolution of surgical progress, 77 Taddeo, R. J., 249 percentage of surgeons using, Tagliacozzi, G., closure methods of, 84-85, 87 secondary correction of, 557-570 Takahashi, S. by Davis, 557 adhesion procedure of, 439 by Dufourmentel, 560-561 approval of rotation-advancement by Ginestet, 558 method, 205 by LeMesurier, 561-562 nasal correction of, 658 by Merville, 559 Talaat, S., modification of rotawith rotation-advancement tion-advancement method, method, 563-570 194

stencils used in, 172 Tamerlane, 248 Tension Tange, I., 23, 50 operative techniques affecting, on nasal deformity, 630 383, 384, 387 paper models of, 256, 257, 284in rotation-advancement procedure, 185, 204 Tanski, G., dissection studies of, and scar formation, 534 Tennison, C., 133, 136, 143, 144, Tessier, P. 145, 146, 176 approval of rotation-advancement, 200-201 and evolution of surgical progcombined nasal and labial corress, 77 rections of, 694 Tennison lip operation, 139–140 analysis of, 158-159 nasal correction of, 644, 700 on positioning of Abbe flap, 597 Brauer modification of, 157on secondary rotation-Canadian experience with, 199 advancement, 568 on septal cartilage grafts, 684 comments by Chase, 275 Thilander, B. L., 23 comments by Musgrave, 159, Thompson, H. G. comments on LeMesurier procecomments by Onizuka, 419, dure, 129-130 420 modification of LeMesurier compared to rotation-advancement method, 204, 384, method, 132-133 386, 395, 399, 404 Thompson, J. E., 43, 44 122 and evolution of surgical progcriticism of, 161-162 Cronin modification of, 156 ress, 77 on Giraldes technique, 269, 271 endorsement by Boo-Chai, 284 lip operation of, 91-92, 96, 103, Marcks modification of, 141-143, 148, 395 mathematical logic in, 215 compared to rotation-advance-Millard revision of, 718 ment method, 400 muscle alignment in, 287, Millard's experience with, 288, 290, 291, 292 165, 176 modification by Asencio, 408, percentage of surgeons using, 152, 210 410 Petit modification of, 150, 151 secondary procedures of, 557 Pinto's experience with, 208 Tight upper lip, postoperative, 570, 576, 588 Randall modification of, Abbe flap for, 598, 600, 604 146–148, 154 Timing of surgery, 69-74, 308-309, for secondary correction, 562-563, 567, 568 for adhesion procedures, 448 secondary revision of, 576-579 in alveolar cleft closure, 252 Skoog modification of, 189, for division of pedicle with 191-192 tension point in, 384 Abbe flap, 609 for nasal septum correction, 637 tight lip from, 588 at one month, 70, 73 Trauner modification of, 149 Wang modification of, 153in secondary procedures, 380, 592 154

at six months, 70 Blair/Brown technique, 107-108, soon after birth, 70, 72, 73 109, 113 at three months, 69, 70, 71 Brown/McDowell technique, weight as factor in, 71, 72, 73, 113-114 309 compared to quadrilateral flaps, in young adults, 69 158-159, 166 Tolarova, M., on nasal asymmetry, compared to rotation-advancement method, 285 Tolleth, H., buccal sulcus incision double inferior, 101-102 with wide undermining, and increase in vertical lip 555 length, 159-160 Tondra, J., use of mucosal parings, inferior, 173 249 Mirault/Blair technique, Tondury, G., embryological theory 108-109, 119 of, 10 mucosal flap to nasal floor, 103, Torres, A., 244 Tough, J., 640 muscle alignment in, 287 Tractor muscles, labial, 27-28 percentage of surgeons using, clefts affecting, 28, 31 210 Trauner, M., on LeMesurier proreversing of, 104 cedure, 576 secondary correction of, 571-580 Trauner, R. midline Abbe flap for, 610at first International Congress of 623 Plastic Surgery, 175 single inferior, 102 flap to nasal floor, 272 large, 108-111 on LeMesurier procedure, 576 small, 113-119 lip operation of, 149-150, 192, tight lip from, 588, 600, 604 194 use with rotation-advancement, comments by Perko, 387 419, 420 Kavrakirov modification of. Trigeminal nerve, 33 192 Trumbull, J., 269, 277 muscle alignment in, 290 Tumbusch, W., combined nasal Petit modification of, 151 and labial correction of, secondary correction of, 578 695-696 Skoog modification of, 189 Trusler, H. M., 128, 249 Wynn modification of, 192 Tubercle deficiency, correction of, modification of LeMesurier 591 operation, 134-135, 190, Tulenko, J. K., 23 on nasal deformity, 630 nasal correction of, 97, 671, 689 Twain, M., 118, 386 secondary flap for nose, 563 Twins, clefts in, 348-349 secondary procedures of, 559, 561 Treacher Collins syndrome, 13 Tretsven, on incidence of clefts, 61 Uchida, J-I., nasal correction of, Trevaskis, A., comparison of 659, 662 Marcks and Millard tech-Undermining lip elements niques, 394-395 in adhesion procedure, 442-443 Triangular flaps of lateral lip element, 319 Blair method, 107-110 of medial lip element, 321

Undermining lip elements denuded flaps in, 243-245, Continued 249, 250 wide, with buccal sulcus incimuscle flaps in, 245-246 sions, 555 overlaps used in, 240 Uvula split, incidence in American and salvage of cleft edge Indians, 62 parings, 243, 245, 247-250 straight anterior closure of, Valentino, R., 249 241 Van Der Woude syndrome, 306 primary revisions of, 242 Van Roonhuyzi, H., 69 secondary surgery for, 241, 547-Van Winkle, W., 294 554 Veau, V. skin encroachment of, 547 classification of clefts, 45 suturing of, 330, 479 dogma of, 203 Z-plasty for, 553 and evolution of surgical prog-Vestibular lining, nasal ress, 77 deformity with unilateral cleft lip operations of, 93-94, 95, 96, lip, 21-22 111, 134 shortness of, 662 comments by Reichert, 225, Vialot, J., 83 227 Vilar-Sancho, B., classification of compared to Millard techclefts, 47 nique, 272-274 Von Esmarch, F. R., 123, 271 Von Graefe, C. F., lip operation of, modification by Récamier, 273, 274 89, 90 muscle alignment in, 290, 291 Von Langenbeck, B., and evolution secondary correction of, 568 of surgical progress, 77 mesoderm penetration theory of, Von Pfolsprundt, H., 82 5, 6, 8 V-Y advancement nasal floor closure by, 251 of alar base, 672-673, 677 nasal mucous membrane flap of, for vermilion revision, 241 Petit as student of, 150, 151 Waldron, C. W., on nasal correcon Simonart's band, 437 tion, 251 Velasquez, J. M., nasal correction Walker, J., 314 of, 649 adhesion procedure of, 440-441 Vergara, A. C., 41 Wallace, A. B., 119 Vermeulen, W., 416 Wang, M. Vermilion border. See also Mucoon LeMesurier procedure, 576 cutaneous ridge lip operation of, 153-154 deficiencies in, correction of, and increase in vertical lip 590-591 description of, 25 length, 160 free border deformities, 552-554 Ward, R., 169 free grafts for, 556 Wardill, W. E. M., 655 mucosal flaps for, 552-554 Warren, R., 349 notch in, correction of, 552-556 Washio, H., 133 Waterston, D., 15 primary approximation of, 239-250 Webster, J. P., 106

Webster, R., 238 Woolhouse, F. M., approval of Wedge excision, for wide nasal rotation-advancement, 200 floor, 324, 331 W-plasty, 533 Weight of infant, and timing of Wunderer, S., lip operation of, surgery, 71, 72, 73, 309 136-137 Weir, R. F., nasal correction of, 677 Wynn, S. Wesser, on secondary rotationflap to nasal floor, 272 advancement, 567 lip operation of White roll of lip. See Mucocutalateral flap in, 385 neous ridge muscle alignment in, 290 Whitlow, D., nasal correction of, modification of rotation-665-666 advancement method, Wickramasinghe, S. F., on rota-191-192 tion-advancement method, nasal correction of, 664 394 rounding of nostrils, 255-256 Widmaier, G., 134, 226 secondary procedure of, 560, 561 Width of mouth in Vietnam, 414 in Chinese, 40 Wynn-Williams, D., 349 in Negroes, 39 Wilhelmsen, H. R., on timing of surgery, 73 Y symbol, in classification of clefts, Wilkie, T., 435 as boomerang thrower, 435 Yamazaki, T., nasal correction of, nasal correction of, 647-649 personal case of, 648 Yang-Chi, W., 79 on secondary rotation-advance-Yeldall, A., 86, 87 ment, 568 Yevdokimov, lip operation of, 276 Williams, B., 266, 314 Young, F., nasal correction of, 644comparison of LeMesurier and 645 Millard techniques, 393-394 Yperman, J., 81 Williams, S., 13, 14 Y-V flap mucosal, for vermilion Wilson, M., 99 deficiency, 552-553 closure methods of, 86, 87, 88 Wirch, B., 379 Wires, use of Zaydon, T. J., 13 in marking of advancement Z-plasty flaps, 316 compared to rotation-advancefor measurements in rotationment method, 269-270, advancement, 451 274-275 by Rubin, 280 Davies variation of, 155-156 by Tennison, 139 double flaps in, 151, 189, 190, Wise, R., 126 Wolfe, S. A., 94, 248 early methods of, 98-99 Woolf, R. M., and evolution of surgical progon risk factors in cleft inciress, 77 dence, 306 first application of, 571 on incidence of clefts, 63, 68, inferior triangular, 139-145

small, 146-149, 150, 160

306

Z-plasty—Continued
interlocking Z method in, 99
in lower lip closure, 606
mathematics of, 214–215
for mucocutaneous line discrepancy, 550
multiple, 533
in nasal correction, 659, 662,
664, 667–668, 669
with paring of cleft edges, 152
reverse, with midline Abbe flap,
627–628
right-angle, 533

with rotation-advancement procedure, 194, 208
in secondary correction of straight-line closure, 558–561
Randall operation, 146–148
Tennison operation, 139–140 for vermilion deficiency, 239, 553
Wunderer modification of, 136
Zygomatic muscles, 27
Zygomatic nerve, 33