

# *Index*

# *Index*

- Abbe, R., 596-598  
Abbe flap, 593, 597  
cheek flaps with, 635-636  
in columella lengthening, 482,  
483, 586-587  
compared to composite free  
graft lip-switch, 625-626  
delayed, 184  
with prolabium into columel-  
la, 701-703  
after forked flap use, 637-639  
as free graft, 619-625  
hair growth after, 614  
and lengthening of upper lip,  
632  
with lip scar into columella,  
706-707  
in median clefts, 740  
Millard's personal cases  
with cheek flaps, 635-636  
delayed flap with prolabium  
into columella, 701-703  
after forked flap, 637-639  
with lip scar into columella,  
706-707  
in lip-shortening procedures,  
672-677  
primary flap, 183  
and prolabium into columel-  
la, 636-637, 639-642, 646,  
652-653, 661-663, 667-  
669, 681-682, 690-697,  
699-701, 705, 708-709  
and rhinoplasty, 648-651,  
698-699  
in tight upper lip, 704  
muscle function in, 603-606  
pedicle for, 600-602, 619  
philtrum-shaped, 613-614  
placement in bilateral clefts,  
611-612
- postoperative handling of, 603  
precautions with, 614  
primary, 173  
delayed, 184  
in full center of lip, 186  
inserted into prolabium, 184-  
186  
use by Clarkson, 185  
use by Honig, 187  
use by Viale-Gonzalez, 187  
with prolabium shifted into col-  
umella, 636-637, 639-642,  
646, 652-653, 661-663,  
667-669, 681-682, 690-  
697, 699-701, 705, 708-  
709  
with rhinoplasty, 650-651  
from protuberant and scarred  
lower lip, 615-617  
and reshaping of donor lower  
lip, 617  
and rhinoplasty, 648-649, 698-  
699  
in secondary correction, 422,  
424  
shaping for, 607-617  
and shortening procedures for  
lip, 672-677  
size of, 602, 682  
split-tail design of, 608-609  
in tight lip without prolabium,  
704  
unilateral, corrected with forked  
flap, 515-517  
W-shaped, 609-611
- Abramson, P. D., cases of median  
clefts of lower lip and  
mandible, 811
- Abrasión, sandpaper, methylene  
blue marking with, 712-  
713

- Adams, L., objections to lateral flaps below prolabium, 136  
 Adams, M., objections to lateral flaps below prolabium, 135-136  
 Adamson, J. E.  
     case of median cleft, 757  
     mucosal flaps for labial sulcus creation, 473-474  
     preservation of vermillion pairings, 157  
 Adhesion procedures, 58-61, 175-182  
     acceptance of, 182  
     and creation of upper labial sulcus, 469  
     high, 59, 179-180  
     low, 60, 178  
     Millard method, 176  
     and muscle union with forked flap banking, 296  
     preliminary use of, 86-87  
     with primary forked flap, 269, 272-275  
     Randall method, 176-177  
     with small prolabium, 181  
     two-stage, without undermining, 60-61  
 Adhesives, for extraoral traction, 46  
 Agroskina, A. P., columella lengthening of, 492  
 Ahfield, F., cases of transverse facial clefts, 770  
 Airway maintenance, postoperative, 375-376  
 Alar base of nose. *See also* Nose chondromucosal flaps for retracted columella, 577-580  
     flaring of, 589-590  
     grafts for columella, 562-563  
 Albrecht, cases of oblique facial clefts, 782  
 Alveoli, dental, and premaxillary protrusion, 13  
 Ammon, cases of median clefts of lower lip and mandible, 810  
 Anatomy  
     of bilateral cleft, 19-40  
     in complete cleft, 27, 37-38  
     described by King, 22  
     histological picture in, 24  
     in incomplete cleft, 27  
     lip in, 23-30  
     motor nerves in, 28  
     muscle anatomy in, 25, 26  
     muscle discrepancy in, 23-24  
     nasal deformity in, 30-31  
     orbicularis oris muscle fiber direction in, 24-25, 26  
     prolabium in, 23  
     sensory nerves in, 26-28  
     Simonart's band in, 20-21  
     surgical problems with, 36-37  
     variations in, 37  
     vascular patterns in, 28-30  
     of nasal secondary deformities, 477-479  
     of normal face, 31-36  
     measuring of, 33, 36  
     racial comparisons in, 36  
 Anesthesia, local  
     for Abbe flaps, 626  
     for early surgery, 83  
 Antia, N.  
     on positioning of premaxilla, 72  
     use of Abbe flap, 186, 603  
 Antibiotic ointment, postoperative use of, 377  
 Antueno, J., correction of whistling deformity, 456  
 Apfelberg, D. B., partial premaxillary excision of, 56  
 Apfelstaedt, classification of median clefts, 728  
 Arem, A., 279  
 Arhinencephaly, 736  
 Arm restraints, postoperative use of, 376  
 Arons, M. S., correction of whistling deformity, 456  
 Asepto syringe, for postoperative feeding, 377  
 Ashley, L. M., cases of median clefts of lower lip and mandible, 811  
 Asymmetrical bilateral clefts closure with banking of fork

- basic rules in, 341-342  
on complete cleft side, 342-348  
conversion of incomplete to complete cleft, 355-357  
flap 1 in, 346-347, 351, 355  
incising of prolabium in, 352  
on incomplete cleft side, 348-351  
and lateral lip elements matched to prolabium, 344-346  
measuring and marking prolabium in, 342  
Millard's personal cases, 391-397  
mucosa "m" in, 352, 356  
scoring of forked flap in, 351  
vermilion flap "B" in, 348, 350-351  
with columella retraction, 580  
rotation-advancement method in, 194-199
- Asymmetries, with border scarring and abnormal nasolabial angle, 719-721
- Auricular grafts  
for columella, 573-575  
comparison of two types, 561-562  
skin and cartilage in, 559-560, 570  
skin and fat in, 560-561  
subcutaneous flap with, 539  
composite, for nasal elevation, 293  
for nasal tip support, 566-567  
for philtrum contouring, 442-443  
for short upper lip, 629
- Axhausen, G., use of prolabium vermillion, 113-114, 302
- Baibak, G., case of median cleft, 750, 756
- Baker, J. L., cases of oblique facial clefts, 782, 787
- Balber, G., wedge plates for maxillary elements, 78
- Ballantyne, J. W.  
cases of transverse facial clefts, 771  
classification of median clefts, 728
- Banking of forked flaps, 281-289, 527-538  
in asymmetrical clefts, 341-358  
in complete clefts, 359-374  
in incomplete clefts, 313-339  
Millard's personal cases, 282-286, 379-384  
praying hands method, 381-383, 391-397, 403-408, 411-413  
release and use of flaps, 391-416  
in secondary corrections, 528-538  
shifting of flap into columella, 399-401, 402, 405, 407, 408, 410, 411  
whisker method, 398-402, 409
- polyp-type banking, 287, 289, 379-380, 385-386
- praying hands method in nasal floor, 286, 288-289, 329, 331, 372-373  
in asymmetrical clefts, 391-397  
disadvantage of, 395  
and fading of one flap into floor of nose, 413
- Millard's personal cases, 381-383, 391-397, 403-408, 411-413  
with premaxilla setback, 382-383, 404  
release and use of, 388-390, 391-397
- and release and use of flaps, 385-416  
Millard's personal cases, 391-416  
in praying hands banking, 388-390, 391-397  
in whisker banking, 386-387, 395, 398-402

- Banking of forked flaps—*Continued*  
     in secondary corrections  
         after stretching of prolabium, 384  
         Millard's personal cases, 528–538  
         and shift to columella, 399–401, 402, 405, 407, 408, 410, 411  
         cartilage support for, 415–416  
         and revision of early fork, 414–415  
         shrinkage of, 290  
         in whisker position, subalar, 282, 289, 329, 331, 374  
         advantage of, 402, 416  
         in complete clefts, 401–402  
         Millard's personal cases, 398–402, 409  
         release and use of, 386–387, 395, 398–402  
         and shift to columella, 399–401, 402  
         after stretching of prolabium, 384  
 Barreto, F.  
     cases of congenital lip sinuses, 817  
     variation of Manchester method, 164  
 Barron, J. N., cheek flaps of, 633  
 Barsky, A.  
     columella lengthening procedure of, 544  
     lateral flaps below prolabium, 123  
     criticism of, 140  
     positioning of premaxilla, 74  
     treatment of war victims, 122–123  
 Bartels, R. J.  
     cases of congenital lip sinuses, 826–827  
     cases of median clefts, 747  
     cases of oblique facial clefts, 782, 785, 787–789  
 Batwing procedure by Blair, for nasal tip, 487  
 Bauer, T. B.  
     dissatisfaction with Brown method, 125  
     lateral flaps behind prolabium, 153–155  
     results with premaxillary setback, 52, 54, 73  
     two-stage closure of lip clefts, 92  
     use of prolabium vermillion, 300  
     on Z-plasty type of closure, 144  
 Baxter, H., treatment of congenital lip sinuses, 821  
 Becker, M. H.  
     cases of median clefts, 756  
     cases of transverse facial clefts, 778  
 Bellinger, D. M., case of median cleft, 753–754  
 Benaim, columella lengthening of, 490  
 Berger, J. C.  
     on blood supply to prolabium, 260  
     on muscular components in clefts, 24  
     theory of premaxillary protrusion, 10  
     two-stage closure of lip clefts, 93  
     on vascular patterns in clefts, 29  
 Berkeley, W. T.  
     approach to premaxilla, 54  
     correction of nasal vestibular lining shortage, 571  
 Berken, E. A., cases of median lower lip sinuses, 821  
 Berkowitz, S., orthodontic procedures of, 78, 667  
 Berlin, A., on oblique facial clefts, 785  
 Bernard, F., composite free grafts of, 623  
 Berry, F. A., case of median cleft, 757  
 Bilateral facial clefts, 796, 798–799  
     asymmetrical, 802–804

- Binnie, J. F.  
lateral flaps below prolabium, 122  
positioning of premaxilla, 63, 73
- Bixler, D., cases of congenital lip sinuses, 817
- Blackfield, H. M., cases of transverse facial clefts, 771, 772
- Blair, V. P.  
Blair-Brown method transformed into Hagedorn-LeMesurier, 444  
columella lengthening approach of, 217, 487-488  
as instructor of Cannon, 608  
lateral flaps below prolabium, 124  
lip-switch flap of, 598-600  
shaping of Abbe flap, 600, 607
- Blandin, P. F., positioning of premaxilla, 62-63, 65
- Blocker, T., lip operation of, 456
- Blood supply  
of bilateral clefts, 28-30  
of composite free grafts for lip, 623
- Bodenham, D. C.  
ear grafts for short upper lip, 629  
graft for columella retraction, 573
- Bone grafts  
in median clefts of lower lip and mandible, 816  
in oblique facial clefts, 798  
and premaxillary growth, 71  
prevomerine, 71-72  
prosthesis with, 69  
split-rib, in median cleft, 740-741
- Bone growth  
cephalometric radiography in longitudinal study of, 53  
in cranial sutural surfaces, 50-51  
and premaxillary protrusion, 10
- Boo-Chai, K., cases of oblique facial clefts, 782, 785, 805
- Borges, A. F.  
removal of redundant vermillion, 458-459  
W-plastic technique for cupid's bow creation, 448-449
- Bouisson, cases of median clefts of lower lip and mandible, 810, 811
- Boyd, J. D., on congenital lip sinuses, 827
- Brain, and facies of holoprosencephaly, 734, 736
- Braithwaite, F.  
cases of median clefts, 746-747, 811, 812  
classification of median clefts, 728
- Brauer, R.  
columella lengthening by alar rims, 556-557  
lack of acceptance of muscle union, 293  
lip measurements by, 33  
on positioning of premaxilla, 68  
on timing of surgery, 86  
use of rotation-advancement, 207
- Brennermann, J.  
cases of oblique facial clefts, 783  
cases of transverse facial clefts, 771
- Broadbent, T. R.  
banking of forked flaps, 290-291  
composite grafts from ear, 293, 562  
evaluation of LeMesurier method, 139  
handling of prolabium and columella, 291-292  
interdigitations into prolabium sides, 145  
lack of acceptance of muscle union, 293, 294  
one-stage closure of lip clefts, 93  
results with modified Manchester approach, 162-164

- Broadbent, T. R.—*Continued*  
     skin graft for scar revision, 422  
     on straight-line closure, 115  
     use of prolabium vermillion, 301  
     use of rotation-advancement, 202  
     V-Y procedure for columella lengthening, 489  
 Brodie, A. G., on molding muscle action after lip closure, 83  
 Bromberg, B. E., case of median cleft, 750, 756  
 Brophy, T., cases of median clefts, 728, 745, 810, 811, 812  
 Brown, A., experience with primary forked flap, 272–273  
 Brown, G. V. I.  
     extraoral traction of, 46  
     objections to lateral flaps below prolabium, 135  
     use of prolabium, 110, 114  
 Brown, J. B.  
     Blair-Brown method transformed into Hagedorn-LeMesurier, 444  
     cartilage grafts for nasal tip, 565  
     composite graft for columella, 559  
     on creation of cupid's bow, 447  
     lateral flaps below prolabium, 124–125  
         criticism of, 140  
     lengthening of columella, 217, 488–489  
     one-stage closure of both lip clefts, 92  
     silicone grafts for nasal tip, 566  
     on timing of surgery, 82, 83  
     treatment of premaxilla, 65–66, 77–78  
         criticism of, 73  
     work with Cannon, 608  
 Browne, D.  
     closure of bilateral cleft lip, 150–151  
     muscle closure of, 151, 255  
     theory of premaxillary protrusion, 10  
     treatment of premaxilla, 70–71, 77  
 Brucker, P. A.  
     case of median cleft, 748  
     classification of median clefts, 729  
 Buccal sulcus flaps. *See* Cheek flaps  
 Buck, G., lip-switch flap of, 595  
 Burian, F., 6, 23  
     cases of oblique facial clefts, 782, 785, 806  
     columella lengthening procedure of, 501, 502, 503  
     nasal reconstruction of, 552  
 Burke, case of median cleft, 728  
 Burston, W., 11, 12  
     positioning of premaxilla, 67–68, 78  
     prosthodontic approach of, 57  
 Bush, P. G., cases of median clefts of lower lip and mandible, 812  
 Byars, L. T.  
     lateral flaps below prolabium, 124–125  
     lengthening of columella, 217, 488–489  
     on positioning of premaxilla, 65–66  
     on timing of surgery, 82  
 Bzoch, K. R., 85, 155, 210  
 Cacciatore, A., theory of philtrum formation, 7  
 Campbell, J. A., facies of holoprosencephaly, 736  
 Cannon, B.  
     composite graft for columella, 559  
     pedicle for lip-switch flap, 601  
     split-tail design of Abbe flap, 608–609  
 Cannon, W. B., 608  
 Cardosa, D., columella lengthening procedure of, 544  
 Carraway, J.  
     case of median cleft, 757  
     labial sulcus surgery, 474

- mucosal flaps behind prolabium, 157
- Carroll, D., vermillion-bordered flap of, 658
- Carter, W. W., columella lengthening procedure of, 169, 543-544
- Cartilage**
- and auricular skin, for grafts to columella, 559-560
  - flaps for columella lengthening, 490
  - grafts for nasal tip support
    - Bowie knife-shaped, 569-570
    - costal cartilage, 565-566, 567, 569-570
    - gull-wing, 567
    - from nasal hump, 568-569
    - septal cartilage, 568, 569
    - trifoil-type, 568
  - grafts for philtrum contouring, 442-443
  - growth of, and premaxillary protrusion, 10-11
  - struts with forked flap
    - for columella lengthening, 415-416, 588-589
    - for nasal tip, 267, 527
- Caucasians, normal facial anatomy in, 36
- Cebocephaly, 734, 736
- Celesnik, F.
- adhesion procedure of, 59, 179-180
  - retention of prolabium vermillion, 300
  - timing of surgery, 87
- Cervenka, J.
- on congenital lip sinuses, 820
  - on facial cleft syndromes, 768
- Chaussier, compression bandage of, 45
- Cheek flaps
- Abbe flap with, 613, 635-636, 684
  - buccal sulcus, for columella lengthening, 540-541
  - for lengthening of lip, 632-634
- for tight upper lip, 613, 684
- Chorin
- on Desault's bandage, 45
  - on excision of premaxilla, 44
- Chouard, C. H., cases of median clefts of lower lip and mandible, 811, 812
- Chowdhury, J., cases of median clefts, 756
- Clarkson, P., insertion of Abbe flap into prolabium, 184-186
- Classification of median clefts,** 728-730
- Clavet, E. G. M., cases of congenital lip sinuses, 825
- Clemont, M., flaps used by, 109
- Clifford, R., lip measurements by, 33
- Clodius, L., 175
- Closure of clefts**
- adhesion in. *See* Adhesion procedures
  - in asymmetrical clefts. *See* Asymmetrical bilateral clefts
  - in complete clefts. *See* Complete bilateral clefts
  - forked flaps in. *See* Forked flaps
  - in incomplete clefts. *See* Incomplete clefts
  - one-step and two-step methods in, 90-94
  - postoperative care in, 375-378
  - with premaxillary protrusion. *See* Premaxilla
  - principles in management of, 307-313
  - prolabium in. *See* Prolabium
  - straight-line. *See* Straight-line closure of clefts
  - timing of, 81-88
  - unilateral designs adapted for bilateral clefts, 119, 124
- Coccaro, P. J., cases of transverse facial clefts, 778
- Coccia, C. T., cases of congenital lip sinuses, 817

- Code key on cases, 188  
 Collito, M. B.  
     adhesion procedure of, 60–61,  
         177  
     timing of surgery, 87  
 Columella of nose  
     deformity with bilateral cleft  
         lip, 16–17  
     early division of, lip lengthening from, 677–678  
     flaps from nasal dorsum, 554–  
         555  
     flaps from nasal floors, 169  
     length of  
         after LeMesurier operation,  
             478–479  
         and primary forked flap operation, 261  
     lengthening of, 479, 586–587  
     Abbe flap in, 482, 483, 586–  
         587  
     by advancement of banked  
         forked flaps, 399–401, 402,  
         405, 407, 408, 410, 411  
     alar base graft in, 562–563  
     buccal sulcus flaps in, 540–  
         541  
     with central lip tissue, 481–  
         490  
     with delayed forked flap and  
         no muscle union, 239–251  
     with flap from skin web of  
         hand, 542  
     fleur-de-lis flap by Brown and  
         McDowell, 488–489  
     forked flaps in, 195–196, 199,  
         219–229, 492–522, 577. *See also* Forked flaps  
     free composite grafts in, 559–  
         563. *See also* Composite  
         grafts  
     hair growth after, 237–238,  
         621  
     lateral flap in, 231–233  
     medial flap in, 233–235  
     by nasal floor and alar base  
         advancement, 236, 543–549  
         septal cartilage struts in, 588–  
             589  
     septal flap in, 541–542  
     shifting of prolabium in,  
         481–487, 586  
     by stretching with prostheses,  
         542  
     subcutaneous flap and graft  
         in, 539  
     trifoil flap by Blair, 487  
     and unimaginative use of upper  
         per lip skin, 539–540  
     vertical lip transposition in,  
         491  
     V-Y procedures in, 489–490,  
         521, 546  
     Z-plasty in, 491–492  
     lip scar shifted into, with Abbe  
         flap, 706–707  
     normal measurements for, 33,  
         36  
     overtreated, 713–714  
     prolabium shifted into, 97–105,  
         481–487, 586, 607, 681–  
         682. *See also* Prolabium  
     retracted, 573–583  
         with alar asymmetry, 580  
         alar chondromucosal flaps in,  
             577–580  
         auricular grafts in, 573, 574,  
             575  
         base retraction in, 580–583  
         correction of, 587  
         in lip shortening procedures,  
             679  
         moderate to severe, 576–  
             580  
         with nasal tip shortness, 574–  
             576  
         and sharp-angled nostril,  
             714–715  
         transposition of forked flap  
             in, 576  
         transverse lip flaps in, 576–  
             577  
     in rotation-advancement procedure, 199, 202, 205, 209,  
         211  
     shifting of banked forked flaps  
         into, 399–401, 402, 405,  
         407, 408, 410, 411

- short  
     with excess vertical lip length, 659  
     lengthening of. *See* Columella, lengthening of  
     in lip shortening procedures, 679  
     with median cleft, 759  
     problems with, 215-217
- Complete bilateral clefts  
     anatomy in, 27, 37-38  
     closure with banking of forked flaps, 359-374  
         alar base flap D in, 368  
         banking of forks in, 372-374  
         and dimpling of philtrum, 368  
         division of alar bases in, 366  
         final suturing in, 373  
         flap "l" in, 359-360, 364  
         lateral lip elements matched to prolabium, 359  
     measuring and marking prolabium, 359  
     mucosa "m" in, 362  
     muscle approximation in, 367, 428  
     in praying hands position, 395-397, 403-408  
     preparation of prolabium in, 362  
     subcutaneous flap "d" in, 368  
     suturing of lateral lip elements, 367  
     vermillion flap "b" in, 359, 360, 370-371  
     vermillion flap "e" in, 319, 320, 362, 370  
     in whisker position, 401-402
- Composite grafts  
     to columella, 554, 559-563  
         auricular skin and cartilage, 559-560, 570  
         auricular skin and fat, 560-561  
         skin and fat, 560-562  
     lip-switch, 619-626  
     for nasal elevation, 293  
     for philtrum contouring, 442-443
- Compression bandage, and one-stage closure of lip clefts, 90, 93
- Compression fracture, of vomer, 61-62
- Compression methods, for premaxilla, 44-46, 90
- Conklin, J. E., cases of oblique facial clefts, 782, 783, 790
- Conley, J., on London Congress in 1959, 495
- Connell, B., 516
- Converse, J. M., 23, 24, 602  
     cases of median clefts, 746, 756  
     cases of transverse facial clefts, 778  
     columella lengthening procedure of, 544  
     correction of orbital hypertelorism, 743  
     operations for hypertelorism, 763, 767, 830
- Conway, H.  
     on Buck lip-switch flap, 595  
     on Foundation judges, 604  
     on nasal correction by Griffith, 558
- Cooke, J., on prolabium use, 94
- Core, W., surgical techniques of, 76-77
- Coronary vessels, in lip-switch flap, 600-601
- Cosman, B., 594, 603  
     mucosal graft for labial sulcus creation, 472
- Costecka, as instructor of Celesnik, 179
- Couronné, cases of median clefts of lower lip and mandible, 810, 811
- Craft, P. D., vermillion advancement with forked flap, 525
- Craniofacial clefts, 725
- Cranium bifidum occultum, 767-768
- Cresswell, T. A.  
     bolstering of vermillion, 167  
     on joining of muscle behind prolabium, 168

- Cresswell, T. A.—*Continued*
- lateral flaps below prolabium, 130
  - use of prolabium vermillion, 302
  - Crikelair, G. F., 594, 603
  - correction of whistling deformity, 453
  - mucosal graft for labial sulcus creation, 472
  - Cronin, T. D.
  - adhesion procedure, 178
  - cartilage grafts for nasal tip, 566
  - columella lengthening procedure of, 544–546
  - columella from nasal floors, 169
  - eight principles of, 308
  - extraoral traction of, 46
  - interdigitations into prolabium sides, 146
  - lateral flaps below prolabium, 130
  - objections to, 139–140
  - positioning of premaxilla, 54, 65, 67–68, 78
  - results of lip operation of, 167
  - rules for bilateral clefts, 131
  - on straight-line closure, 115
  - two-stage closure of lip clefts, 92
  - use of forked flap, 506–507
  - use of prolabium vermillion, 300, 301, 302, 303
  - use of rotation-advancement, 201
  - Cuddapah, S., case of median cleft, 757
  - Cupid's bow, 8
  - creation of, 303–305, 443–451
    - Borges method, 448–449
    - Gillies method, 445–447
    - Hagedorn-LeMesurier method, 444
    - Millard modification, 451
    - mucocutaneous ridge in, 448
    - problems in, 143
  - marking of
    - in closure of asymmetrical clefts, 342
    - in closure of complete clefts, 359
- in closure of incomplete clefts, 317
  - normal width of, 33, 36
  - Curling, T. B., 42
  - Curtin, J., stapling at premaxillary-vomerine suture, 75–76
  - Cyclopia, 6, 15, 734, 736
  - Davenport, G., composite free grafts of, 623
  - Davis, A. D., 6
    - cases of median clefts of lower lip and mandible, 811, 813–814
  - Davis, J. S.
    - columella excision of, 481
    - columella lengthening procedure of, 544
    - columella reconstruction of, 679
    - composite auricular grafts of, 559
    - visit with Esser, 470
  - Davis, W. B.
    - cases of median clefts, 728, 729, 746
    - cases of oblique facial clefts, 793
    - use of prolabium, 114
  - Dawson, D. M., muscle grafts of, 437
  - Deane, M., cases of median clefts of lower lip and mandible, 814
  - Deaton, T. G., 8
  - Debout, M., cases of transverse facial clefts, 770
  - Debraisieux, B.
    - cases of median clefts of lower lip and mandible, 811
    - on median clefts of upper lip, 728
  - DeHaan, C. R.
    - cases of median clefts, 739
    - mucosal flaps behind prolabium, 156–157
    - on operative recession of premaxilla, 52
    - on timing of surgery, 85–86
  - Delpech, J. M., cases of oblique facial clefts, 781, 784

- DeMarquay, cases of congenital lip sinuses, 817
- DeMere, M., cartilage grafts for nasal tip, 565
- Demjen, S., 154, 830
- Demons, vertical lip flap for columella lengthening, 491
- DeMyer, W.  
cases of median clefts, 732, 735, 746, 754  
classification of median clefts, 745  
facies of holoprosencephaly, 736, 737
- Dental procedures. *See* Orthodontics and prosthodontia
- Derichsweiler, H., extraoral traction of, 46
- Desault, P. J., compression bandage of, 45, 90
- DeStefano, G. A., cases of transverse facial cleft, 774
- Dey, D.  
cases of oblique facial clefts, 782, 783, 791, 798-799  
use of rotation-advancement, 205-207
- Dibbell, D. G., cartilage strut for nasal tip, 569-570
- Dick, W., cases of oblique facial clefts, 781
- Dieffenbach, J. F.  
cheek flaps of, 633  
nasal reconstruction of, 551  
on principles of surgery, 832
- Dimple, in midline of upper lip, 827
- Dimpling of philtrum, 439-443  
in complete cleft repair, 368  
in incomplete cleft repair, 327
- Dingman, R., 829  
auricular grafts for nasal defects, 574  
cartilage grafts for nasal tip, 566  
endorsement of forked flap, 507  
as game hunter, 767
- Dionis, on timing of surgery, 81
- Dockhorn, columella lengthening approach of, 490
- Dotto, G., modification of forked flap, 276
- Douglas, B., 171
- Douglas, W. M., cases of oblique facial clefts, 782, 787
- Drachter, positioning of premaxilla, 62
- Dudkiewicz, Z., cases of oblique facial clefts, 799
- Duffy, M.  
banking of forked flap, 281-282  
use of prolabium vermillion, 303
- Dufourmentel, C., composite free graft lip-switch of, 622
- Dun, R. C., case of median cleft, 728
- Dunning, H., 48
- Dupertuis, S. M., composite graft for columella, 560-561
- Dupuytren, G.  
columella reconstruction of, 539  
excision of premaxilla, 42-43  
use of prolabium, 98, 481  
work at Hôtel-Dieu, 91
- Ears  
grafts from. *See* Auricular grafts  
in macrostomia, 770-771  
myringotomy of, 88, 375
- Eden, R., studies of free muscle grafts, 624
- Edgerton, M. T.  
case of median cleft, 757  
external nasal flaps, 554-556
- Edington, G. H., cases of transverse facial clefts, 771
- Ehrmann, on use of prolabium, 117
- Eiseman, G., cases of transverse facial clefts, 772
- Ellenberg, A., vermillion-bordered flap of, 658
- Ellis-van Creveld syndrome, 757
- Embryology  
of bilateral lip clefts, 3-17  
of congenital lip sinuses, 818  
and maxillary development, 14-15  
of median clefts of lower lip and mandible, 809, 812

- Embryology—*Continued*  
     of median clefts of upper lip, 727, 745  
     of nasal deficiencies, 15–17  
     of oblique facial clefts, 783, 784, 792  
     of palate, 5  
     peculiarities in, 5  
     of philtrum, 6–9  
     of premaxilla, 9–15  
     of transverse facial clefts, 772  
 Ergin, on oblique facial clefts, 785  
 Erich, J.  
     on Abbe flap, 602  
     shortening of upper lip, 656–657  
 Erwin, P., cases of median clefts of lower lip and mandible, 816  
 Esser, J. F. S.  
     cases of median clefts, 752  
     free skin graft inlay for labial sulcus, 470  
     nasolabial flaps of, 633  
 Estlander, J. A., lip-switch flap of, 595–596  
 Estlander-type flaps, in transverse facial clefts, 775, 779  
 Ethicon sutures, use of, 416  
 Ethmocephaly, 734, 736  
 Ethmoidal nerve, anterior, in bilateral clefts, 26  
 Evolution of surgical procedures, 89–95
- Facial artery, in bilateral clefts, 28  
 Facial clefts. *See* Rare clefts  
 Facial nerve, in bilateral clefts, 28  
 Facies, of holoprosencephaly, 734, 736  
 Falces, E., cartilage grafts for nasal tip, 567  
 Falcone, A., mucosal flap for labial sulcus creation, 473  
 Falls, H. F., on congenital lip sinuses, 819  
 Fara, M., 23, 24  
     on columella lengthening, 481, 490  
     criticism of premaxillary setback, 73–74  
     on embryology, 6, 10  
     on forked flap, 502  
     on muscular components in clefts, 24–25  
     on postoperative muscle growth, 152–153  
     on timing of surgery, 84  
     use of rotation-advancement method, 199  
     on vascular patterns in clefts, 30  
 Farkas, L. G.  
     lip and nose measurements by, 33  
     on results of LeMesurier closure, 478–479  
 Farrior, R., alar base correction of, 549  
 Faucon, A., cases of median clefts of lower lip and mandible, 810, 811  
 de la Faye, G.  
     excision of premaxilla, 42  
     first bilateral cleft lip operation, 97–98  
     work at Hôtel-Dieu, 91  
     use of prolabium, 107–108  
 Federspiel, M.  
     extraoral traction of, 46  
     lateral vermillion flaps of, 300  
     positioning of premaxilla, 64, 65  
     use of prolabium, 110–111  
 Feinberg, D. L., on Waardenburg syndrome, 768  
 Ferguson, A. G.  
     cases of transverse facial clefts, 770–771  
     on congenital lip sinuses, 818  
 Fergusson, W., cases of oblique facial clefts, 781  
 Filatov, tube pedicle procedure of, 503  
 Finley, E. B., on transverse facial clefts, 772  
 Fisher, J. C., case of median cleft, 742–743, 757

- Fitzgibbon, cases of median clefts of lower lip and mandible, 811, 812
- Flanagin, W. S., composite free graft lip-switch of, 619, 621
- Flaps
- Abbe. *See* Abbe flap
  - alar cartilage, for nasal tip elevation, 490
  - alar chondromucosal, for retracted columella, 577-580
  - alar rim, 557-558
  - cheek. *See* Cheek flaps
  - forked, for lengthening of columella, 195-196, 199, 219-229. *See also* Forked flaps
  - hair growth in, 237-238, 621
  - lateral
    - behind prolabium, 149-169
    - below prolabium, 119-133, 655-656
    - composite, 655-656
    - for lengthening of columella, 231-233
    - for short upper lip, 630
  - lip-switch, 593-606. *See also* Lip-switch flaps
  - medial, for lengthening of columella, 233-235
  - Millard's fleur-de-lis flap, 461, 465-467
  - mucosal. *See* Mucosal flaps
  - from nasal dorsum to columella, 554-555
  - from nasal floor, for columella lengthening, 543-547
  - quadrilateral, 656
  - septal, for columella lengthening, 541
  - subcutaneous, with auricular skin graft, for columella lengthening, 539
  - tongue, for whistling deformity, 459-460
  - transverse, in columella retraction, 576-577
  - triangular, 656
  - trifoil, for columella lengthening, 487
  - vermilion-bordered, 658
- Flat nose, correction of, 715-716
- Fleischmann, A., 6
- Fleur-de-lis flap
- of Brown and McDowell, 488
  - of Millard, 461, 465-467
- Flor, E., cases of oblique facial clefts, 789
- Foerster, D. W., rhinoplasty of, 556
- Fogh-Andersen, P., 5
- cases of median clefts, 728, 729, 747, 748, 749, 752
  - cases of oblique facial clefts, 796, 806
  - cases of transverse facial clefts, 771
  - on congenital lip sinuses, 819, 820
  - lateral flaps below prolabium, 125
  - on Stein lip-switch flap, 594
- Fomon, S., 62
- on teachings of Veau, 92
- Forked flaps, 195-196, 199, 219-229, 259-280
- and Abbe flap, 637-639
  - adhesion procedure with, 269, 272-275
  - aftermath of, 262-263
  - banking of, 281-289, 527-538. *See also* Banking of forked flaps
  - and blood supply of prolabium, 259-260
  - cartilage struts with, 267, 415-416, 527
  - columella length in, 261
  - for columella lengthening, 195-196, 199, 219-229, 492-522, 577
  - cartilage support for, 415-416
  - and correction of lopsided Abbe flap, 515-517
  - craftsmanship with, 523-538
  - crisscross position of, 517-519
  - delayed primary, 220-229
  - depth of, 524

Forked flaps, for columella lengthening—*Continued*  
description of procedure, 493–496  
development of, 492–502  
early use of, 502–503  
endorsements of, 504–507  
experience with modifications of, 519–522  
incisions for, 526  
lateral skin extensions on, 524  
length of, 525  
with lip-cheek advancement flaps, 521  
mathematics of, 503–504  
Millard's personal cases, 220–229  
modified short fork in, 507–510  
paper model of, 504  
in retracted columella, 576  
retrieval of tissue for, 512–514  
and revision of early fork, 414–415  
secondary advancement of, 331  
and sparing of fork from lip, 523  
suturing of, 526  
three-quarter-length, 510–511  
time for shifting of, 287  
vermillion advancement with, 525  
and what to take in width, 523  
delayed, with no muscle union, 239–257  
at nine years, 245–246, 248–249  
at one year, 240–242  
at seven years, 249–251  
at seven-and-a-half years, 246–247  
at six years, 243–244  
difficult complication of, 277–279  
and dimple creation, 267–268  
early, long upper lip from, 678  
endorsed by witch doctor, 831  
experiences of surgeons with, 268–277  
indications for, 260–262  
key stitch in, 262, 263  
for lengthening of lip, 631–632, 647  
and Abbe flap use, 637–639  
and rhinoplasty, 643–646  
Millard's personal cases, 493, 495–500, 508–519, 663–667  
Abbe flap with, 637–639  
cartilage support for, 415–416  
for columella lengthening, 220–229  
delayed, with no muscle union, 239–257  
for lip lengthening, 647  
primary, 262–280  
revision of early fork, 414–415  
and rhinoplasty, 543–646, 670–671, 685–688  
and secondary muscle approximation, 429–433  
for nasal tip release, 586  
not ideal for general use, 263–266  
premaxilla position in, 260  
primary, 220, 262–280  
prolabium size in, 260–261  
revision of early fork, 414–415  
and rhinoplasty, 643–646, 670–671, 685–688  
and secondary muscle approximation, 429–433  
shifting of banked fork into columella, 399–401, 402, 405, 407, 408, 410, 411  
in shortening of upper lip, 663–667  
and rhinoplasty, 670–671  
for tight lip, rhinoplasty with, 685–688  
two-stage, 275–276  
Fracture, compression, of vomer, 61–62  
Francesconi, G., cases of median clefts, 750, 752–753

- Franco, P.  
excision of premaxilla, 42  
use of prolabium, 107
- Franco, T., cases of oblique facial clefts, 806
- Frazer, J. E.  
on congenital lip sinuses, 827  
on oblique facial clefts, 794
- Fredericks, S., banking of forked flap, 289
- Freeman, B., on LeMesurier technique, 137
- Freret, E. M., 559
- Friede, H., cephalometric radiographic studies of, 53
- Frontonasal process, embryology of, 6-9
- Fryer, M. P., silicone grafts for nasal tip, 566
- Fuhrmann, W., case of median cleft, 756
- Fujino, H., cases of median clefts of lower lip and mandible, 811, 812
- Furukawa, T., experience with forked flap, 519
- Gabarro, P.  
cheek flaps of, 634  
shifting of prolabium into columella, 100-101
- Gabka, J.  
cases of median clefts, 747  
cases of oblique facial clefts, 796
- Gandarillas Velarde, G., modification of forked flap, 276
- Ganzer, tube pedicle procedure of, 504
- Garcia, L. C., modification of forked flap, 276
- Garrett, W. S.  
cases of oblique facial clefts, 782, 783, 790  
graft for columella, 561, 567-568  
nasal correction of, 558  
on rhinoplasty, 585  
shaping of Abbe flap, 610
- Garrison, F. H., 109
- Garst, W. P., cases of median clefts of lower lip and mandible, 814
- Genetic counseling, for families with median clefts, 738
- Genetics, and congenital lip sinuses, 819-820
- Gensoul, J.  
columella lengthening of, 216, 481, 483-484  
modification by Potter, 489-490  
objections to, 545  
positioning of premaxilla, 61-62  
work at Hôtel-Dieu, 91
- Georgiade, N. G., 16  
controllable traction for premaxilla, 46-48  
criticism of premaxillary setback, 73  
labial sulcus surgery, 474  
lateral flaps below prolabium, 130-131
- Mark III coaxial appliance of, 48-52, 795, 804
- non-acceptance of muscle union, 293, 294  
use of prolabium vermillion, 300
- Gibson, T., 20, 175
- Gillies, H. D.  
Abbe flaps of, 682  
auricular graft for nasal reconstruction, 559  
on buccal sulcus flaps for columella tissue, 540  
cartilage grafts for nasal tip, 565  
comment on forked flap, 500  
cupid's bow creation, 445-447  
double Z procedure of, 501  
flaps from lower lip, 463  
freeing of nose with extension of labial sulcus, 472  
influence on Gabarro, 100  
influence on Mustardé, 279  
as instructor of Antia, 186  
as instructor of Davis, 813

- Gillies, H. D.—*Continued*
- as instructor of McIndoe, 486
  - as instructor of Millard, 171, 425
  - on muscle function in Abbe flap, 603–604
  - on New Zealand bush, 158
  - partial premaxillary excision of, 55, 78
  - on pedicle for lip-switch flap, 601, 619
  - on primary Abbe flap, 183, 185
  - private practice of, 471
  - on prolabium properties, 299
  - quickest Abbe flap of, 625–626
  - shaping of Abbe flap, 607
  - shortening of upper lip, 659
  - tube pedicle procedure of, 503
  - use of Lindemann's book, 100
  - use of prolabium for columella lengthening, 482, 484–485
  - work with Barron, 633
- Gilmer, T. L., cases of median clefts, 728
- Ginestet, G., repair of short upper lip, 630
- Gloge, S., 672
- Glover, D. M.
- approach to premaxilla, 52, 54
  - muscle closure of, 151–152, 255
- Gnoinski, W., 181
- Gola, R.
- on composite free graft lip-switch, 622
  - creation of upper labial sulcus, 469
- Goldenhar's syndrome, 771, 773
- Goldwyn, R., 42, 45, 422
- Goleria, K. S.
- cases of median clefts, 739, 746, 747, 748, 750
  - classification of median clefts, 729
- Gorlin, R. J.
- cases of transverse facial clefts, 771, 773
  - on congenital lip sinuses, 817, 820
  - on Waardenburg's syndrome, 768
- Gorney, M.
- cartilage grafts for nasal tip, 567
  - use of forked flap, 506
- Grabb, W. C., 85, 155, 210, 732, 829
- cartilage grafts for nasal tip, 566
  - on joining of muscles behind prolabium, 436
- Grafts
- alar base, for columella, 562–563
  - auricular. *See* Auricular grafts
  - bone. *See* Bone grafts
  - cartilage, for nasal tip support, 565–570
  - composite
    - to columella, 554, 559–563
    - lip-switch, 619–626
    - for nasal elevation, 293
    - for philtrum contouring, 442–443  - mucosal, for labial sulcus creation, 472
  - muscle, for secondary correction, 437–438
  - silicone, for nasal tip, 566, 570
  - skin
    - inlays for labial sulcus creation, 470–472
    - for prolabium defect, 103–105
    - in scar revisions, 422  - split-rib, in median cleft, 740–741
- Graham, W. P. III, adhesion procedure of, 58, 176
- Greer, D. M. Jr.
- cartilage grafts for nasal tip, 569
  - muscle union and forked flap banking, after adhesion procedure, 296
  - on secondary muscle approximation, 434
  - use of prolabium vermillion, 303
- Greer-Walker, D., cases of oblique facial clefts, 783, 805
- Gridiron pattern of lip scarring, 716–719

- Griffith, H., nasal correction of, 558
- Grignon, J.  
alar correction of, 128-129  
pedicle for lip-switch flap, 601
- Griswold, M., extraoral traction of, 46
- Grob, M., on oblique facial clefts, 800
- Grochowski, J., cases of median clefts of lower lip and mandible, 816
- Guerin, positioning of premaxilla, 65
- Guerrero-Santos, J.  
bolstering of central vermillion, 166-167  
modification of rotation-advancement, 208  
tongue flap for whistling deformity, 459-460  
two-stage closure of lip clefts, 93
- Guersant, M., cases of oblique facial clefts, 782
- Guiot, G., operations for hypertelorism, 763
- Gunter, G. S., cases of oblique facial clefts, 785-787
- Gylling, U.  
cases of median lower lip sinuses, 821  
on congenital lip sinuses with clefts, 817
- Hag, M. A., cases of oblique facial clefts, 782, 799
- Hagedorn, W.  
cupid's bow creation, 444  
lateral flaps below prolabium, 120  
modification of lip operation for bilateral clefts, 126, 137, 143
- Hagerty, R., 16  
maxillary screw plate of, 278  
prosthodontic approach of, 57
- Hair growth  
after Abbe flap, 614  
in columella, after lengthening, 237-238  
in flaps, 621  
lip scars affecting, 423-425
- Hajnis, K., lip and nose measurements by, 33
- Hajnisova, M., lip and nose measurements by, 33
- Hamilton, E., cases of median clefts of lower lip and mandible, 811
- Hamilton, R., adhesion procedure of, 58, 176
- Hance, G., comment on Blair, 599
- Hansen, A. C., on Waardenburg syndrome, 768
- Harding, R. L., on oblique facial clefts, 785
- Harkins, C. S., on oblique facial clefts, 785
- Havens, W-shaped Abbe flap of, 609
- Haym, J., cases of median clefts of lower lip and mandible, 811
- Heifetz, M., case of median cleft, 756
- Heister, on timing of surgery, 81
- Hemoglobin values  
postoperative, 378  
and timing of surgery, 88
- Hendrix, J., Jr., experience with primary forked flap, 272
- Henry, J. W.  
on blood supply to prolabium, 260  
on muscular components in clefts, 24  
theory of premaxillary protrusion, 10  
two-stage closure of lip clefts, 93  
on vascular patterns in clefts, 29
- Herbert, D. C., cases of transverse facial clefts, 776

- Herbst, E. J., classification of median clefts, 728
- Heredity, and congenital lip sinuses, 819-820
- Hickey, M. J., correction of whistling deformity, 453
- Hirshowitz, B.  
case of median cleft, 756  
use of rotation-advancement, 204-205
- Historical aspects of bilateral cleft lip surgery, 89-95
- Hochstetter, F., 6
- Hoffman, S., cases of congenital lip sinuses, 817, 818, 821
- Hofman, J. P., extraoral traction of, 44
- Hogan, E. L., muscle grafts of, 437
- Holbrook, L. A.  
cases of congenital lip sinuses, 825  
cases of median lower lip sinuses, 821
- Holdsworth, W. G., 20  
as instructor of Millard, 171-172  
lateral flaps below prolabium, 122, 126  
on premaxillary setback, 74  
secondary correction of, 427-428  
shortening of upper lip, 657  
two-stage closure of lip clefts, 92
- Hollmann, K.  
adhesion procedure of, 60, 178  
on timing of surgery, 87
- Holm, P., experience with forked flap, 538
- Holmes, L. A., on oblique facial clefts, 785
- Holmstrand, K. E., cases of transverse facial cleft, 774
- Holoprosencephaly, 734, 736
- Homans, J., on plastic surgery, 314
- Honig, C. C., use of Abbe flaps, 187, 603
- Hoppe, K., cases of transverse facial clefts, 772
- Horizontal facial clefts, 769-779
- Horowitz, S. L., case of median cleft, 756
- Horton, C. E.  
case of median cleft, 757  
mucosal flaps for labial sulcus creation, 473-474  
preservation of vermillion pairings, 157
- Hôtel-Dieu of Paris, 91-92
- Hotz, M., 180  
orthodontia of, 112  
premaxillary alignment of, 59
- Howard, R.  
cases of congenital lip sinuses, 826-827  
cases of median clefts, 747
- Hoyt, C. J., classification of median clefts, 729
- Hrívánkova, J.  
criticism of premaxillary setback, 73-74  
on muscular components in clefts, 24
- Huber, on congenital lip sinuses, 818
- Huffman, W. C.  
positioning of premaxilla, 66  
training of Farrior, 549
- Hullihen, S. P.  
compression bandage of, 45  
on variations for individual cases, 311
- Hunt, P. A., cases of transverse facial clefts, 773
- Hypertelorism, with median cleft lip, 745-768
- Hypotelorism  
with median cleft lip, 735-744  
surgical treatment of, 743-744
- Ichikawa, T., experience with forked flap, 519
- Implants, for retroposed maxilla, 591
- Incisions, for forked flaps, 526
- Incisive foramen, 5

- Incisor teeth  
 blood supply of, 28  
 lack of nerve supply, 28  
 loss with partial premaxillary excision, 56
- Incomplete bilateral clefts  
 anatomy in, 27  
 closure with banking of fork, 313-339  
 alar base flap D in, 325  
 in asymmetrical clefts, 341-358, 391-392, 396-397  
 banking of forks in, 329  
 dimpling of philtrum in, 327  
 freeing of prolabium and lateral lip elements, 320  
 lateral lip elements matched to prolabium, 317  
 measuring and marking prolabium, 314-317  
 Millard's personal cases, 331-339  
 preparation of alar bases in, 325  
 preparation of lateral lip elements in, 323  
 preparation of lateral skin edges in, 323  
 scoring and cutting prolabium, 319  
 secondary forked flap advancement in, 331  
 with short columella, 339  
 with short prolabium, 334-338  
 subcutaneous flap "d" in, 325  
 suspension sutures in, 325  
 suturing of lateral lip elements in, 326  
 comment by McDowell, 125  
 results with LeMesurier method, 139  
 rotation-advancement principle in, 189-213  
 Veau procedure for, 111
- Infraorbital nerves, in bilateral clefts, 28
- Innis, C. O.  
 positioning of premaxilla, 62
- studies of unoperated adult clefts, 84
- Isaksson, I., on reinnervation of Abbe flap, 605-606
- Ishii, H., studies of motor function in Abbe flap, 606
- Ivy, R. H.  
 note from Vaughan's granddaughter, 114  
 on philtrum conformation, 32  
 translation of Malgaigne, 109
- Jackson, I. I.  
 on muscle union, 294-295  
 on secondary muscle approximation, 434
- Jacobson organ, 116-117  
 in bilateral clefts, 16-17
- Jalaquier, M., lateral flaps below prolabium, 120
- Jane, J. A., case of median cleft, 757
- Jaworska, M.  
 cases of median clefts, 749  
 cases of oblique facial clefts, 799
- Jenkins, H. P., cases of transverse facial clefts, 771, 772
- Jesus, J., studies of unoperated adult clefts, 84
- Johanson, B.  
 adhesion procedure of, 58, 86, 175-176  
 as program chairman in Copenhagen, 294  
 on reinnervation in Abbe flap, 605
- Johnson, H., correction of whistling deformity, 457
- Johnston, M. C.  
 on muscle anatomy in clefts, 25  
 on premaxillary protrusion, 13
- Jordon, H. E., on median clefts of lower lip and mandible, 812
- Joseph, J., nasal reconstruction of, 552
- Juri, C., correction of whistling deformity, 456

- Juri, J., correction of whistling deformity, 456
- Justice, W., as student of Ladd, 492
- Kahn, E. A., repair of cranium bifidum occultum, 768
- Kahn, S., 123  
positioning of premaxilla, 68
- Kapetansky, D.  
correction of whistling deformity, 454-456  
experience with primary forked flap, 272  
use of prolabium, 116
- Kaplan, E. N., measurements of lip growth, 140
- Kaplan, J., measurements of nasal ectodermal volume in embryos, 15
- Karfik, V.  
on blood supply of maxillary central segment, 74  
on oblique facial clefts, 783, 805
- Kawai, D., cases of median clefts of lower lip and mandible, 811
- Kazanjian, V. H.  
cases of median clefts, 755-756  
cases of transverse facial clefts, 773  
on late reconstruction, 753  
lip-switch flap of, 598  
shaping of Abbe flap, 607
- Keith, A.  
cases of median clefts, 728, 810, 811  
cases of transverse facial clefts, 771, 772  
on congenital lip sinuses, 818  
on oblique facial clefts, 783
- Kemble, J. V. H., on maxillary development, 14
- Kernahan, D.  
on embryology of cleft palate, 5  
positioning of premaxilla, 67-68, 78
- stretching of columella with prostheses, 542
- symbols for recording of median clefts, 730
- Ketchum, L., correction of whistling deformity, 454
- Kilner, T. P.  
association with Gillies, 471  
cartilage grafts for nasal tip, 565  
cases of transverse facial clefts, 773  
on columella lengthening, 484-485  
excision of premaxilla, secondary, 54  
on prolabium properties, 299  
shortening of upper lip, 659  
on silicone grafts, 570  
treatment of premaxilla, 77  
two-stage closure of lip clefts, 92
- King, S., anatomic studies of, 22, 23, 28
- Kirchstein, columella lengthening approach of, 490
- Kirmisson, E., on transverse facial clefts, 773
- Kirschner wires  
in controllable traction for premaxilla, 46-47  
in positioning of premaxilla, 68, 69, 71
- Kitamura, H., embryological studies of, 9
- Klabunde, E. H., on muscular components in clefts, 24
- Klein, A., 461
- Klein's syndrome, 768
- Knowles, C. C., cases of median clefts of lower lip and mandible, 811, 812
- Koberg, W., 596, 602
- Koblin, I., classification of median clefts, 730
- Kolesov, A. A.  
interdigitations into prolabium sides, 144  
lateral flaps behind prolabium, 155-156

- on timing of surgery, 86  
two-stage closure of lip clefts, 93
- König, F.  
composite auricular grafts of, 559  
lateral flaps below prolabium, 120
- Kothari, M. L., classification of median clefts, 729
- Koto, K., studies of motor function in Abbe flap, 606
- Kowalzig, E., compression bandage of, 46
- Kraus, R. S., embryological studies of, 9
- Kriens, O., cases of congenital lip sinuses, 826
- Krikun, L. A., cases of median clefts, 746
- Krop, M., orthodontia of, 687
- Kurlander, C. J., facies of holoprosencephaly, 736
- Labat, flap from skin web of hand, 542
- Labial artery, in bilateral clefts, 29
- Labial sulcus, upper, creation of, 469-475
- Ladd, W.  
as instructor of Glover, 151  
as instructor of Justice, 492
- Lagos Garcia, A., case of median cleft, 754
- Lahti, A.  
cases of median lower lip sinuses, 821  
on congenital lip sinuses with clefts, 817, 822
- Lamont, E. S.  
cartilage grafts for nasal tip, 565  
comments on Esser, 470
- Lane, A.  
case of congenital lip sinus, 820  
treatment of cleft palate, 73
- Langer, C. R., 42
- Lannelongue, R.  
cases of congenital lip sinuses, 825
- cases of median clefts of lower lip and mandible, 810, 811
- Lassus, on timing of surgery, 81
- Lateral facial clefts, 769-779
- Lateral lip elements  
freeing of, in incomplete cleft repair, 320  
matching to prolabium  
in asymmetrical clefts, 344-346  
in complete clefts, 359  
in incomplete clefts, 317
- preparation of, in incomplete cleft repair, 323
- suturing of  
in complete cleft repair, 367  
in incomplete cleft repair, 326
- Latham, R. A., 23  
on bone formation, 50-51  
on columella deficiency, 16  
embryological studies of, 9  
Mark III coaxial appliance of, 48-52
- on maxillary development, 14-15
- on premaxillary protrusion, 12
- theory of philtrum formation, 7-8
- traction device of, 795, 804
- Lauro, R., cases of median clefts of lower lip and mandible, 811, 812
- Leacock, J., 774
- Ledran, on timing of surgery, 81
- Lehman, J. A., Jr.  
cases of median clefts, 757, 814  
composite graft for columella, 561
- on importance of muscle union, 293-294
- secondary muscle approximation of, 438
- LeMesurier, A. B.  
on asymmetrical bilateral clefts, 341
- columella length after lip operation of, 478-479

- LeMesurier, A. B.—*Continued*  
criticism of premaxillary set-back, 73  
cupid's bow creation, 444  
lateral flaps below prolabium, 126–128, 137–140, 143
- Lendvay, P. G., on composite free graft lip-switch, 623
- Lengthening  
of columella, 479, 586–587  
of short upper lip, 629–653
- Lentroidt, studies of Abbe flap re-innervation, 605
- Lepreau, F., on rotation-advancement procedure, 831
- Leriche, R., training of Dupertuis, 560
- Letterman, G. S.  
columella lengthening approach of, 487  
on lip-switch flaps, 599
- Levator muscle of upper lip, 8, 9
- Lewin, M., cases of transverse facial clefts, 773
- Lewis, C. M., nasal dorsal skin flaps, 554, 555
- Lexer, E.  
buccal sulcus flap for columella tissue, 540  
cases of oblique facial clefts, 783  
columella lengthening approach of, 485  
flap from lower lip for whistling deformity, 460
- Lierle, D. M.  
positioning of premaxilla, 66  
training of Farrior, 549
- Limberg, A.  
composite auricular grafts of, 559  
lateral flaps below prolabium, 130  
on mathematics of forked flap, 503–504
- Lindemann, A.  
cheek flaps of, 634
- shifting of prolabium into columella, 100
- Lindsay, W. K.  
evaluation of LeMesurier method, 127, 478–479  
lip and nose measurements by, 33  
treatment of congenital lip sinuses, 821–822
- Lip  
anatomy in bilateral clefts, 23–30  
closure of. *See Closure of clefts*  
growth patterns after lateral flaps below prolabium, 140–141  
long. *See Long upper lip*  
lower. *See Lower lip*  
normal measurements of, 33–36  
short. *See Short upper lip*  
sulcus creation. *See Sulcus of upper lip*  
tight. *See Tight upper lip*  
vertical height of, 33, 36  
after lateral flaps below prolabium, 126, 129, 133, 135, 137, 139, 141
- Lip flaps, transverse, in columella retraction, 576–577
- Lip-switch flaps, 593–606  
Abbe, 597. *See also Abbe flaps*  
Blair, 598–600  
Buck, 595  
Estlander, 595–596  
Kazanjian, 598  
Millard, 465–467, 613  
muscle function in, 603–606  
narrow pedicle in, 600–602, 619  
Neuber, 596  
Sabattini, 594, 599  
Stein, 594–595, 598  
vermilion, 460–463  
for whistling deformity, 460–463
- Lip-switch free graft, composite blood supply of, 623  
compared to Abbe flap, 625–626

- experience with, 619-625  
partial loss of, 625
- Littlewood, A. H. M.  
cases of median clefts of lower lip and mandible, 812  
experience with primary forked flap, 268-269  
on Skoog procedure, 143-144
- Logan bow, use of, 330, 334, 376, 378
- Long upper lip, 655-679  
from early division of columella and prolabium, 677-678  
from early forked flap, 678  
Millard's personal cases, 659-679  
with short or retracted columella, 659, 679
- Longacre, J. J.  
cases of median clefts, 740-741  
cases of transverse facial clefts, 774  
on cranium bifidum occultum, 767-768  
on oblique facial clefts, 785
- Lorenz, shifting of prolabium into columella, 99
- Louis, compression bandage of, 44-45
- Louis XVIII, 42
- Lower lip  
congenital sinuses of, 817, 820-821  
flaps from. *See* Lip-switch flaps  
median clefts of, 809-816  
protuberant and scarred, management of, 615-617  
reshaping of donor area for Abbe flap, 617
- Lu, M., silicone grafts for nasal tip, 566
- Ludy, J. B., on congenital lip sinuses, 818
- Lynch, D. J.  
banking of forked flaps, 290  
on forked flap reconstruction, 295  
lengthening of columella, 236  
placing of nasal tissues, 273
- on problem of columella retraction, 577
- Maas, lateral flaps below prolabium, 120
- MacCollum, D.  
technique with protruding premaxilla, 76  
timing of surgery, 83
- MacKenzie, K. I., cases of congenital lip sinuses, 821, 825, 826
- Macomber, W. B.  
case of median cleft, 756  
on congenital lip sinuses, 818, 819, 821
- Macrostomia, 770  
bilateral, with transverse facial clefts, 778-779
- Maes, J., 726
- Magdelaine, J., cases of median lower lip sinuses, 821
- Magnus, R., studies of free muscle grafts, 624
- Mahler, D., case of median cleft, 756
- Mai, W., 596, 602
- Maisels, D.  
as assistant to Millard, 259  
experience with primary forked flap, 268-269  
on Skoog procedure, 143-144
- Malek, R.  
on columella lengthening, 483  
nasal reconstruction of, 553
- Malgaigne, J. F.  
compression bandage of, 45  
on Dupuytren technique, 43  
use of prolabium, 98, 109
- Maliniac, meeting with Esser, 470
- Manchester, W. M.  
dental plate with rubber band traction, 57  
lip operation used by Perko, 59  
mucosal flaps behind prolabium, 158-161  
variation by Broadbent and Woolf, 162-164

- Manchester, W. M.—*Continued*  
 one-stage closure of lip clefts,  
 93  
 use of prolabium vermillion,  
 207, 301, 303  
 Mancusi-Ungaro, A., adhesion procedure of, 60  
 Mandible  
     malformation in transverse facial clefts, 773–776  
     median clefts of, 809–816  
 Mann, I., on oblique facial clefts,  
 783  
 Mansfield, O. T., cases of transverse facial clefts, 776  
 Marchac, D.  
     cases of oblique facial clefts,  
 784  
     composite free graft lip-switch of, 622  
 Marcks, K. M.  
     columella lengthening approach of, 233, 491–492  
     interdigitations into prolabium sides, 144–145  
     lengthening of short lip, 631  
     use of prolabium vermillion, 302  
 Marino, H., 829  
     composite free graft lip-switch of, 621–622  
 Mark III coaxial arch alignment appliance, 48–52  
 Marking of prolabium  
     in asymmetrical clefts, 342  
     in complete clefts, 357  
     in incomplete clefts, 314–317  
 Marsh, J. L., rhinoplasty of, 554  
 Mason, F.  
     on timing of surgery, 82  
     on use of prolabium, 108  
 Masters, F.  
     correction of whistling deformity, 454  
     partial premaxillary excision of, 56  
     vermillion advancement with forked flap, 525  
 Mathews, E. S., operation for hypertelorism, 767  
 Matthews, D., positioning of premaxilla, 71, 74  
 Maxilla  
     nasal septum role in development of, 14–15  
     retroposed, implants for, 591  
     underdevelopment of, 13, 14–15  
 May, H.  
     cases of transverse facial cleft, 774–775, 779  
     as student of Lexer, 485  
 McCaffrey, work with Dunning, 48  
 McCarthy, J. G.  
     cases of transverse facial clefts, 778  
     correction of orbital hypertelorism, 743  
 McComb, H., two-stage primary forked flap of, 275–276  
 McDowell, F.  
     comment on plastic surgeons, 108  
     lateral flaps below prolabium, 124–125  
     lengthening of columella, 217, 488–489  
     one-stage closure of both lip clefts, 92  
     on positioning of premaxilla, 65–66  
     review of Brown-McDowell-Byars method, 125  
     on timing of surgery, 82  
 McDowell, M., 97  
     translation of de la Faye, 107  
 McEnery, E. T.  
     cases of oblique facial clefts, 783  
     cases of transverse facial clefts, 771  
 McGregor, I. H., pedicle for lip-switch flap, 601  
 McGregor, M. W.  
     eversion of deficient upper lip vermillion, 463  
     philtrum contouring of, 439–441  
 McIndoe, A. H., 23, 623

- cartilage grafts for nasal tip, 565  
columella lengthening approach of, 485-487  
as instructor of Penn, 105  
McIntyre, J. R., on congenital lip sinuses, 818  
McKnell, L. O., rhinoplasty of, 554, 555  
McLaughlin, C. R., on blood supply of composite grafts, 623  
McNeil, K.  
prosthodontic approach of, 57  
technique compared to Mark III coaxial appliance, 49  
McNeill, K. A., 253  
cases of transverse facial clefts, 773  
Meade, R., composite graft for columella, 559-560  
Median clefts  
classification of, 728-730  
subdivision in, 730-732  
with cranium bifidum occultum, 767-768  
embryology of, 727, 745  
with hypertelorism, 745-768  
bifid nose in, 760-762  
complete cleft in, 766-767  
infrabasal or cranial routes in, 763-764  
partial cleft in, 765-766  
surgical indications in, 764  
treatment of, 745-759  
with hypotelorism, 735-744  
Abbe flap in, 740  
diagnostic confirmation of, 737  
facies in, 735-737  
and genetic counseling, 738  
split-rib grafts in, 740-741  
treatment of, 737  
utilitarian surgery in, 738-743  
incidence of, 728  
of lower lip and mandible, 809-816  
embryology of, 809, 812  
Millard's personal case, 811, 814  
treatment of, 812-816  
and pseudomedian cleft, 731  
surgery in  
for bifid nose, 760  
for lip cleft, 758-759  
for short columella, 759  
symbolic recording of, 730  
of upper lip, 727-734  
in Waardenburg's syndrome, 768  
Median lower lip sinuses, 820-821  
Meesen, M., 21  
Mehta Lopa, A., classification of median clefts, 729  
Meijer, R.  
adhesion procedure of, 60-61, 177  
composite free graft lip-switch of, 623  
Mellon, hospital in Haiti, 830  
Meloy, W. C., 281  
Menard, V., cases of congenital lip sinuses, 825  
Mende's syndrome, 768  
Mersilene sutures, infections from, 416  
Merville, L. C.  
experience with forked flap, 521  
use of rotation-advancement, 205  
Mesoderm migration, and facial development, 3, 6, 23  
Mestre, J. C., studies of unoperated adult clefts, 84  
Meyer, H., joining of elements behind prolabium, 149, 255  
Millard, D. R., Jr.  
Abbe flaps of, 603  
muscle function in, 603-604  
pedicle for, 601  
personal cases with. *See* Abbe flaps, Millard's personal cases  
W-shaped, 610-611  
adhesion procedure of, 58, 176  
preliminary, 86-87  
alar chondromucosal flaps for retracted columella, 577-578

- Millard, D. R., Jr.—*Continued*  
 buccal mucosal flap for columella tissue, 541  
 cartilage struts for nasal tip, 568, 570  
 case of median cleft, 755  
 classification of median clefts, 729  
 correction of nasal vestibular lining shortage, 572  
 criticism of Yarington method, 132  
 cupid's bow creation, 303–305  
 as secondary procedure, 450–451  
 demonstrations of procedures, 829–832  
 evolution of surgical methods, 171–174  
 fleur-de-lis flap of, 461, 465–467  
 forked flap of, 195–196, 199, 219–229. *See also* Forked flaps  
 methods for prolabium, 189, 207–208  
 mucosa and muscle closure behind prolabium, 209–210, 213, 255  
 on one-stage closure of lip clefts, 93–94  
 personal cases of  
   Abbe flap. *See* Abbe flap, Millard's personal cases  
   asymmetries, angles and border scarring, 719–721  
   banked forked flaps, 282–286, 379–384. *See also* Banking of forked flaps, Millard's personal cases  
   composite free graft lip-switch, 619–621  
   congenital sinuses of lower lip, 822–825  
   dimple in midline of upper lip, 827  
   discarding skin below prolabium, 659–660  
   first bilateral secondary operation, 682–684  
 flat nose, 715–716  
 fleur-de-lis flap, 465–467  
 forked flaps. *See* Forked flaps, Millard's personal cases  
 gridiron lip scarring, 716–719  
 halfway prolabium with tight lip, 690–703  
 incomplete cleft repair, 331–339  
 lengthening of upper lip, 635–653  
 median clefts of lower lip and mandible, 811, 814  
 nasal revisions, 711–722  
 oblique facial clefts, 800–801  
 overtreated columella, 713–714  
 polyp-type banking of forked flap, 405  
 praying hands pyramid for banking of forked flaps, 391–397, 403–408, 411–413  
 prolabium into columella and Abbe flap, 636–637, 639–642, 646, 652–653, 661–663, 667–669, 690–697, 699–701, 705, 708–709  
 prolabium into lip, 172, 173, 685–690  
 protruding premaxilla, 79–80  
 rhinoplasty and Abbe flap, 648–649, 698–699  
 rhinoplasty and prolabium into columella, with Abbe flap, 650–651  
 round nasal tip with re-entrant angle, 711–713  
 sharp-angled nostril and columella retraction, 714–715  
 shortening of upper lip, 659–679  
 statistics on, 188  
 straight-line closure of clefts, 171, 173  
 tight lip without prolabium, 704–709  
 transverse facial cleft, 774  
 whisker banking of forked flap, 334–338, 384, 398–402, 530–538

- rotation-advancement method  
of. *See* Rotation-advancement method
- timing of surgery, 86, 87
- twenty-one steps in bilateral clefts, 309-311
- use of prolabium vermillion, 302, 304-305
- work with Tofield, 615-617
- Miller, S.
- cases of median lower lip sinuses, 821
  - cases of oblique facial clefts, 782, 799
- Mirault, G., lip operation adapted for double clefts, 124
- Mitchell, D. F., on oblique facial clefts, 785
- Miyata, S., cases of median clefts of lower lip and mandible, 811
- Mladick, R. A.
- case of median cleft, 757
  - controllable traction for premaxilla, 46
  - mucosal flaps for labial sulcus creation, 473-474
  - preservation of vermillion pairings, 157
- Moeckel, M., cases of median clefts of lower lip and mandible, 811
- Molenar, A., operation for hypertelorism, 767
- Momma, W. G., 596, 602
- Monie, I. W.
- bilateral cleft specimens of, 268
  - theory of philtrum formation, 7
- Monroe, C. W.
- approach to premaxilla, 54, 68-69
  - cases of median clefts of lower lip and mandible, 811, 812
  - two-stage closure of lip clefts, 93
- Moore, F. T., on composite free graft lip-switch, 623
- Morand, S. F., 97
- Morel-Fatio, D., nasal dorsal skin advancement, 553
- Morgan, cases of transverse facial clefts, 770
- Morian, R., cases of oblique facial clefts, 782
- Morton, C. B., cases of median clefts of lower lip and mandible, 811, 812
- Mouly, R., composite free graft lip-switch of, 622
- Mowlem, R.
- delayed primary Abbe flap, 184
  - training of Barron, 633
- Mucocutaneous ridge
- in complete bilateral clefts, 38
  - preservation of, for cupid's bow, 448
  - of prolabium, use of, 303-304, 310
- Mucosal flaps
- in adhesion procedures, 175-182
  - for labial sulcus creation, 473-474
  - behind prolabium, 153-161
  - from prolabium, 111, 114
- Mucosal graft, for labial sulcus creation, 472
- Mucous pits, 817
- Muir, I. F. K.
- ear grafts for short upper lip, 629
  - graft for columella retraction, 573
- Mukhin, M. V., columella lengthening approach of, 492
- Mullen, T. F., 23
- on embryology, 6
- Muralt, on transverse facial clefts, 770
- Murphy, S., eversion of deficient upper lip vermillion, 463
- Murray, J. E.
- pedicle for lip-switch flap, 601
  - on talents of Cannon, 608
- Muscle. *See also* Orbicularis oris muscle
- anatomy in bilateral clefts, 25, 26
  - discrepancy in bilateral clefts, 23-24

- Muscle—*Continued*  
     function in lip-switch flaps, 603–606  
     grafts for secondary correction, 437–438  
     joined behind prolabium, 149–153, 168  
     lack of activity in prolabium, 23–24, 25  
     molding action after lip closure, 83–84  
     rupture of, and premaxillary protrusion, 10  
     secondary discrepancies in, correction of, 427–438
- Musgrave, R. H.  
     cases of oblique facial clefts, 782, 783, 790  
     on creation of cupid's bow, 447  
     graft for columella, 561, 567–568  
     nasal correction of, 558  
     on rhinoplasty, 585  
     scar revision of, 422  
     shaping of Abbe flap, 610  
     on timing of surgery, 87  
     use of prolabium vermillion, 302–303
- Mustardé, J., one-stage lip and nose correction of, 279–280
- Mylin, W.  
     maxillary screw plate of, 278  
     prosthodontic approach of, 57
- Myringotomy, 375  
     bilateral, timing of, 88
- Nagai, I., cases of transverse facial clefts, 775
- Nasal muscle, and philtral form, 8
- Nasolabial angle  
     abnormally wide open, 719  
     reentrant, with round nasal tip, 712
- Nasolabial cheek flaps, for lengthening of lip, 633
- Naso-ocular clefts, 782, 784–791
- Needles and pins, approximation with, 90, 98, 107, 108, 109, 119
- Negroes, normal facial anatomy in, 36
- Nerves, in bilateral clefts, 26–28
- Neuber, G., lip-switch flap of, 596
- Neuner, O.  
     cartilage grafts of, 443  
     columella lengthening procedure of, 546–547  
     eversion of deficient upper lip vermillion, 463–464  
     experience with forked flap, 521–522  
     flap from lower lip, 464–465  
     forked flap for columella retraction, 576  
     philtrum contouring of, 441  
     use of cartilage from nasal hump, 568
- New, G., W-shaped Abbe flap of, 609
- Newcomb, M. R.  
     as collaborator with Glover, 151  
     results with surgical setback of premaxilla, 52
- Nicati, cases of median clefts of lower lip and mandible, 810
- Nobel, G. L.  
     cartilage grafts for nasal tip, 569  
     muscle union and forked flap banking, after adhesion procedure, 296  
     on secondary muscle approximation, 434  
     use of prolabium vermillion, 303
- Nolens, H., cases of median clefts of lower lip and mandible, 811, 812
- Nose  
     advancement of floor and alar bases, in columella lengthening, 169, 543–549  
     alar asymmetry with columella retraction, 580  
     alar base correction, 547–549  
         Grignon method, 128–129  
         lateral V-Y in, 549  
         secondary tethering in, 547–548

- V-Y procedures in, 547, 549  
 alar base freeing with extension of labial sulcus, 472  
 alar base grafts for columella, 562–563  
 alar base(s) joined tip to tip, 286  
 alar base preparation  
     in complete cleft repair, 366, 368  
     in incomplete cleft repair, 325  
 alar base spread in bilateral deformity, 31, 589–590  
 alar cartilage  
     flaps for nasal tip elevation, 490  
     suturing of, 588  
 alar chondromucosal flaps for retracted columella, 577–580  
 alar rim deformity, 590–591  
 bifid, with hypertelorism, 760–762  
 bilateral deformity of, 30–31  
 columella lengthening, 586–587.  
*See also* Columella of nose  
 columella retraction, 573–583, 587  
 deficiency in bilateral cleft deformity, 15–17  
 elevation with composite graft from ear, 293  
 flaps from dorsum area to columella, 554–555  
 flat nose, 715–716  
     tip release for, 586  
 forked flap for lengthening of columella, 195–196, 199, 219–229, 492–522, 577. *See also* Forked flaps  
 normal measurements of, 33–36  
 overtreated columella, 713–714  
 problems with short columella, 215–217  
 revisions of, 711–722  
 rhinoplasty, secondary, 585–591.  
*See also* Rhinoplasty  
 round tip of, and reentrant nasolabial angle, 711–713  
 secondary deformities of, 477–522  
     anatomy of, 477–479  
 septal cartilage strut in, 588–589  
 septal flap for columella lengthening, 541  
 septum of  
     growth differential with premaxilla, 16, 31  
     role in facial growth, 11  
     role in maxillary development, 14–15  
 sharp-angled nostril and columella retraction, 714–715  
 skin shifting by external incisions, 551–558  
 alar rim advancements in, 556–557  
 dorsal advancements in, 551–556  
     transposition flaps in, 557–558  
 submucous resection of, 588  
 tip correction with partial premaxillary excision, 55–56  
 tip depression  
     with prolabium in columella, 709–710  
     after Veau procedure, 111, 112  
 tip shortness with columella retraction, 574–576  
 tip support  
     with cartilage grafts, 565–570  
     with silicone implants, 566, 570  
 vestibular lining shortage, 571–572, 589
- Oberniedermayr, prevomerine bone graft of, 71–72  
 Oberst, cases of median lower lip sinuses, 821  
 Oblique facial clefts, 781–807  
     bilateral, 796, 798–799  
         asymmetrical, 802–804  
     embryology of, 783, 784, 792  
     Millard's personal cases, 800–801  
     naso-ocular, 782, 784–791  
     oro-ocular, 782, 791–800  
         lateral, 805–807

- Obukhova, L., lateral flaps below prolabium, 129
- Obwegeser, H., 677  
endorsement of forked flap, 507
- O'Connor, G. B.  
eversion of deficient upper lip vermillion, 463  
philtrum contouring of, 439–441
- Ohi, M., experience with forked flap, 519
- Ohlsson, A., on adhesion procedure, 176
- Ohlwiler, D. A., silicone implants for tip support, 566
- Olmedo, L., repair of cranium bifidum occultum, 768
- O'Malley, J. E., 741  
cases of oblique facial clefts, 782, 787–788  
labial sulcus surgery, 475  
vermillion flap of, 658
- Ombredanne, L.  
nasal reconstruction of, 552  
shifting of prolabium into columella, 99–100
- Oneal, R. M.  
cartilage grafts for nasal tip, 569  
cartilage support in columella lengthening, 416  
muscle union and forked flap banking, after adhesion procedure, 296  
on secondary muscle approximation, 434–436  
use of prolabium vermillion, 303
- Onizuka, T.  
Abbe flap for tight upper lip, 710  
flap for columella lengthening, 235  
nasal correction of, 557–558  
philtrum contouring of, 441–442  
use of rotation-advancement, 203–204  
W-shaped Abbe flap of, 610
- Oota, Y., cases of median clefts of lower lip and mandible, 811
- Orbicularis oris muscle  
anatomic features of, 6, 8–9, 32  
correction of secondary discrepancies in, 427–438  
and embryology of clefts, 6, 8–9, 10  
fiber direction in bilateral clefts, 24–25, 26  
joined behind prolabium, 149–153, 168  
and lengthening of lip, 632  
surgical union of  
· after adhesion procedure, 296  
with banking of forked flap, 283–284  
lack of acceptance of, 293–296  
in primary surgery, 367  
in secondary surgery, 428–438
- Orbital hypertelorism, 762–767  
surgical treatment of, 743–744
- Orbitomaxillary clefts, 725
- Orofaciodigital syndromes, 748–749
- Oro-ocular clefts, 782, 791–800  
lateral, 805–807
- Ortega, J., cases of oblique facial clefts, 789–790
- Orthodontics and prosthodontia with arch molding and bone grafting, 68–69  
dental plate with rubber band traction, 57  
and Mark III coaxial appliance, 48–52  
and premaxillary protrusion, 57, 78
- Orticochea, M.  
interdigitations into prolabium sides, 146  
septal flap for columella lengthening, 541
- Ortiz-Monasterio, F.  
cases of congenital lip sinuses, 817

- studies of unoperated adult clefts, 84  
use of primary Abbe flap, 187  
variation of Manchester method, 164  
Osborn, J., survey of surgeons by, 94, 182  
Owen, E. B., lateral flaps below prolabium, 121
- Padgett, E. L.  
cases of transverse facial clefts, 771  
lateral flaps below prolabium, 125
- Palate cleft  
absence of, and positioning of premaxilla, 72-73, 79  
embryology of, 5  
Lane treatment of, 73  
soft palate, timing for closure of, 88
- Paletta, F. X., on postoperative respiratory distress, 376
- Palmer, C. G., cases of median clefts, 732
- Pancoast, J. A.  
positioning of premaxilla, 62  
on timing of surgery, 81  
use of prolabium, 94, 108, 119
- Paper model, of forked flap into columella, 504
- Paré, A., work at Hôtel-Dieu, 91
- Parise, cases of median clefts of lower lip and mandible, 810, 811
- Parisien, S. C., cases of median lower lip sinuses, 821
- Parsons, R., 282
- Patten, B. M.  
case of median cleft, 756  
on cleft embryology, 3  
on nasal embryology, 11
- Patterson, T., case of median cleft lip, 752
- Patton, H. S., on congenital lip sinuses, 819
- Payne, M. J.
- columella lengthening approach of, 233, 491-492  
interdigitations into prolabium sides, 144-145
- Peat, J. H., dental plate with rubber band traction, 57
- Peer, L. A.  
on growth of cartilage grafts, 560  
muscle grafts of, 437  
repair of cranium bifidum occultum, 768
- Peet, E. W., 752, 830
- Pegram, M., alar base graft for columella, 562-563
- Pelliciari, D., on composite grafts for columella, 561-562
- Penn, J.  
composite free graft lip-switch of, 622  
as instructor of Hirshowitz, 204  
skin graft to prolabium defect, 103-105
- Pennisi, V., on muscular components in clefts, 24
- Penoff, J.  
adhesion procedure of, 178  
objections to lateral flaps below prolabium, 140  
rules for bilateral clefts, 131  
on straight-line closure, 115  
use of rotation-advancement, 201
- Perko, M.  
on Abbe flaps, 603  
adhesion procedure of, 59, 180-181  
lack of acceptance of muscle union, 294  
retention of prolabium vermillion, 300  
second-stage Veau-type lip closure of, 112
- Peskova, H.  
on columella lengthening, 481, 490  
on forked flap, 502
- Petersen, I., on reinnervation of Abbe flap, 605-606

- Petersen, N. C., report on Stein lip-switch flap, 595
- Peterson, R., vermillion-bordered flap of, 658
- Petit, F., cases of median clefts of lower lip and mandible, 810, 811
- Petit, J. L., 97
- de la Peyronie, F., 97
- Pfeifer, G.
- on creation of cupid's bow, 447
  - endorsement of forked flap, 506
  - lack of acceptance of muscle union, 294
  - prevomeric bone graft of, 72
- Philtrum
- anatomy of, 32
  - blood supply of, 29
  - dimpling of, 439-443
  - in complete cleft repair, 368
  - in incomplete cleft repair, 327
  - embryology of, 6-9
- Phoner, cases of transverse facial clefts, 771
- Pichler, H., positioning of premaxilla, 63-64
- Pigott, R., 261
- Pindborg, J. J.
- cases of transverse facial clefts, 771, 773
  - on congenital lip sinuses with clefts, 817
  - on Waardenburg syndrome, 768
- Pinto, C. J. T.
- cases of median clefts, 739, 746, 747, 748, 750
  - classification of median clefts, 729
- Piroddi, A., on Waardenburg syndrome, 768
- Pitanguy, I.
- cases of oblique facial clefts, 806-807
  - modification of forked flap, 100, 276-277
  - studies of unoperated adult clefts, 84
- Platzer, K., cases of transverse facial clefts, 772
- Pohl, L., on congenital lip sinuses, 818
- Pollard, A. C., on motor function in Abbe flaps, 604-605
- Pollet, J., use of cartilage from nasal hump, 568
- Polyp-type banking of forked flaps, 379-380, 385-386
- Millard's personal cases, 405
- Pool, R., lip measurements by, 33
- Poradowska, W.
- cases of median clefts, 749
  - cases of oblique facial clefts, 799
- Postoperative care, 375-378
- with Abbe flaps, 603
  - airway maintenance in, 375-376
  - antibiotics in, 377
  - and discharge from hospital, 378
  - feeding in, 377
  - hemoglobin levels in, 378
  - Logan bow in, 330, 334, 376, 378
  - and tongue stitch as safety precaution, 330, 376
  - wound care in, 377
- Potter, J.
- cases of oblique facial clefts, 793-795
  - nasal tip elevation approach of, 489-490, 521, 546
  - correction of nasal vestibular lining shortage, 571, 572
  - partial premaxillary excision of, 55-56
  - shifting of prolabium into columella, 102-103
- Powell, W. J., cases of transverse facial clefts, 771, 772
- Preaux, J., composite free graft lip-switch of, 622
- Premaxilla, 9-15, 41-80
- adhesion procedure affecting, 175, 176
  - in bilateral cleft, 19, 38

- blood supply of, 29  
 cause of protrusion, 10–13, 14–15  
 in complete bilateral clefts, 38  
 growth differential with nasal septum, 16, 31  
 inhibition of growth by stapling, 75–76  
 Mark III appliance for positioning of, 48–52  
 Millard's experience with, 76–80  
 partial excision of, 55–57, 78  
 position of  
     affecting reconstruction, 41–42  
     and primary forked flap operation, 260  
 primary excision of, 42–44  
 prolabium dissected from, with joining of lateral elements, 149–169  
 prosthodontic assistance affecting, 57  
 repositioning by shortening of septovomerine stalk, 61–75  
     with absence of cleft palate, 72–73, 79  
 Binnie method, 63, 73  
 Blandin method, 62–63, 65  
 Browne method, 70–71  
     compression fracture in, 61–62  
     criticism of, 73–74  
 Cronin method, 65, 67–68  
     experiments in hare, 74–75  
 Federspiel method, 64, 65  
     full-thickness resection of vomer in, 62–63  
 Huffman method, 66  
 Matthews method, 71, 74  
 McDowell method, 65–66  
 Monroe method, 68–69  
 Pichler method, 63–64  
     prevomerine bone graft in, 71–72  
 Reich method, 65, 67  
 Schultz method, 64–65  
     subperiosteal resection of vomer in, 63, 65  
 Vaughan method, 64, 65  
 Veau method, 65  
 von Bardeleben method, 63, 65  
 Wilde method, 69–70  
 secondary excision of, 54  
 setback of, with lip closure and praying hands banking of forked flaps, 382–383, 404  
 in simple early closure of clefts, 52–54  
 in single cleft, 19  
 time of protrusion, 9–10  
 traction devices for, 44–46  
     controlled fixed external, 46–52  
     elastic, 80  
 Prevomerine bone, grafting of, 71–72  
 Prevomerine suture line, 70, 71  
 Principles in management of bilateral clefts, 307–313  
 Principles of surgery  
     eight principles of Cronin, 308  
     and ideal normal as goal, 670, 722, 832  
 Prolabium  
     Abbe flap inserted into, 184–186  
     absence of muscle activity in, 23–24, 25, 481  
     in bilateral clefts, 23, 37–38  
     blood supply of, 259–260  
     concern with, 190, 194, 206, 211  
     in complete bilateral clefts, 37–38  
     diminutive, adhesion procedure with, 181  
     discarding of skin below, 659–660  
     early division of, lip lengthening from, 677–678  
     freeing of, in incomplete cleft repair, 320  
     as full length of lip in straight-line closure, 107–117

- Prolabium—*Continued*
- anatomical argument for, 116–117
  - Axhausen method, 113–114
  - Brown method, 110
  - comments on, 115–116
  - Federspiel method, 110–111
  - historical aspects of, 107–109
  - Ternovsky method, 115
  - Vaughan method, 114
  - Veau method, 111–112
  - halfway, with tight upper lip, 690–703
  - incising of, in asymmetrical cleft closure, 352
  - incorporated into tight upper lip, 681–690
  - Millard's personal cases, 685–690
  - interdigitations into sides of, 143–147
  - lateral elements joined behind, 149–169
  - and banking of forked flap, 281–289
  - and bolstering of central vermillion, 165–167
  - Broadbent and Woolf method, 162–164
  - lack of acceptance of, 293
  - Mexican experience with, 164–165
  - in Millard procedure, 209–210, 213, 255
  - mucosal flaps in, 153–161
  - muscles joined in, 149–153, 168
  - results with, 168–169
  - matching to lateral lip elements
    - in asymmetrical clefts, 344–346
    - in complete clefts, 359
    - in incomplete clefts, 317
  - measuring and marking of
    - in asymmetrical clefts, 342
    - in complete clefts, 359
    - in incomplete clefts, 314–317
  - Millard techniques for, 189, 207–208
  - mucocutaneous ridge of, use of, 303–304, 310
  - mucosal flaps from, 111, 114
  - objections to lateral flaps below, 133, 135–141
    - by Adams, 135–136
    - and alternate LeMesurier method, 137–139
    - by Broadbent and Woolf, 139
    - by Brown, 135
    - by Cronin, 139–140
    - by Freeman, 137
    - scoring and cutting of, in incomplete clefts, 319
    - shifted into columella, 97–105, 481–487, 586, 607, 681–682
    - with Abbe flap, 636–637, 639–642, 646, 652–653, 661–663, 667–669, 681–682, 690–697, 699–701, 705, 708–709
    - with delayed Abbe flap, 701–703
    - nasal tip depression with, 709–710
    - principles in, 483
    - with rhinoplasty and Abbe flap, 650–651
    - with short fork and Abbe flap, 688–690
    - size of, and primary forked flap operation, 260–261
    - stretching of, for secondary banking of forked flap, 384
    - transposition of lateral flaps below, 119–133
      - Barsky method, 122–123
      - Blair-Brown method, 124–126
      - Georgiade method, 130–131
      - Grignon method, 128–129
      - historical aspects of, 119–122
      - LeMesurier method, 126–128
      - Limberg method, 130
      - lip growth patterns after, 140–141
      - long vertical lip length from,

- 126, 129, 133, 135, 137, 139, 141
- objections to, 133, 135–141
- Obukhova method, 129
- Yarington method, 131–133
- use in lip surgery, 90, 94–95, 216
- anatomical argument for, 116–117
- vermilion of, use of, 110, 113, 114, 115, 299–305
- Prosthodontics.** *See Orthodontics and prosthodontics*
- Pruzansky, S., 12, 20
- cephalometric radiographic studies of, 53
- on congenital lip sinuses, 820
- on facial cleft syndromes, 768
- on molding muscle action after lip closure, 83
- on muscle closure across cleft, 52–53
- results of lip operation, 61
- stapling at premaxillary-vomerine suture, 75–76
- theory of premaxillary protrusion, 10
- Puxeddu, P., on Waardenburg syndrome, 768
- Quadrilateral flaps**, 656
- Rabinovich, J., composite free graft lip-switch of, 621
- Racial differences, in facial anatomy, 36
- Ragnell, A.
  - columella lengthening approach of, 490
  - shortening of upper lip, 657
- Ramirez, M., bolstering of vermillion, 166
- Randall, P.
  - adhesion procedure of, 58–59, 176–177
  - with primary forked flap, 272–275
  - banking of forked flaps, 290
  - lengthening of columella, 236
  - on muscle union, 294, 295
  - on problem of columella retraction, 577
  - silicone implants for nasal tip, 566
  - timing of surgery, 87
  - use of prolabium vermillion, 301
- Ransohoff, J., operation for hypertelorism, 767
- Rare clefts**, 723–827
  - and congenital sinuses, 817–827
  - lateral facial clefts, 769–779
  - median clefts
    - of lower lip, 808–816
    - of upper lip, 727–734
    - oblique facial clefts, 781–807
  - Rea, E., cases of median clefts of lower lip and mandible, 811, 812
  - Recamier, J., cases of median clefts of lower lip and mandible, 811
  - Redard, cases of median clefts of lower lip and mandible, 811
  - Reed, W. B., on Waardenburg syndrome, 768
  - Rees, M., 471
  - Rees, T. D., 23–24
    - correction of nasal vestibular lining shortage, 571
    - as student of McIndoe, 486–487
    - study of muscle absence in prolabium, 23–24
    - synchronous lip and nose correction, 486
    - treatment of congenital lip sinuses, 822
  - Rehrmann, A., use of forked flap, 296–297
  - Reich, positioning of premaxilla, 65, 67
  - Reissmann, cases of transverse facial clefts, 770
  - Reszke, S., cases of oblique facial clefts, 799
  - Revisions, surgical.** *See Secondary deformities*
  - Rhinoplasty**, 711–722
    - and Abbe flap, 698–699

- Rhinoplasty—*Continued*  
     for lengthening of lip, 648–649  
     with prolabium into columella, 650–651  
     and forked flap for upper lip, 643–646, 670–671, 685–688  
     reduction, 587–588  
     secondary, 585–591  
 Rintala, A., on congenital lip sinuses, 817, 821, 822  
 Ritchie, H. P.  
     cases of median clefts, 746, 748, 750  
     cases of oblique facial clefts, 793  
 Robinson, D., correction of whistling deformity, 454  
 Rogalski, T., on oblique facial clefts, 793  
 Romanuel, F. C. A., muscle grafts of, 437  
 Rose, E.  
     cases of median lower lip sinuses, 821  
     on median clefts of lower lip and mandible, 810  
     on transverse facial clefts, 770  
     treatment of congenital lip sinuses, 821  
 Rose, W.  
     cases of oblique facial clefts, 781  
     excision of premaxilla, 43–44  
     lateral flaps below prolabium, 121  
     on use of prolabium, 108, 114  
 Rosenstein, S. W., 68–69, 85, 155, 210  
 Rosenthal, cases of oblique facial clefts, 796  
 Ross, R. B.  
     on muscle anatomy in clefts, 25  
     on premaxillary protrusion, 13  
 Rotation-advancement method, 189–213  
     columella as factor in, 199, 202, 205, 209, 211  
     endorsed by witch doctor, 831  
     evaluation of, 201–208  
     in four stages, 189–190  
     and Guerrero-Santos approach, 167  
     incorrect execution of, 201  
     and Manchester approach, 162  
     modifications of, 208–209  
     in one stage, 199–200, 210–213  
     in three stages, 194–196  
     in two stages, 191–193, 196–199, 209–210  
 Rougiedrie, J., operations for hypertelorism, 763  
 Roulland, cases of transverse facial clefts, 770  
 Roux, work at Hôtel-Dieu, 91  
 Ruppe, C., cases of median lower lip sinuses, 821  
 Rushton, M., cases of transverse facial clefts, 773  
 Russell, A. G., cases of median clefts of lower lip and mandible, 811  
 Ruysch, on vomeronasal organ, 116  
 Rynd, cases of transverse facial clefts, 770  
 Sabatier, on timing of surgery, 81  
 Sabattini, P., lip-switch flap of, 594, 599  
 Safian, J., visit with Esser, 470  
 Sage, W., extraoral traction of, 46  
 Saint-Pasteur, J. B.  
     timing of surgery, 83  
     use of prolabium vermillion, 302  
 Sakurai, E. H., on oblique facial clefts, 785  
 Salzer, H., cases of median clefts of lower lip and mandible, 811  
 Sankey, J., 253  
 Sanvenero-Rosselli, G.  
     cases of median clefts, 752, 753  
     cases of transverse facial clefts, 771  
     on oblique facial clefts, 783  
 Sarnat, B. G.  
     on maxillary development, 14

- studies on growth of rabbit snout, 74-75
- Sato, K., cases of median lower lip sinuses, 821
- Scarred lip  
gridiron pattern of, 716-719  
revisions of, secondary, 421-425  
shifted into columella, with Abbe flap, 706-707
- Schmid, E., 830  
Abbe flap for scar revision, 422  
composite auricular grafts of, 442-443  
operations for hypertelorism, 763  
use of forked flap, 506
- Schneider, K., visit to U. S., 502
- Schroeder, T. M., case of median cleft, 756
- Schuchardt, K., 72  
on muscle function in Abbe flaps, 605  
pedicle for Abbe flap, 601-602
- Schuh, F. D., 594, 603
- Schultz, L. W.  
joining of muscles behind prolabium, 149-150, 255  
mucosal flaps joined behind prolabium, 497  
positioning of premaxilla, 64-65  
use of prolabium vermillion, 302
- Schwarz, G., 144  
lip measurements by, 33
- Schwenzer, N., case of median cleft, 757
- Scott, J. H., 11, 12, 13, 14  
anatomical studies of, 67  
on embryology, 11
- Scrimshaw, G. C.  
cases of median clefts, 754  
experience with primary forked flap, 272
- Secondary deformities, 419  
Abbe flap in, 422, 424  
shaping of, 607-617  
alar base correction in, 547-549  
and creation of upper labial sulcus, 469-475  
cupid's bow creation in, 443-451
- lip-switch flaps in, 593  
long upper lip, 656-679  
muscle discrepancies, 427-438  
nasal deformities, 477-522, 711-722  
philtrum contouring in, 439-443  
planning of surgery in, 627-628  
short upper lip, 629-653  
skin scars, 421-425  
tight upper lip, 681-710  
vermilion border defects, 453-467
- Sedillot, use of prolabium, 108
- Sellden, U., on reinnervation of Abbe flap, 605-606
- Selman, A. J., studies on growth of rabbit snout, 74
- Septopremaxillary ligament, in bilateral clefts, 16
- Septovomerine stalk, shortening of, 61-75
- Serre, columella reconstruction of, 540
- Sethi, S. S., experience with primary forked flap, 271-272
- Shadish, W. R., on muscular components in clefts, 24
- Sharma, L., case of median cleft, 748
- Sharp, on timing of surgery, 81
- Sheehan, J. E., 123
- Shigematsu, T., experience with forked flap, 519
- Shirazy, E., on congenital lip sinuses, 818
- Short upper lip, 629-653  
Abbe flap in, 632  
cheek flaps in, 632-634  
ear grafts in, 629  
forked flap in, 631-632  
high advancement in, 631  
high transposition in, 631  
lateral lip flaps in, 630  
lengthening by joining of muscles, 632  
low advancement in, 630  
middle Z-plasties in, 630  
Millard's personal cases, 635-653

- Shortening of upper lip, 656–679  
 Sicher, H., on congenital lip si-  
     nuses, 818  
 Silicone implants, for nasal tip,  
     566, 570  
 Simon, B.  
     lateral flaps below prolabium,  
         120  
     as student of Barsky, 122, 123  
 Simon, G., 20  
     adhesion procedure of, 58, 175  
 Simonart, P. J. C., 21  
 Simonart's band, 20–21, 175–176  
 Sims, J. M.  
     excision of premaxilla, 43  
     use of prolabium, 108  
 Sinuses, congenital, 817–827  
     clefts with, 817  
     and dimple in upper lip, 827  
     etiology of, 818–820  
     median lower lip, 820–821  
     Millard's personal cases, 822–825  
     treatment of, 821–822  
     upper lip, midline, 825–826  
     in vermillion of upper lip, 826–  
         827  
 Skin grafts. *See* Grafts  
 Skoog, T.  
     approach to premaxilla, 54  
     cases of oblique facial clefts,  
         783, 805  
     flap for columella lengthening,  
         233–234  
     interdigitations into prolabium  
         sides, 143–144  
     lack of acceptance of muscle  
         union, 294  
     on secondary muscle approxima-  
         tion, 437  
     on timing of surgery, 85  
     treatment of transverse facial  
         clefts, 779  
     two-stage closure of lip clefts,  
         93  
 Slaughter, W. B.  
     on blood supply to prolabium,  
         260  
     on muscle closure across cleft,  
         52–53  
     on muscular components in  
         clefts, 24  
     theory of premaxillary protru-  
         sion, 10  
     timing of surgery, 83  
     two-stage closure of lip clefts,  
         93  
     on vascular patterns in clefts,  
         29  
 Slepyan, D., 725  
 Smahel, J., 6, 10, 23, 24  
     on muscular components in  
         clefts, 25  
     on postoperative muscle  
         growth, 152–153  
     on timing of surgery, 84  
 Smith, B., operations for hyper-  
     telorism, 763, 767  
 Smith, D., cases of transverse fa-  
     cial clefts, 773  
 Smith, E. D., translation of De-  
     sault's work, 90  
 Smith, F., columella reconstruction  
     of, 481, 540  
 Smith, J. W., on muscle function  
     in lip-switch flaps, 604  
 Smith, T., use of prolabium, 114  
 Snodgrasse, R. M., on oblique fa-  
     cial clefts, 785  
 Soeda, S.  
     composite free graft lip-switch  
         of, 623–625  
     V-Y-Z plasty of, 457  
 Sphenopalatine nerve, in bilateral  
     clefts, 26  
 Spina, V.  
     alar base correction of, 547  
     bolstering of central vermillion,  
         165–166  
     cartilage grafts for nasal tip, 567  
     columella lengthening proce-  
         dure of, 546  
     use of prolabium vermillion,  
         301, 302  
 Stahl, A., case of median cleft, 756  
 Stanek, I., 6  
 Stapling procedures, at premaxil-  
     lary-vomerine suture, 75–  
         76

- Stark, R. B., 5, 52, 85  
on Buck lip-switch flap, 595  
endorsement of forked flap, 504  
measurements of nasal ectodermal volume in embryos, 15  
on median facial cleft, 726  
on muscle fibers in prolabium, 23  
on protrusion of premaxilla, 9  
research on Abbe, 596  
on use of prolabium, 117
- Steida, A., on congenital lip sinuses, 818
- Stein, S. A. V., lip-switch flap of, 594-595, 598
- Steinhardt, G., endorsement of forked flap, 505-506
- Stenstrom, S. J.  
lateral flaps below prolabium, 137  
on nasal deformities, 14
- Stepanie, case of median cleft, 752
- Stephenson, K. L., 568  
cases of transverse facial clefts, 771  
lateral flaps below prolabium, 125
- Stewart, W., cases of median clefts of lower lip and mandible, 811, 813
- Stone, J. S., perialar crescent excisions of, 613
- Straight-line closure of clefts  
comments on, 115-116  
Millard's personal cases, 171, 173  
and prolabium as full length of lip, 107-117
- Straith, C. L.  
cartilage grafts for nasal tip, 565  
on congenital lip sinuses, 819  
nasal correction of, 557  
on timing of surgery, 83
- Straith, R. E., lip flaps for columella retraction, 576
- Streeter, G. L., on transverse facial clefts, 772
- Subtelny, studies of unoperated adult clefts, 84
- Sulcus of upper lip, creation of, 469-475  
adhesion in, 469  
free mucosal grafts in, 472  
free skin graft inlays in, 470-472  
and freeing of nasal base, 472  
mucosal flap in, 473-474
- Sundell, B., 596
- Suraci, A. J., cases of oblique facial clefts, 803-804
- Surgical principles  
eight principles of Cronin, 308  
and ideal normal as goal, 670, 722, 832
- Sutton, cases of transverse facial clefts, 770
- Sutures  
for forked flap, 526  
for lateral lip elements  
in complete cleft repair, 367  
in incomplete cleft repair, 326  
materials for, 416  
suspension, in incomplete cleft closure, 325  
in tongue, as safety precaution, 330, 376
- Swinyard, C. A., 23, 24
- Symbols, for recording of median clefts, 730
- Szymanowski, J., nasal reconstruction of, 552
- Tachikawa, J., experience with forked flap, 519
- Taddeo, R. J.  
mucosal flaps for labial sulcus creation, 473-474  
preservation of vermillion parings, 157
- Takahashi, S.  
adhesion procedure of, 58, 177  
experience with forked flap modifications, 519-520  
experience with primary forked flap, 269-271  
studies of motor function in Abbe flap, 606

- Takeshi, K., cases of median clefts of lower lip and mandible, 812
- Tanabe, H., experience with forked flap, 519
- Tange, I., cases of median clefts of lower lip and mandible, 811
- Tanzer, R., ear reconstruction of, 495
- Teasley, J. L., lip flaps for columella retraction, 576
- Teeth. *See also* Orthodontics and prosthodontia  
incisors. *See* Incisor teeth  
possibility of damage to tooth buds in premaxilla, 70, 71, 77
- Tennison, C., inferior Z-plasty of, 143-146
- Tension on lip  
Logan's bow for reduction of, 330, 376  
secondary deformities from, 422
- Ternovsky, S. D.  
two-stage closure of lip clefts, 93  
use of prolabium, 115
- Tessier, P., 677  
cartilage graft for nasal tip, 568  
cases of median clefts, 746  
cases of oblique facial clefts, 782, 796-798  
classification of craniofacial clefts, 725  
on forked flap procedure, 506  
operations for hypertelorism, 762-767  
W-shaped Abbe flap of, 609
- Test, A. R., on congenital lip sinuses, 819
- Thiersch, K., compression bandage of, 45, 46
- Thompson, N.  
lateral flaps below prolabium, 122  
on motor function in Abbe flaps, 604-605
- muscle grafts of, 437-438
- Thorne, controllable traction for premaxilla, 46
- Tight upper lip, 681-710  
with halfway prolabium, 690-703  
without prolabium, 703-709  
with prolabium incorporated, 681-690
- Timing of surgery, 81-88  
closure of first side, 54  
closure of second side, 54  
for early molding action, 83-84  
extremes of, 85-86  
parental concern with, 82-83  
and preliminary lip adhesion, 86-87  
prime time in, 87-88  
reasons for early surgery, 82-84  
reasons for postponement, 84-85
- for shifting of forked flap into columella, 287
- for soft palate cleft closure, 88
- and studies of unoperated adult clefts, 84
- Tofield, J. J.  
procedure with protuberant and scarred lower lip, 615-617  
work with Millard, 653
- Tolleth, H., eversion of deficient upper lip vermillion, 463
- Tondra, J. M.  
criticism of premaxillary setback, 73  
dissatisfaction with Brown method, 125  
lateral flaps behind prolabium, 153-155  
results with surgical setback of premaxilla, 52, 54  
two-stage closure of lip clefts, 92  
use of prolabium vermillion, 300  
on Z-plasty type of closure, 144
- Tongue  
flaps from, for whistling deformity, 459-460

- suture in, as safety precaution, 330, 376
- Tooth buds in premaxilla, possibility of damage to, 70, 71, 77
- Torres, C. M., cases of median clefts of lower lip and mandible, 811
- Traction devices  
extraoral, for premaxilla compression, 44–46  
controlled fixed methods in, 46–52  
and two-stage adhesion procedure without undermining, 60
- rubber band  
with dental spring plate, 57  
from headcap, 80, 87
- Transverse facial clefts, 769–779  
in bilateral facial macrostomia, 778–779  
mandibular malformations with, 773–776  
oblique cleft with, 783
- Trauner, M., 231
- Trauner, R.  
flap for columella lengthening, 231, 491  
as instructor of Celesnik, 179  
lateral flaps of, modified by Mustardé, 280  
lengthening of short lip, 631
- Treacher Collins syndrome, 749, 774
- Trendelenburg, F., classification of median clefts, 728
- Trevaskis, A. E.  
columella lengthening approach of, 233, 491–492  
interdigitations into prolabium sides, 144–145
- Triangular flaps, 656
- Trifoil flap of Blair, for columella lengthening, 487
- Trusler, H. M.  
classification of median clefts, 729
- criticism of premaxillary setback, 73
- dissatisfaction with Brown method, 125
- lateral flaps behind prolabium, 153–155
- results with surgical setback of premaxilla, 52, 54
- two-stage closure of lip clefts, 92
- use of prolabium vermillion, 300, 302
- on Z-plasty type of closure, 144
- Tschopp, H., flap from lower lip for whistling deformity, 460–461
- Tumbusch, W., 282
- Uchida, correction of nasal vestibular lining shortage, 571
- Van Duyn, J., repair of cranium bifidum occultum, 768
- Van der Hoeve syndrome, 768
- Van der Woude, A., on congenital lip sinuses, 817, 819
- Van Roonhuzze, H., excision of premaxilla, 42
- Vascular patterns, in bilateral clefts, 28–30
- Vaughan, H. S.  
cases of median clefts, 746  
positioning of premaxilla, 64, 65  
criticism of, 73  
shortening of upper lip, 657  
use of prolabium, 114
- Veau, V., 6, 20, 23, 24  
on absence of muscle in prolabium, 427, 481
- classification of median clefts, 729  
example of skin scars, 422  
lateral flaps below prolabium, 122, 126  
criticism of, 140  
lip operation used by Perko, 59  
nasal floor and palate closure, used by Matthews, 71

- Veau, V.—*Continued*  
     positioning of premaxilla, 65  
     retention of prolabium vermillion, 300, 302  
     on stages of closure, 92  
     theory of premaxillary protrusion, 10  
     use of prolabium, 111–112  
     wire retention suture of, 111, 112  
 Verga, G. A., cases of median clefts of lower lip and mandible, 811, 812  
 Vermilion of lip  
     advancement of, with forked flap, 525  
     border defects  
         fleur-de-lis flap in, 465–467  
         redundancies in, 458–459  
         secondary, 453–467  
         whistling deformity in. *See Whistling deformity*  
     in complete bilateral clefts, 38  
     congenital sinus of, 826–827  
     flap "I" transposition for nasal vestibular lining, 572  
     flaps from lower lip, 460–463  
     preservation of parings, 157  
 Vermilion of prolabium  
     bolstering of, 165–167  
     mucosal flaps behind, 158–161  
     use of, 110, 113, 114, 115, 299–305  
 Vestibular lining shortage, nasal, 571–572, 589  
 Viale-Gonzales, M.  
     cases of congenital lip sinuses, 817  
     use of primary Abbe flap, 187  
     variation of Manchester method, 164–165  
 Vicryl sutures, use of, 416  
 Vigil-Lorenzo, E. R., cases of median clefts of lower lip and mandible, 811  
 Vilar-Sancho Altet, B.  
     cases of median clefts, 728, 729, 739–740, 746, 747  
     columella construction of, 710  
 Volkmann, R., studies of free muscle grafts, 624  
 Vomer  
     compression fracture of, 61–62  
     full-thickness resection of, 62  
     quadrilateral resection of, 66–71  
     subperiosteal section of, 63, 65  
 Vomeronasal organ. *See Jacobson organ*  
 Vomeropremaxillary suture, 12  
 Von Bardeleben, A.  
     compression bandage of, 46  
     subperiosteal section of vomer, 63, 65  
 Von Bruntz, report on median clefts, 728  
 Von Deilen, A.  
     creation of upper labial sulcus, 469  
     freeing of nose with extension of labial sulcus, 472  
 Von Esmarch, F. R., compression bandage of, 46  
 Von Graefe, A., 551  
 Von Kulmus, cases of oblique facial clefts, 781  
 Von Linde, M. G., lip flaps for columella retraction, 576  
 Von Winckel, on transverse facial clefts, 772  
 Vrolik, cases of transverse facial clefts, 770  
 V-Y procedures  
     for alar base correction, 547  
         lateral method in, 549  
     for columella lengthening, 489–490, 521, 546  
     for lip vermillion, 451–456  
 Waardenburg syndrome, 768  
 Walden, R. H., cases of transverse facial clefts, 772  
 Walker, J. C., Jr.  
     adhesion procedure of, 60, 177  
     composite free graft lip-switch of, 623  
     timing of surgery, 87  
 Wang, M. K. H.  
     cases of median clefts, 756

- cases of median lower lip sinuses, 821  
on congenital lip sinuses, 818, 819, 821  
Warbrick, J. G., on congenital lip sinuses, 818  
Wardill, W. E. M.  
cases of oblique facial clefts, 794  
as instructor of Potter, 103  
Warren, J. M., on behavior of Dupuytren, 43  
Washio, H., endorsement of forked flap, 504  
Wassmund, M., cases of median clefts of lower lip and mandible, 811  
Watanabe, Y.  
cases of congenital lip sinuses, 817  
cases of median clefts of lower lip and mandible, 811  
Watson, J.  
cases of median clefts of lower lip and mandible, 812  
classification of median clefts, 728  
Weaver, D. F., case of median cleft, 753-754  
Webster, J. P.  
cheek flaps of, 633, 684  
memoriam to Dupertuis, 561  
periarial crescent excisions of, 613, 684  
research on lip-switch flap, 598  
treatment of bifid nose with hypertelorism, 760-762  
on tube pedicle procedure, 503  
Weight of infant, and timing of surgery, 82-83, 87  
Weiner, A., mandibular osteotomy of, 688  
Weinstein, I., cases of transverse facial clefts, 775  
Wells, J. H., case of median cleft, 742-743  
Wexler, M. R., studies on growth of rabbit snout, 74  
Weyers, S. H., cases of median clefts of lower lip and mandible, 811  
Whistling deformity, 453-463, 658, 714  
Arons method in, 456  
Crikelair and Hickey method in, 453  
and flaps from lower lip, 460-463  
from interdigitations into prolabium sides, 144  
Johnson method in, 457  
Kapetansky method in, 454-456  
Millard method in, 457-458  
Robinson method in, 454  
secondary muscle approximation in, 434  
Soeda method in, 457  
from straight-line closure, 115, 116  
tongue flaps in, 459-460  
with use of prolabium vermillion, 301  
from Veau procedure, 112  
vermilion flaps for, 302, 305  
Wilde, N. J.  
cases of transverse facial clefts, 771, 772  
positioning of premaxilla, 69-70  
Williams, B., on rotation-advancement, 203  
Williams, S.  
case of median cleft, 754  
classification of median clefts, 729  
Willis, R., on tumor of premaxilla, 55  
Wilson, L. F., cases of oblique facial clefts, 782, 790  
Wilson, J. S. P., placement of Abbe flap, 611-612  
Winsten, J., positioning of premaxilla, 68  
Wire muscle suture, used by Veau, 111, 112  
Wirth, F., nasal correction of, 557  
Wolfe, R. J., 21  
Wolfe, S. A., 20, 677  
lip measurements by, 33

- Wölfler, A., cases of median clefts  
of lower lip and mandible,  
810, 811
- Wolff, J., use of prolabium, 109
- Woo, J. K., embryological studies  
of, 9
- Wood, M. A., 23  
cases of oblique facial clefts,  
782, 799
- Wood-Smith, D.  
cases of transverse facial clefts,  
778
- correction of orbital hypotelorism, 743
- treatment of congenital lip sinuses, 822
- Woolf, R. M.  
composite grafts for columella,  
562
- evaluation of LeMesurier  
method, 139
- handling of prolabium and  
columella, 291-292
- interdigitations into prolabium  
sides, 145
- results with modified Manchester  
approach, 162-164
- on straight-line closure, 115
- use of rotation-advancement, 202
- V-Y procedure for columella  
lengthening, 489
- Workman, C.  
on columella deficiency, 16
- on Mark III positioning of premaxilla, 51
- W-plastic technique, for cupid's  
bow creation, 448-449
- Wynn, S.  
flap for columella lengthening,  
232-233
- lengthening of short lip, 631
- modification of rotation-  
advancement, 209
- removal of redundant vermillion, 458-459
- Yarington, C. T., lateral flaps below  
prolabium, 131-133
- Yasuko, K., cases of median clefts  
of lower lip and mandible,  
812
- Zajdela, Z., 179
- Zaputovich, V., columella lengthening  
procedure of, 546
- Zaydon, T. J., case of oblique fa-  
cial clefts, 782, 802
- Zeman, W., cases of median clefts,  
732
- Zielonko, muscle grafts of, 437
- Zino, L., composite grafts for col-  
umella, 560
- Zofia, G., cases of median clefts  
of lower lip and mandible,  
816
- Z-plasty  
for columella lengthening, 491-  
492
- inferior triangular, for bilateral  
clefts, 143-146
- for short upper lip, 630
- for transverse facial clefts, 774,  
776, 779

571385