

Index

- Aesthetic interface, 116-118
Airway collapse, 190-191
Ala(e)
 collapsed, 88, 190-191, 202
 flaring, 93-99
 in bilateral cleft, 246-247, 278
 reconstruction of, 366-374
 retracted, 55, 185-193, 211-212
Ala-columella webs, loss of, 193-195
Alar base advancement, for bilateral cleft, 266-270
Alar base resection, in secondary rhinoplasty, 100, 101, 126, 149
Alar base wedge resections, 59-61
 for black nose, 83
 in corrective rhinoplasty, 86
 excessive, 202, 203-204
 for mestizo nose, 85
 for thick potato type nose, 80
 in secondary rhinoplasty, 128, 165, 186, 197
Alar cartilage, maintenance of intact, 128-130
Alar cartilage advancement, 28
Alar cartilage arch, interruption of, 197, 199
Alar cartilage freeing
 with bilateral cleft, 254
 in corrective rhinoplasty, 28
 with unilateral cleft, 240-244
Alar cartilage graft, for subtle broadness, 101
Alar cartilage lift, with unilateral cleft, 235-237, 244-245
Alar cartilage reduction, 13-28
 for black nose, 82-84
 in corrective rhinoplasty, 86, 89
 freeing dorsal nasal skin with, 28-29
 for mestizo nose, 85
 in secondary rhinoplasty, 128, 149, 158, 165, 199
 for subtle broadness, 101
Alar cinch, 93-99
 with bilateral cleft, 246, 247, 249, 264, 267, 270, 274, 277, 279
 with unilateral cleft, 220-222, 240
 in wide tip-tilted nose, 100-101
Alar crease, formation of, 377, 435
Alar extensions, 204-206
Alar flaps
 in secondary rhinoplasty, 204-206
 with unilateral cleft, 223-224
Alar margin flap
 in reconstructive rhinoplasty, 334, 343
 in secondary rhinoplasty, 195-196, 203-205, 278
Alar margin sculpturing, 76-81, 86-93, 127
 in secondary rhinoplasty, 127, 149
 with unilateral cleft, 222-223
Alar notch, 193-196
Alar prefabrication, 373, 389, 414-415
Alar rims, overhanging, 278
Alar webs, 89, 177
Amyard, J. L., 417
Anderson, J., 35, 169
Anderson, R., 56
Anesthesia, local
 for augmentation mentoplasty, 105
 for corrective rhinoplasty, 6
Anterior septal deviation, 50-51
Anterior septum
 excess removal of, 125
 reduction of, 29-34, 125, 126, 127
 resection of rectangle from, 29
Antia, N. H., 330, 472
Antitragus graft, for reconstruction of nasal tip, 346-349
Arch support
 temporary silastic, 299-302
 transverse, 297-298
Arm flap, 395-396, 455-457, 462-464
Asymmetric grafts, for symmetry, 159
Aufricht, Gustave, 57-58, 60, 168
Augmentation mentoplasty, 103-115
Auricular grafts
 for Binder's syndrome, 303-305
 for constricted nostril, 202, 223-229
 with full-thickness skin graft, 367
 for nasal alar reconstruction, 366-374
 for nasal tip reconstruction, 344-349
 for parakeet's beak, 173-174
 for pig's snout, 175-177
 scalp flap with, 368-369
 in secondary rhinoplasty, 126, 177
Avulsion
 forehead flap for, 359-364, 451-453
 hemirhinoplasty for, 388-390
 principles of repair of, 344
 of tip, 344
Baker, D., 366-368
Banana split chondrocutaneous graft, 175-176
Barron, J., 283

- Basal cell carcinoma
 aesthetic and reconstructive surgery
 in, 117
 of alae, 367-373
 auricular graft for, 344-349
 forehead flap for, 357-359, 364-366,
 443-445
 hemicentral defect from, 402
 hemirhinoplasty for, 376-386, 391-
 392
 hinge graft with, 146-148
 losses of distal nose from, 411-412,
 420-428
 L-shaped septal chondromucosal flap
 for, 420-423
 more than upper two-thirds loss
 from, 408-411
 nasal subunits with, 325
 nasolabial flap for, 349-352
 short nose after, 396-398
 total nasal loss from, 437-441
- Beaux, A. R., 337
 Benjamins, 296
 Berkley, W. T., 213, 237
 Berkowitz, S., 233
 Bifid nose, 292-295
 Binder's syndrome, 302-305
 Black nose, 82-84
 secondary rhinoplasty of, 203-206
 Blades, 6-7
 Blair, V. P., 214, 244, 337, 437
 Bone grafts, 65, 135-140
 in forehead flap, 330
 in true total loss of nose, 439, 443
 Bone support, 327-328
 Boo-Chai, Khoo, 77, 209
 Branca, Antonio, 455
 Brennan, H. G., 20
 Brent, Burt, 460
 Bridge augmentation
 bone grafting for, 135-140
 cartilage graft for, 140-142
 conchal cages for, 134-135
 dermal overlay for, 162-163
 hinge graft for, 142-156
 local tissue for, 161
 for parrot's beak, 170-173
 septal cartilage for, 18, 156-158
 silastic implants for, 163-168
 spreader graft for, 161-162
 Bridge reduction, 35-48
 excessive, 157
 for parrot's beak, 170
 in secondary rhinoplasty, 125, 158
 Roman, 37-38
 Broadbent, R., 254
 Brown, J. B., 35, 254, 303, 328, 330,
 366-367, 433
 Buccal mucosa, columella from, 337-
 339
 Burget, G. C., 203, 223, 372, 414, 417,
 438
 Burian, F., 457
 Burns, 458-466
 radiation, 466-470
 Burston, W. R., 239, 260
 Byars, L., 244, 337
 Calderini, 433
 Cannon, Brad, 303, 328
 Cantilever
 for forehead flap, 330-331
 in interophthalmic dysplasia, 296-
 297
 for subtotal nasal loss, 434
 for total nasal loss, 439-446
 Cardosa, D., 266, 337
 Carpue, J. C., 326, 344
 Carter, W. W., 266, 438
 Cartilage, 327-328
 Cartilage dome, interruption in nasal
 tip of, 20
 Cartilage grafts
 asymmetric, 159
 carving of, 140-142
 in forehead flap, 330, 385
 hinge, 142-156
 longitudinal tip-columella, 62-63,
 200
 in secondary rhinoplasty, 186
 septal cartilage to bridge, 156-158
 spreader, 161-162
 tiered, 66, 126, 158
 tip, 64-73
 transverse arch, 295-301
 Cartilage splitting incision, in
 corrective rhinoplasty, 13-20
 Cartilage strut(s)
 with alar cinch, 94-95, 98
 for black nose, 83-84
 for broad, flat-tipped nose, 62-63,
 87-88
 for central defect, 401, 402
 for collapse of alar margins, 88
 in corrective rhinoplasty, 88
 for depressed tip, 201, 202
 in forehead graft, 330
 for mestizo nose, 85
 oblique, 217-220
 for pinched tip, 197-200
 for retraction of columella, 333
 in secondary rhinoplasty, 126, 157,
 159, 189
 with unilateral cleft, 217-220,
 231
 Central defects, 398-404
 Cheek flap, 385, 392-395
 Chin implant, 103-116
 Chisel, 7
 osteotomy, 56
 Chondrocutaneous graft
 in hemirhinoplasty, 381
 for luetic nose, 338-339
 for pig's snout, 177
 for tip reconstruction, 347-349
 Chondromucosal flaps, 179-195
 for airway collapse, 190-191
 for alar notch, 193-196, 369
 asymmetric, 160
 bilateral, 181-183, 280-281
 for columella loss, 341, 342
 for columella retraction, 280, 335-
 336
 economy of, 180-181
 L-shaped septal, 305, 307, 416-423,
 430
 in reverse, 183-190
 for secondary deformities, 181-196
 unilateral, 183, 193
 vascularity of, 180
 Chongchit, V., 142
 Chongming, Shi, 472
 Cinelli, J. A., 335
 Cleft lip
 alar margin sculpturing with, 81
 bilateral, 245-284
 advancement of prolabium into
 columella for, 271-275
 alignment of facial parts in, 260-
 261
 atypical, 282-284
 columella skin lengthening for,
 254-260
 complex deformity in, 278-281
 deformities in, 245-247
 forked flap in, 247-253, 261-271
 gross tip in, 275-277
 secondary columella lengthening
 for, 247-252
 hinge graft with, 152-153
 median, 286-290
 unilateral, 212-245
 alar cinch for, 220-222
 alar flap for, 223-224
 alar sculpturing for, 222-223

- composite auricular grafts for, 225-229
- constricted nostril in, 224-229
- deformities in, 212-213
- evolution of corrective surgery for, 213-214
- full exposure for, 230-231
- oblique cartilage strut for, 217-220
- primary nasal correction for, 237-245
- secondary correction of maxillary platform for, 232-233
- septal correction in, 214-217, 240-245
- true alar cartilage lift for, 235-237
- Cleft nose, bilateral, 284-286
- Cloutier, A. M., 142
- Cocaine nose, 482-490
- Columella
 - absence of, 336-343
 - advancement of prolabium into, 270-275
 - buccal mucosa, 337-339
 - hanging, 185-191
 - nasolabial flap for, 340-343
 - reconstruction of, 331-343
 - retraction of, 124-125, 278-280, 331-336
 - shortness of, 336
- Columella lengthening
 - in bilateral cleft, 247-253, 266-270
 - in interophthalmic dysplasia, 300
- Columella skin lengthening, in bilateral cleft, 254-260
- Columella splitting incision, 142, 152
- Composite auricular grafts
 - for Binder's syndrome, 303-304
 - for constricted nostril, 225-229
 - for nasal tip reconstruction, 346-349, 366-374
 - for parakeet's beak, 173-174
 - for pig's snout, 175-177
 - scalp flap with, 368-369
 - with split-thickness skin graft, 367
- Conchal cages, 134-135
- Congenital anomalies
 - bifid nose, 292-295
 - bilateral cleft lip, 245-284
 - advancement of prolabium into columella for, 271-275
 - atypical, 282-284
 - columella skin lengthening for, 254-260
 - complex deformity in, 278-281
 - correction based on biologic design for, 260-263
 - deformities in, 245-247
 - forked flap in, 247-253, 261-271
 - gross tip in, 275-277
 - secondary columella lengthening for, 247-252
 - bilateral cleft nose, 284-286
 - Binder's syndrome, 302-305
 - hemangioma of nose, 308-315
 - interophthalmic dysplasia, 295-302
 - median clefts of lip, 286-290
 - midline syndromes, 290-292
 - retracted left ala, 211-212
 - rhinophyma, 315-319
 - short nose, 306-307
 - unilateral cleft lip, 212-245
 - alar cinch for, 220-222
 - alar flap for, 223-224
 - alar sculpturing for, 222-223
 - composite auricular grafts for, 225-229
 - constricted nostril in, 224-229
 - deformities in, 212-213
 - evolution of corrective surgery for, 213-214
 - full exposure for, 230-231
 - oblique cartilage strut for, 217-220
 - primary nasal correction for, 237-245
 - secondary correction of maxillary platform for, 232-233
 - septal correction in, 214-217, 240-245
 - true alar cartilage lift for, 235-237
- Constantin, M. D., 66, 133
- Constricted nostril, with unilateral cleft, 224-229
- Consultation, for corrective rhinoplasty, 4-6
- Converse, J., 107, 266, 330
- Corrective rhinoplasty
 - aesthetics in, 115-118
 - for alar cartilage reduction or reshaping, 13-20
 - alar cinch in, 93-99
 - in wide tip-tilted nose, 100-101
 - alar margin sculpturing in, 76-81
 - alar wedge resection in, 59-61
 - with augmentation mentoplasty, 103-115
 - bilateral osteotomies in, 55-59
 - concepts of ideal, beautiful, and normal in, 1-4
 - consultation for, 4-6
 - for correction of bridge, 35-39
 - for elongated tip, 20-34
 - for flat tip, 28
 - freeing of dorsal nasal skin in, 28-29
 - healing time for, 74-75
 - instruments for, 6-8
 - intracartilaginous incision in, 13-20
 - longitudinal tip-columella cartilage grafts in, 62-63
 - marginal excision in, 92-97
 - marking of excision in, 88-89
 - membranous septal incision in, 13
 - open vs. closed approach to, 10-13
 - order of operative stages in, 9-13
 - postoperative dressing for, 73-74
 - preferred personal approach to, 13-39
 - primary operation in, 8-9
 - scar in, 11
 - septal correction and, 48-55
 - for shortening of nose, 29-34
 - style of resection in, 39-40
 - for subtle broadness, 101-102
 - surgical adjuncts in, 76
 - tip grafts in, 64-73
 - trimming of lining in, 55
 - types of noses and, 82-88
 - warning on, 4
- Costal cartilage strut
 - for central defect, 401
 - for cocaine nose, 482-483, 488-490
 - in secondary rhinoplasty, 155-156
 - for upper two-thirds defect, 406-409
- Costal osteochondral perichondrial hinge graft, 142-156
- for distal loss, 412
- for midline syndrome, 292
- Cranial bone grafts, 136-140
- Crockett, D. J., 93
- Cronin, T., 266-267
- Cutting, C., 255
- Daniel, R. K., 155
- da Vinci, Leonardo, 1
- Davis, W. B., 140, 141
- Delorme, 330
- Delpach, 329
- Dembrow, V., 341-342
- Deming, E. G., 293
- Deneke, H. S., 255
- Depressed tip, 202
- Dermal graft. *See* Skin graft
- Deutsch, H., 482

- Deviated septum, 48-55
 in secondary rhinoplasty, 153-155
 in unilateral cleft, 214-217, 240-245
- Dibbel, David, 214
- Dingman, R., 175, 178
- Distal nose, losses of, 411-412
 L-shaped septal chondromucosal flap
 for, 416-423
 seagull flap for, 413-416
 two-thirds, 423-428
- Doggenase, 284-286
- Dog nose, 284-286
- Double barrel shotgun nose, 78
- Dressing, postoperative, 73-74
- Duffy, M., 253
- Dupertius, 303
- Dürer, Albrecht, 1
- Dysplasia
 interophthalmic, 295-302
 maxillary, 302-305
- Edgerton, M. T., 253
- Eitner, E., 35, 169
- Eldis, 296
- Elongated tip, 20-34
- Endorhinoplasty, open rhinoplasty vs.,
 10-13
- Esser, J. F. S., 471
- Excision, marking of, 88-89
- Expanders, for forehead flap, 329, 415-
 416, 426-428
- Facial relations, 1-3
- Fall, S. R., 337
- Farina, R., 330, 472
- Farkas, L. G., 3
- Fioravanti, Leonard, 344
- Flaps
 alar, 205, 223-224, 278
 arm, 405-406, 455-457
 buccal mucosal strap, 337-339, 476
 chondromucosal, 179-196, 225-228,
 389, 395, 463-464
 forehead, 326-327, 328-331, 357-
 366, 448-455
 forked, 247-253, 261-271
 L-shaped septal chondromucosal,
 416-432
 nasolabial, 340-343, 349-355, 370-
 372, 403, 474, 479, 483-489
 scalp, 395, 441, 449
 seagull, 329, 357-364, 411-416, 470
 subcutaneous pedicle, 282-283
 superficial temporal, 450-455
 thinning of, 446-448
 V-Y, 285-286
- Flaring alae
 alar cinch for, 93-99
 in bilateral cleft, 246-247
- Flat tip, 28, 63
- Flowers, R. S., 56
- Flying bird incision, 230-231
- Forehead flaps
 for alar reconstruction, 373-374,
 414-415
 based on superficial temporal vessels,
 448-455
 care in using, 328
 for central defect, 401-402, 403,
 404
 for columella loss, 343
 design of, 328-329
 for distal loss, 412, 426-428
 early, 326-327
 expanders for, 329
 in hemirhinoplasty, 378, 379, 381,
 383, 384, 384-386, 389-390,
 391, 394
 high horizontal, 451-455
 layer assembly of, 329-331
 for lining, 472
 and L-shaped septal chondromucosal
 flap, 418-423, 426, 430-433
 for radiation injury, 467-468, 469-
 470
 for reconstruction of nasal tip, 357-
 364
 for scleroderma, 492
 seagull, 329, 357-364, 413-416
 in secondary rhinoplasty, 207, 209
 for short nose, 399
 in true total loss of nose, 438-440,
 443-445
 for upper two-thirds defect, 406,
 409
- Forked flap(s)
 advancement of, 262-263
 aesthetic and reconstructive surgery
 with, 117
 banking stage of, 253, 256-266
 in bifid nose, 290
 in bilateral cleft, 248-271, 277
 circumstances where not necessary,
 266-270
 contraindication for, 270-271
 in median cleft lip, 287-288
 odd, 251-252
 in primary closure, 252-253
 short, 250
 standard, 248-249
- Fracture
 corrective rhinoplasty for, 86
 secondary rhinoplasty for, 208-209
- Frankfort line, 2
- Frumppkin, 457
- Fry, H. J. H., 141
- Fulcrum, in total nasal loss, 438-440
- Funnel nose, 78
- Furrowed nasal skin, 130-133
- Garber, Brad, 53
- Gensoul, J., 247
- Georgiade, N. G., 239, 260
- Gibson, T., 140, 141
- Gillies, Harold D.
 alar margin flap of, 335
 alar prefabrication by, 373, 414
 auricular composite graft of, 361,
 373
 forehead flaps of, 330, 336-337
 hinge graft of, 142
 local flap use by, 356
 on near total loss of nose, 438, 443
 scissor-needle holder of, 7
 and secondary rhinoplasty, 123
 septal flap of, 417
 skin tube pedicle of, 457, 461
 split graft inlay of, 338, 339-340,
 471
 in unilateral cleft, 213
- Gnoinsky, 239
- Goldman, I. B., 20, 73
- Gonzalez-Ulloa, M., 2
- Gosling, Craig G., 3
- Grafts
 asymmetric, 159
 auricular, 134, 225-229, 303-304,
 344-349, 366-374, 381
 banana-split, 175-176
 bone, 65, 135-140
 carving of cartilage for, 140-144
 hinge, 142-156, 292, 446, 479
 longitudinal tip-columella, 62-63,
 87, 88, 200, 201
 septal cartilage to bridge, 156-160
 skin, 162-163, 345-346, 465-466,
 471-472
 spreader, 161-162
 tip, 64-73, 83, 85, 87
 two piece, 154-156, 474
- Grayson, B., 255
- Gunyin, Hu, 472

- Hagerty, R. F., 239
 Hamra, S., 20
 Healing time, for corrective rhinoplasty, 74-75
 Heanley, C., 337
 Heinrich, J., 11
 Hemangioma, 308-315
 Hemicentral defect, 402
 Hemirhinoplasty, 374-390
 with cheek and maxillary defects, 392-396
 expedience over aesthetics in, 391-392
 Hinge graft, 142-156
 for midline syndrome, 292
 for true total loss of nose, 446
 Holms, S. H., 306
 Holmstrand, H., 305
 Hook, 7-8
 Hooked noses, re-drooping of, 169-170
 Horten, Charles, 214
 Hotz, M., 239
 Huffman, W. C., 212
 Hump
 correction of, 35-39
 overexcision of, 158
 Hypertelorism, and bifid nose, 293-295
 Infolding technique, 433
 In-fracture, with osteotomy, 57-58
 Instruments, for corrective rhinoplasty, 6-8, 39, 53, 56, 58
 Interophthalmic dysplasia, 295-302
 Intracartilaginous incision, in corrective rhinoplasty, 13-20
 Iriondo, M., 453
 Israel, J., 328
 Iverson, R., 106
 Ivy, R. H., 337
 Jackson, I. T., 308
 Jobe, R., 106
 Johnson, C., 10, 231
 Joseph, Jacques, 10, 60, 76, 214, 237, 328, 433, 437
 Juri, J., 54, 325
 Kazanjian, V. H., 337
 Keegan, D. F., 327
 Keloids, 92-93
 Ketcham, A. S., 393, 429
 Kilner, T. P., 238
 Kleinert, H., 122
 König, F., 303, 366
 Kozin, Igor, 214
 Kron, Joan, 4
 Labial mucosa
 columella from, 337
 for cocaine nose, 482
 Lacrimal sac, in osteotomy, 56
 Latham, R. A., 238, 260, 261
 Latham co-axial orthopedic appliance, 240
 Lazarus, S. M., 295
 Lee, Charles S., 10
 Lee, Denis, 3
 Leishmaniasis, 475-477
 Leprosy, 472, 473-474
 Lexer, E., 337
 Lierle, D. M., 212
 Lining, in cocaine nose, 484
 Lip mucosa
 columella from, 337
 for cocaine nose, 482
 Lipsett, E. M., 20
 Liston, R., 337
 Liyun, Zhou, 472
 Local flaps
 for nasal tip, 356-357
 for short nose, 396-397
 Local lining, with L-shaped septal flap, 417-418
 Local tissue, for bridge enhancement, 161
 Longacre, J. J., 440
 Longitudinal tip-columella cartilage grafts, 62-63
 Long nose, 29-34, 78
 Lossen, H., 327
 Lovaas, G., 277
 L-shaped septal chondromucosal flaps, 416-423
 in Binder's syndrome, 305
 on crane, 430-433
 for distal two-thirds loss, 424-430
 for extensive burns, 461
 for short nose, 307
 Luri, J., 326
 Malbec, E. F., 337
 Mallet, 7
 Manchester, W. M., 239, 249
 Mandry, 328
 Marsh, J. L., 253
 Mashburn, M., 10
 Maxillary defect, hemirhinoplasty with, 392-395
 Maxillary dysplasia, 302-305
 Maxillary platform, secondary correction of, 232-233
 McComb, H., 252
 McDowell, E., 244
 McIndoe, Sir Archibald, 59, 465
 McLaughlin, C. R., 304
 McMahan, S., 282
 McNeil, C. K., 239, 260
 Median clefts of the lip, 286-290
 Membranous septal incision, 13
 Menick, F. J., 223, 373, 414, 417, 438
 Menn, H., 385
 Mentoplasty, augmentation, 103-115
 Mestizo nose, 85, 98-99
 Meyer, R., 255
 Midline syndromes, 290-292
 Mohan, N., 254, 255
 Morestin, H., 310
 Mowlem, R., 440
 Mucosal lining, 327
 Mucosal strap flap
 for columella repair, 337-339
 for leishmaniasis, 475-476
 Mulliken, J. B., 254, 255, 308
 Mullin, W. R., 285
 Muscle flap, for luetic nose, 332-340
 Mustafa, Osman, 93
 Muti, E., 20
 Nasal bridge flap, in hemirhinoplasty, 383
 Nasal layers, 325-328
 Nasal lining, in cocaine nose, 484
 Nasal spine, reduction of, 32-34, 125
 Nasal tip
 antitragus graft for, 347-349
 auricular grafts for, 344-346
 after avulsions, 344
 defatting of, 19
 depressed, 202, 280
 elongated, 20-34
 flat, 28, 63
 forehead flap for, 357-366
 grafts for, 65-73
 gross, 275-277
 local flaps for, 356-357
 nasolabial flap for, 349-356
 notching of, 278
 pinched, 197-202
 reconstruction of, 344-366
 reduction of, 126

- Nasal tip (*continued*)
 resection of golden triangle at distal, 29, 31
- Nasal units and subunits, 1-3, 322-325
- Nasolabial angle, 2, 3-4
- Nasolabial flap
 for alar reconstruction, 370-373
 for avulsed ala and upper lip, 117
 for central defect, 402-403
 for cocaine nose, 484-487
 for columella cover, 340-343
 for destruction by disease, 472-479
 for distal loss, 412
 in hemirhinoplasty, 376, 383, 384, 391
 for nasal tip, 349-352
 for scleroderma, 492
 in true total loss of nose, 443-444
 for upper two-thirds defect, 406
- Narvig, P., 57
- Nelaton, Ch., 330
- Nose(s)
 bifid, 292-295
 black, 82-84
 cleft, 284-286
 double barrel shotgun, 78
 funnel, 78
 long, 29-34, 78
 mestizo, 85, 98-99
 non-specific, 86-88
 potato, 80
 saddle, 135
 short, 306-307, 396-401
 ski jump, 133-135
 total loss of, 437-446
 types of, 82-88
 wide, flat, 93-101
- Nostril, constricted, with unilateral cleft, 224-229
- Nostril sill advancement, for bilateral cleft, 266-270
- Oblique cartilage strut, with unilateral cleft, 217-220
- Ollier, 136, 328
- Open rhinoplasty, 10-13, 122, 173, 231, 276
- Operative stages, order of, 9
- Oriental nose, 97-98, 166-167
- Origami, 209
- Orticochea, M., 417
- Osteochondral perichondrial hinge graft, 142-156
- Osteochondromucosal flap, in hemirhinoplasty, 378, 379
- Osteotomies, bilateral
 in corrective rhinoplasty, 55-59, 86
 in secondary rhinoplasty, 149, 160, 177, 198
- Out-fracture, with osteotomy, 57-58
- Paletta, F. X., 337
- Pandya, N., 119
- Parakeet's beak, 173-174
- Parror's beak, 168-174
- Peck, G. C., 19, 21, 73, 128, 168
- Pedicle, skin tube, 457-464
- Peet, E., 329
- Petralli, 433
- Photographic records, 5
- Picard, R., 12, 209
- Pigott, R., 238
- Pig's snout, 174-177
- Pinched tip, 197-202
- Planas, J., 93
- Postauricular skin graft
 for ala, 346, 394
 for luetic nose, 338-339
 for nasal tip, 345
- Potato nose, 80
- Potter, John, 213, 230
- Premaxilla, projecting, in bilateral cleft lip, 245
- Primary nasal correction
 of bilateral cleft, 260-266
 of unilateral cleft, 240-244
- Primary rhinoplasty. *See* Corrective rhinoplasty
- Prolabium
 advancement into columella of, 270-275
 reduction of, 277
 stretching of, 256
- Prosthesis, 410, 486
- Racial nasal characteristics, 82-85
 alar margin sculpturing for, 81
- Radiation injury, 466-470
- Radovan, C., 329
- Rasp, 7
- Reconstructive rhinoplasty
 antitragus graft in, 347-349
 arm flap in, 455-457
 auricular grafts in, 344-349, 366-374
 for burns, 458-470
 for central or upper two-thirds defects, 398-411
 for cocaine nose, 479-490
 columella in, 331-343
 for destruction by disease, 471-492
 for distal losses, 411-428
 forehead flaps in, 326-327, 328-331, 357-366, 413-416, 448-455
 hemirhinoplasty, 374-395
 for leishmaniasis, 475-477
 for leprosy, 473-474
 L-shaped septal chondromucosal flap in, 416-423
 of nasal alae, 366-374
 nasal chondromucosal flaps in, 335-336
 nasal layers in, 325-328
 of nasal tip, 344-366
 nasal units and subunits in, 322-325
 nasolabial flap in, 340-343, 349-352, 472-473
 for radiation injury, 466-470
 for scleroderma, 490-492
 seagull flap in, 329, 413-416
 for severe defect of nose, septum, and lip, 428-433
 of short nose, 396-401
 skin grafts in, 465-466
 skin tube pedicle in, 457-464
 subcutaneous flap and graft from, 339-340
 for subtotal nasal loss, 433-435
 for syphilis, 477-479
 for total loss of nose, 436-448
 for yaws, 477
- Reductions, inadequate, 125-126
- Rees, T. D., 168
- Rethi, A., 230
- Rethi incision, 230-231
- Retractors, 7
- Reynolds, John, 214, 236
- Rhinophyma, 315-319
- Robinson, D. S., 410
- Robinson, M., 105
- Rogers, B. O., 122
- Roman style nose, 37, 153-155
- Rongeur, 7
- Rousset, 328
- Rowe, Mark, 309
- Saddle nose, 135
 bone graft for, 135-140
 cartilage grafts for, 140-142
 dermal overlay for, 162-163

- hinge graft for, 142-156
- local tissue for, 161
- septal cartilage for, 156-158
- silastic implants for, 163-170
- spreader graft for, 161-162
- Safian, Joseph, 20, 57-58, 168
- Salyer, E., 238
- Saws, nasal, 7
- Scalp flap, with auricular graft, 368-369
- Scar, in corrective rhinoplasty, 11, 92-93
- Scarring
 - generalized, 206-207
 - and supratip deformity, 169
- Schmid, 330
- Schuchardt, K., 438
- Scissors, 7
- Scleroderma, 490-492
- Seagull flap, 207, 329, 357-364, 413-416. *See also* Forehead flaps
- Secondary rhinoplasty
 - aesthetic vs. reconstructive surgery in, 120-121
 - for airway collapse, 190-191
 - for alar notch, 193-196
 - asymmetric grafts for symmetry in, 159
 - of black nose, 203-206
 - bone grafting in, 135-140
 - cartilage grafting in, 140-163
 - challenge of, 123-124
 - complications of, 121-123
 - conchal cages in, 134-135
 - dermal overlay in, 162-163
 - diagnosis in, 120-121
 - forehead flap, 206-210, 493-495
 - for furrowed nasal skin, 130-133, 147-148
 - for generalized scarring and shrinkage, 206-207
 - hinge graft in, 142-156
 - for inadequate reductions, 125-127
 - local tissue for bridge enhancement in, 161
 - for minor discrepancies, 124-132
 - after multiple operations, 203-206
 - nasal chondromucosal flaps in, 179-196
 - for parrot's beak, 168-174
 - for pig's snout, 174-177
 - for pinched tip, 197-202
 - prognosis with, 119-120
 - radical correction in, 208-210
 - for saddle nose, 135
 - septal cartilage to bridge in, 156-158
 - silastic nasal bridge implants for, 163-168
 - for ski jump, 133-135
 - spreader graft in, 161-162
- Septal cartilage
 - for bridge augmentation, 18, 156-158
 - in septal resection, 54-55
- Septal cartilage struts
 - with alar cinch, 94-95, 98
 - for black noses, 83-84
 - for broad, flat-tipped nose, 62-63, 87-88
 - for collapse of alar margins, 88
 - for depressed tip, 202
 - for mestizo nose, 85
 - oblique, 217-220
 - for pinched tip, 197-200
 - for retraction of columella, 332
 - in secondary rhinoplasty, 126, 157, 159, 189
 - for unilateral cleft, 217-220, 231
- Septal chondromucosal flap
 - asymmetric, 159
 - in hemirhinoplasty, 375-380, 389-390, 395
 - L-shaped, 305-308, 416-423, 430
 - in secondary rhinoplasty, 159
- Septal correction
 - priorities in, 48-55
 - in anterior deviation, 50-52
 - in deviation, 53-54
 - in unilateral cleft lip, 214-217, 240-245
- Septal perforation, in cocaine nose, 481-483
- Septal resection
 - for parrot's beak, 170-172
 - rectangle, 29
- Shaw, M. H., 337
- Sheehan, 214
- Sheen, J. H., 61, 65, 65-72, 134, 162, 172
- Shortening, of nose, 29-34
- Short nose, 306-307, 396-401
- Shrinkage, 206-207
- Shuken, R., 105
- Silastic arch, temporary, 299-302
- Silastic nasal bridge implants, 163-168
 - for bifid nose, 292
 - for black nose, 83
 - for midline syndrome, 291-292
 - for parrot's beak, 172-173
- Ski jump nose, 133-135
- Skin
 - freeing of dorsal nasal, 28-29
 - generalized scarring and shrinkage of, 206-207
 - lengthening of columella, 254-260
 - postoperative furrowed, 130-133
 - redistribution of excess, 79
- Skin cover, 325-327
- Skin flaps. *See* Flaps
- Skin grafts
 - for burns, 465-466
 - for luetic nose, 338-339, 471-472
 - in secondary rhinoplasty, 162-163
- Skin tube pedicle, 457-464
- Skoog, T., 39, 239
- Smith, F., 310, 337, 437
- SMR (submucous septal cartilage resection), 49, 53-55
 - in secondary rhinoplasty, 12, 149, 158, 159
 - in unilateral clefts, 214-217
- Snubbed nose, 174-177
- Spear, S., 373
- Speculum, 6
- Spina, I., 77
- Spolyer, J. L., 296
- Spreader graft, 161-162
- Squamous cell carcinoma
 - hemirhinoplasty for, 392-395
 - L-shaped septal chondromucosal flap for, 419
 - nasolabial flap for, 341-342
 - total upper two-thirds loss from, 404-407
- Straith, C., 123, 291
- Strut. *See* Cartilage strut(s)
- Subcutaneous flaps and graft, 339-340
- Submucous septal resection (SMR), 49, 53-55
 - in secondary rhinoplasty, 126, 149, 158, 159
 - in unilateral clefts, 214-217
- Subtotal nasal loss, 433-435
- Supratip deformity, 158, 168-174
- Symmetry, asymmetric grafts for, 159
- Syphilis, 338-340, 471, 477-479
- Szalazak, J., 367
- Tagliocozzi, Gasparo, 455
- Tange, I., 209
- Tardy, M. E., 11

- Tessier, Paul, 136, 285, 294
 Thiersch, C., 327
 Thimble hook, 7-8
 Thompson, H. G., 225
 Tiered grafts, 66
 in secondary rhinoplasty, 126, 158, 189
 Tip. *See* Nasal tip
 Tip-columella cartilage grafts, longitudinal, 62-63
 Tip grafts, 62-72
 alar cartilage reduction with, 19
 bone, 65
 complications of, 71-72
 to dorsum of tip, 73
 excessive, 66-67
 method of insertion of, 67-68
 tiered, 66
 Toriumi, D., 11
 Total nasal loss, 437-446
 Transverse arch support, 297-298
- Trauma
 aesthetic and reconstructive surgery for, 117-118
 central loss due to, 402-404
 hinge graft for, 149-152, 153-155
 septal cartilage to bridge for, 156-157
 short nose due to, 399-402
 Trichoepithelioma, 428-433
 Trott, J. A., 254, 255
 Tube pedicle, 405, 445, 457-464
- Uhm, Ki-II, 167
 Units, 322-325
 Upper two-thirds defects, 401-402, 404-411
- Vander Muelen, J. C., 308
 Van Norman, R. T., 337
 Vestibular lining, trimming of, 55
 Vestibular web, 263, 282-283
 Vistnes, L., 106
 Volkman, 327
- Von Mangold, 328
 V-Y advancement
 for bifid nose, 293
 of nostril sills, 266-268
 V-Y flap, for cleft nose, 285-286
- Warren, J. M., 326
 Washio, A., 368
 Webster, J. P., 293
 Weir, R. F., 60, 77, 90
 Wide nose, alar cinch for, 93-101
 Williams, B., 116
 Williams, S., 231, 351
 Wolfe, S. A., 136, 136, 138-139, 233, 272-273, 296, 380
 Wolkowitsch, N. M., 328
- Yaws, 433-435, 477
 Young, F., 214, 337
 Yuan, R. T. W., 305
- Zais, N., 473
 Zavertrnik, J. J., 419, 438